


NOTES

- (N1) PROPOSED STEEL MONOPOLE.
PAINT COLOUR SUBJECT TO NAV CANADA REQUIREMENTS.
ANTENNA NUMBER AND LOCATIONS TO BE DETERMINED.
FOUNDATION DESIGN PENDING SOIL REPORT.
- (N2) PROPOSED STEEL 2.13m (84") HEIGHT RADIO EQUIPMENT CABINET ON
REINFORCED CONCRETE SLAB.
- (N3) PROPOSED ACCESS WAY.
- (N4) PROPOSED 2.4 m HIGH CHAIN LINK SECURITY FENCE
TOPPED WITH BARBED WIRE SURROUNDING THE COMPOUND.
- (N5) REMOVE EXISTING TOPSOIL, PROOF ROLL SUBGRADE AND PLACE
300 mm GRANULAR A ACROSS COMPOUND AREA.
MATCH INTO EXISTING GRADES ADJACENT TO THE COMPOUND.
PROVIDE POSITIVE DRAINAGE AWAY FROM THE TOWER, SHELTER
AND HYDRO PAD TOWARDS THE NATURAL SLOPE OF THE SITE.
REINSTATE ALL DISTURBED AREAS.
- (N6) PROPOSED CHAIN LINK GATE.
- (N7) PROPOSED HYDRO/FIBER OPTIC CONNECTION.



Compound Plan

LOCATION: Part of Lot 4, Concession 8
7515 Martin Grove Road

APPLICANT:
2133354 Ontario Inc.



Attachment

FILE:
DA.21.016

DATE:
April 5, 2022

3