



DUAL-USE STORMWATER FACILITIES POLICY PAPER

Policy Paper

Prepared For:
The City of Vaughan



December 2021

Policy Paper

Dual-Use Stormwater Facilities Policy Paper

Prepared for:
The City of Vaughan, ON

Prepared by:

Malone Given Parsons Ltd.
140 Renfrew Drive, Suite
201
Markham, ON L3R 6B3

SCS Consulting Group Ltd.
30 Centurian Drive, Suite
100
Markham, ON L3R 8B8

Schollen & Company Inc.
30 Wertheim Court, Unit 15
Richmond Hill, ON L4B 1B9

GEI
75 Tiverton Court, Unit 100
Markham, ON L3R 4M8

DECAST
8807 County Road 56
Utopia, ON L0M 1T0

Page intentionally left blank

Contents

1.0 Overview	5
2.0 Application of Dual-Use Stormwater Facilities in the City of Vaughan	7
Greenfield Development.....	7
Intensification Development	8
Vaughan Metropolitan Centre Development	8
3.0 Benefits of Dual-Use Stormwater Facilities	10
Land Utilization	11
Safety	11
Aesthetics.....	12
Thermal Impacts.....	13
Maintenance and Installation.....	13
4.0 Policy Framework and Rationale	14
Provincial Policy Framework	14
<i>Provincial Policy Statement, 2020.....</i>	<i>14</i>
<i>A Place to Grow: Growth Plan for the Greater Golden Horseshoe, 2019.....</i>	<i>15</i>
Conservation Authority Policy Framework	16
York Region Policy Framework.....	17
<i>York Region Official Plan, 2010.....</i>	<i>17</i>
<i>York Region Draft Official Plan, December 2021</i>	<i>18</i>
City of Vaughan Policy Framework.....	19
<i>City of Vaughan Official Plan, 2010 (2020 Office Consolidation)</i>	<i>19</i>
<i>City-Wide Stormwater Management Master Plan Municipal Class EA, 2014</i>	<i>21</i>

5.0 Engineering Overview of Dual Use Stormwater Facilities 22

Groundwater Interaction	22
SWM Facility Design Considerations	22
Outlet Design Considerations	23
Erosion and Sediment Control During Construction.....	23

6.0 Maintenance, Installation, Life Cycle, and Costs..... 25

Inspection	25
Maintenance Activities/Cleanout	26
Lifecycle and Costs	28
Lifecycle Cost Breakdown	29
<i>Inspection and Maintenance</i>	29
<i>Rehabilitation</i>	29
<i>Refurbishment/Disposal</i>	30
<i>Capital Cost Summary</i>	30

7.0 Above Ground Uses 32

Park Uses.....	32
<i>Strata Landscape Zone</i>	32
<i>Influencing Factors</i>	33
<i>Strata Landscape – Principles</i>	34
<i>Composition of the Strata Landscape</i>	35
<i>Recreational Facilities</i>	35
<i>Park Amenities</i>	49
Planting.....	50
<i>Soft Landscaping</i>	50

Parking Lots and Service Roads	52
8.0 Rules/Responsibilities	53
Developer	53
Municipality (City of Vaughan)	54
9.0 Available Stormwater Infrastructure Products.....	56
Concrete	56
Polyvinyl Chloride	57
10.0 Examples of Existing Dual-Use Facilities	59
11.0 Conclusions & Recommendations	71
APPENDIX A.....	72
APPENDIX B.....	73
APPENDIX C	74

List of Figures

Figure 1: Strata Landscape Zone (SLZ)	33
Figure 2: Baseball Diamond Overlay on SLZ / UG/SWMF – Base Condition.....	35
Figure 3: Baseball Diamond Overlay on SLZ / UG/SWMF – Modified Condition	36
Figure 4: Soccer Field (Unlit) Overlay on SLZ / UG/SWMF – Base Condition	42
Figure 5: Soccer Field (Unlit) Overlay on SLZ / UG/SWMF – Modified Condition	49
Figure 6: DECAST I-Storm Prototype	57
Figure 6: Sample PVC Prototypes	58

List of Tables

Table 1: Typical Lifecycle Cost of SWM Pond	30
Table 2: Typical Lifecycle Cost of Concrete Tank System.....	31
Table 3: Suitability of Recreational Facilities within SLZ – Base Condition	36
Table 4: Suitability of Recreational Facilities within SLZ – Modified Condition	42
Table 5: Minimum Depths of Growing Media.....	52

Appendices

Appendix A: Letter from TRCA to DECAST dated October 18, 2021, Use of Underground Tanks for Stormwater Management

Appendix B: Letter from Concrete Durability Associates Inc. to DECAST dated March 12, 2021, Service Life Predictions for Proposed Underground Precast Stormwater Storage Tanks


Appendix C: City of Markham Development Services Committee Minutes dated June 7, 2021, Item 9.1, Recommendation re City of Markham Tanking Storm Ponds and Creating Parkland on Top

1.0 Overview

Executive Summary

This policy paper is intended to assist municipal staff in the implementation of dual-use stormwater management facilities. The dual-use approach to stormwater management is generally more efficient in terms of the use of land, improves safety, provides more usable public spaces and reduces long-term cost, amongst other benefits. The efficient use of land and adequate provision of greenspace/park areas are promoted and encouraged through the applicable land use policies at provincial, regional and local levels. Underground stormwater management facilities can be designed to accommodate quality, quantity and erosion control. Similar to traditional stormwater management ponds, underground facilities require routine inspection, maintenance, and upkeep, however properly maintained facilities can achieve a life-cycle that can exceed 100 years. Numerous at-surface uses can be implemented over top of underground facilities, including parks, multi-use paths, sports fields, etc.

The intention to implement a dual-use stormwater management facility will be initiated by the developer early in the application process which will be supported by technical documents and design drawings. There are a variety of products available, which can be utilized on a site-by-site basis to address unique site conditions and accommodate the proposed uses and capacities. Typically, dual-use facilities are considered to be a component of the City's municipal infrastructure, like traditional open ponds, and are typically owned and operated by the City. A number of successful underground facility projects have been implemented throughout the Greater Toronto Area, which provide guidance and serve as precedents for future implementation within the City of Vaughan.



Source: DECAST I-Storm Stormwater Management System, Inspection & Maintenance Manual

Stormwater management (“SWM”) facilities are important components of urban development. They are necessary to control the rate of runoff from rainfall events, rainwater flow and mitigate the conveyance of pollutants into downstream receiving watercourses and water bodies. Traditionally, stormwater management ponds have been used in the design of new communities to retain and treat stormwater runoff. These facilities typically require a significant quantum of land in proportion to the development area and are a static feature of the community that is required to be maintained by the City.

As municipalities continue to grow, there is an increasing pressure to build housing and employment areas to accommodate the rising population numbers. There is a need to efficiently use land to ensure that residential density and employment uses are optimized. In response, many municipalities have adopted a dual-use approach to stormwater management, which uses less land, provides usable public spaces above the SWM infrastructure, and has a reduced long-term cost, among other benefits. The dual-use approach involves an underground stormwater management facility (“UG/SWMF”) with above-ground uses, including passive and active parkland. This approach is supported by the Toronto and Region Conservation Authority (“TRCA”) as an effective means to address stormwater management requirements.

The purpose of this policy paper is to:

1. Describe the application of dual-use stormwater facilities for the City of Vaughan;
2. Explain the benefits of dual-use stormwater facilities;
3. Outline the policy rationale for dual-use stormwater facilities;
4. Provide a technical overview of dual-use stormwater facilities;
5. Describe life-cycle characteristics and operational costs associated with dual-use stormwater facilities;
6. Describe potential surface uses;
7. Delineate the roles and responsibilities of each relevant party in terms of ownership, operation and maintenance;
8. Identify available stormwater infrastructure products; and,
9. Provide examples of existing dual-use stormwater facilities.

2.0 Application of Dual-Use Stormwater Facilities in the City of Vaughan

Generally, there are three categories of growth areas within the City that would benefit from the implementation of dual-use stormwater facilities: Greenfield development areas, intensification areas, and the Vaughan Metropolitan Centre (“VMC”). The retrofitting of existing SWM ponds could also be considered to create additional public park space.

Based on the policies outlined in the sections below, there is a clear direction and an opportunity to produce a more efficient use of land resources within all three categories of growth areas.

Greenfield Development

Greenfield development, being defined as development that is proposed to be located outside of the urban area of the City, typically involves large-scale subdivisions. Greenfield communities require storage and treatment of stormwater as a standard industry practice and regulatory requirement. Stormwater management (quality and quantity control) has typically been provided by utilizing ponds that have no above-ground usability and therefore only serve as a passive visual resource for the community, or the maintenance access route for the pond may be integrated into the local trail system. The pond and associated buffers/service areas will typically consume between 6% to 8% of the greenfield development area. In addition, to service the proposed community, another 5% or more of greenfield area will be required for parkland.

To promote the efficient use of land in greenfield areas, the integration of an UG/SWMF with a neighbourhood park at-surface over top of the UG/SWMF is recommended. As outlined in Section 7.0 of this paper, the location of an UG/SWMF below an active playing field does not impact the function of either uses and will instead provide a community benefit for residents.

In the case of a Regional Storm control SWM facility and where topography allows, the dual-use could include location of park space/playing fields within a depressed open surface area while the quality and more frequent quantity storage could be provided in a separate underground facility below the park uses.

Intensification Development

Intensification, being development within the designated urban area of the City, typically involves smaller-sized land parcels. However, given the current growth projections and density requirements, intensification can also include intensified development within greenfield areas. In intensified urban settings, where developable land is limited, land use development continues to require a balance between optimizing residential units, non-residential gross floor area, parking spaces, public and private amenities and appropriately servicing the proposal. Often at this scale, stormwater is captured through internal site drainage and discharged to municipal storm sewers. Underground stormwater chambers are required for stormwater management. These are typically located in the underground parking structure. Where possible, Low Impact Development (“LID”) methods are utilized, such as bioswales, pervious pavement, green roofs, or water re-use, to achieve water quality control and water balance objectives.

In this context, dual-use facilities provide the opportunity to create parks, which are a recreational and social benefit to residents, enhance the liveability of the community and contribute to healthy, active lifestyles. In comparison, a traditional stormwater management pond is limited in its contribution to recreational and functional benefits to the residents. As outlined in Section 7.0 of this paper, the location of a stormwater tank below a park does not impair the function of either use and will instead provide a functional benefit for the community.

Vaughan Metropolitan Centre Development

The Vaughan Metropolitan Centre (“VMC”) is a major development area and that is planned to accommodate the greatest population growth within the City. The VMC Secondary Plan identifies a robust parks and open space system to serve the expected population. However, development in the VMC has exceeded initial expectations, and the Secondary Plan is currently being reviewed and updated. Based on the Phase 1 VMC Secondary Plan Update Background Study Report, it is our understanding that it is Staff’s intent to ensure that the provision of parks and community facilities is calibrated with the intensity of development to ensure that the overall urban development is balanced and the needs of the future community are well-served.

As part of the VMC Secondary Plan update, there has already been some consideration for dual-use stormwater facilities, as identified in the Black Creek Class EA and the DC Background Study. To create a complete community, development within the VMC must also balance issues that are similar to many urban intensification scenarios, however, the VMC master plan includes an extensive parks and open space system as well. In this context, lands within the VMC would be more efficiently utilized through the development of UG/SWMF with parks or parking lots situated at-surface, above the UG/SWMF. As outlined in Section 7.0 of this paper, the location of a stormwater tank below a park or a parking area will not compromise the function of either use and will instead provide a benefit to residents and businesses. To encourage more dual-use facilities and to

facilitate the implementation of dual-use UG/SMWF facilities in the VMC and throughout the City, the City should consider adopting a standard guideline or policy document for use by staff, the development industry and the general public.

3.0 Benefits of Dual-Use Stormwater Facilities

Summary of Benefits:

- *Maximizes the utility of land resources;*
- *Enhances safety in comparison to traditional open stormwater management ponds:*
 - *No public access*
 - *Mitigates the risk of drowning*
- *Reduces visual and nuisance impacts on community*
 - *Reduces open water surfaces that attract mosquitos and other wildlife*
 - *Does not require maintenance of debris and open water*
- *Provides cool water discharge, protecting downstream aquatic habitat*
- *Recharges groundwater and reduces stormwater runoff*
- *Enhances water quality*
- *Provides an extended life-cycle that can exceed 100 years;*
- *Affords easy, accessible, cost-effective maintenance and inspections*
- *Modular units are flexible and enable efficient installation*



Source: DECAST, Installation of UG/SWMF in the City of Vaughan

Land Utilization

In addition to the efficient use of the lands by making the land at-surface available for other land uses, the total area required for an UG/SWMF is approximately 25% less than that of a traditional open pond SWM facility for a similar storage volume due to the efficiency of the vertical side walls of the UG/SWMF in comparison to the graded side slopes of the conventional open pond. In addition to the facility itself, sufficient space is typically required around the UG/SWMF to allow for an open trench excavation around the perimeter of the facility without the need for sheet piling or other trench stabilization methods. Maintenance access to the outlet of a conventional open pond is typically required to be provided within the boundary of the designated SWM pond block, however in the case of the UG/SWMF, segments of the maintenance access route can typically be situated above the tank itself, since most underground SWM storage products that are available in the marketplace can accommodate highway loading. Consequently, additional land area is typically not required to accommodate a maintenance access beyond the limits of the UG/SWMF and the required setbacks for excavation and/or separation from the property boundary. For municipalities that require sediment drying areas, this function can be provided above the tank itself, thereby not consuming additional land area to accommodate this temporary operation. The ability to use land for additional parkland or community gathering place that would otherwise have been needed to provide a traditional SWM pond allows the City to involve the community more meaningfully with respect to planning and implementation of the above-ground amenities, prompting a stronger sense of ownership and engagement from the residents within the community.

Safety

The primary safety consideration with open wet SWM ponds is the potential for drowning related to the open water surface or through the risk presented by thin ice. This could also apply to a dry SWM pond during a storage event. Safety considerations implemented in accordance with municipal and MECP design criteria include the use of flatter slopes, safety shelves at the normal water level, safety equipment and signage, the installation of plant material to discourage pedestrian access and, in some cases, fencing of the entire facility to restrict public access altogether. Some municipalities require flatter slopes (i.e. > 5:1) if fencing is not provided, which results in a larger area of land being consumed to accommodate the SWM pond blocks and a less efficient land use. Many urban municipalities have encouraged the integration of pedestrian trails with SWM ponds, thereby encouraging public access near the water surface. This approach has been adopted in the City.

Despite the additional safety considerations implemented by the City, residents continue to require frequent reminders about access restrictions around open SWM ponds (such as the prohibition of skating or sledding on frozen ponds) and the City continues to carry some liability for residents' safety. This issue is remedied in UG/SWMF as access is strictly controlled and only accessible to maintenance personnel, possibly reducing insurance

costs that the City is required to carry as applicable to SWM facilities. Any above-ground uses above the UG/SWMF would be designed to be usable by the public year-round.

A secondary safety consideration for open wet SWM ponds, from a public perception perspective, is the potential for the development of mosquito larvae. Open water surfaces such as SWM ponds are less prone to mosquito development than smaller confined and still-water sources such as catch basins, blocked gutters or other trapped still water sources, however there is still a continued public perception of concern in this regard.

UG/SWMF are inaccessible to the public. All access to the facility would be for maintenance crews only, either through a locked grate or typical cast iron maintenance hole access lid or grate, negating public safety concerns.

Safety protocols must be followed when inspecting or maintaining an UG/SWMF in accordance with confined space entry guidelines. Municipal staff, consultants and contractors will need to be trained accordingly and will need to be provided with appropriate equipment and informed of the necessary protocols to address the associated safety requirements.

Aesthetics

Well-maintained dry or wet SWM ponds can be an attractive and desirable component of a municipality's public open space system. As with any stormwater management system, ponds require regular maintenance and upkeep to maintain both aesthetic qualities and provide the required level of SWM control. While most municipalities have an effective maintenance and operations program related to SWM ponds, there have been many examples of municipally owned and operated open SWM ponds that have not been effectively managed and, as a result, have become overgrown with weeds which can impact adjacent residents, have become filled with sediment, which detracts from the visual appeal of the open water surface and the functional performance of the facility, and/or have become filled with floating or blown debris. These issues also may become more apparent in open ponds as they approach the end of their maintenance cycle, leading to homeowner complaints related to overgrown vegetation, accumulated debris and odour and aesthetic issues.

Stormwater management ponds also have the potential to become an attraction for water birds such as Canadian Geese. This creates concerns related to water quality and also may present potential aviation safety concerns where ponds are located within the regulated flight paths of existing and planned airports and aerodromes.

UG/SWMF by their nature are generally not visible to the public and therefore the storage component itself has no visually aesthetic impact. Each underground facility will require a series of access points for maintenance and operations. These access locations can be planned together with the surface land use to minimize the associated visual impact. Access locations which do not require frequent use can also be buried beneath a shallow soil and vegetation cover. Incorporation of trees, lighting, sport infrastructure, etc. can be

accommodated together with UG/SWMF at the design stage by either placing them directly on top of the facility or designing the modular facility to work around the structures as described in detail in Section 7.0 of this paper. Parkland amenities with few safety risks (such as drowning) offer a relaxing and enjoyable recreational space for residents, which leads to improved mental health within the community and can attract visitors from other communities to the area.

Thermal Impacts

Due to direct exposure to sunlight, stormwater management ponds have the potential to increase water temperatures in downstream watercourses, which is a significant concern in coldwater habitat subwatersheds. The Province has provided specific design criteria associated with the protection of endangered species to address this concern, including minimum 3 m deep permanent pool areas and bottom draw outlets, along with cooling trenches and vegetation cover. Alternate measures such as floating balls to shade the water and time-release outlets have been used on a trial basis.

UG/SWMF are not subject to direct exposure to sunlight and therefore thermal issues associated with SWM ponds are not a concern. UG/SWMF promote the cooling of stormwater runoff from warm roof and asphalt surfaces, thereby enhancing downstream fish habitat, as confirmed by the Toronto and Region Conservation Authority (“TRCA”) (see Appendix A). The cool water discharge can also serve to recharge groundwater (where water table and depth to bedrock conditions are conducive) and enhance the overall water quality.

Maintenance and Installation

UG/SWMF offer easy, accessible, and cost-effective options for maintenance and installation. Modular precast units, which provide a flexible design to allow for various system configurations, enable a quick and efficient installation process. Site-specific elements, such as weir walls, bumpouts, infiltration locations, structures at inlets and outlets can also be accommodated during installation.

Large accessible openings in the top can be constructed to allow for easy maintenance and inspection when required. In the case of the I-Storm product, access openings can be constructed to be large enough to allow a skid steer machine to be lowered inside the UG/SWMF to efficiently clean the entire system. Smaller celled underground storage systems would have sufficient access ports provided to facilitate a flushing/hydro-vac maintenance program.

When properly maintained and inspected, UG/SWMF can have a life-cycle that exceeds 100 years, contingent on the type of product utilized. The potential cost efficiency of these facilities, compared with that of open stormwater management ponds, is discussed in Section 6.0 of this document.

4.0 Policy Framework and Rationale

UG/SWMF achieve the objectives of provincial, regional, and municipal planning policies.

Provincial Policy Framework

Provincial Policy Statement, 2020

The Provincial Policy Statement, 2020 (“PPS”), encourages the efficient use of land and resources to support Ontario’s long-term prosperity, environmental health and social well-being. Within the province, efficient land use and development patterns support sustainability by promoting strong, liveable, healthy, and resilient communities, protecting the environment and public health and safety, and facilitating economic growth (Section 1.0). The PPS provides that land use must be carefully managed to accommodate appropriate development to meet the full range of current and future needs, while achieving cost-effective and efficient development patterns, avoiding significant or sensitive resources and areas which may pose a risk to public health and safety, and minimizing land consumption and servicing costs.

Within Settlement Areas, it is in the interest of all communities to use land and resources wisely, to promote efficient development patterns, protect resources, promote green spaces, ensure effective use of infrastructure and public service facilities, and to minimize unnecessary public expenditures (Section 1.1.3). Healthy, active communities with parkland, public spaces, open space areas, trails and linkages, and, where practical, water-based resources are generally encouraged under the PPS (Sections 1.5.1 a and 1.5.1 b). In accordance with Section 2.2.1 i), it is stated that planning authorities shall protect, improve, or restore the quality and quantity of water in part by ensuring stormwater management practices minimize stormwater volumes and contaminant loads, and maintain or increase the extent of vegetative and pervious surfaces.

Under Section 1.6.6.7, the PPS articulates that planning for stormwater management shall:

- a. be integrated with planning for sewage and water services and ensure that systems are optimized, feasible and financially viable over the long term;
- b. minimize, or, where possible, prevent increases in contaminant loads;
- c. minimize erosion and changes in water balance, and prepare for the impacts of a changing climate through the effective management of stormwater, including the use of green infrastructure;

- d. mitigate risks to human health, safety, property and the environment;
- e. maximize the extent and function of vegetative and pervious surfaces; and
- f. promote stormwater management best practices, including stormwater attenuation and re-use, water conservation and efficiency, and low impact development.

Generally, the policies of the PPS support and encourage the efficient use of land and resources through the integration of land use planning, growth management, and infrastructure development. The PPS promotes best practices for stormwater management and articulates the importance of accessible built and natural settings for recreation. The proposed innovative approach to stormwater management which is the subject of this policy paper, related to integrating subsurface stormwater retention and treatment facilities with useable and accessible public space, aligns with the policies of the PPS with regard to stormwater management and healthy, complete communities. The proposed implementation of dual-use stormwater management facilities promotes the objectives set out by the PPS and is consistent with the policies for managing land use to achieve efficient and resilient development.

A Place to Grow: Growth Plan for the Greater Golden Horseshoe, 2019

The Growth Plan for the Greater Golden Horseshoe (the “Growth Plan”), as amended, is the Ontario government’s approach to growth and development within the Greater Golden Horseshoe region. The Growth Plan supports economic prosperity, protects the environment, and helps communities achieve a high quality of life. In order to accommodate the forecasted growth, the Growth Plan sets out to encourage more compact built form to reduce the rate at which land is consumed. In accordance with the Growth Plan’s vision, the Greater Golden Horseshoe will be supported by modern, well-maintained, sustainable, and resilient infrastructure built in alignment with a broad plan for managing growth. This vision is affirmed through the Growth Plan’s guiding principles which set out to support the achievement of complete communities that are designed to support healthy and active living and meet people’s needs for daily living throughout an entire lifetime; that prioritize intensification and higher densities in strategic growth areas to make efficient use of land and infrastructure and support transit viability; and, that improve the integration of land use planning with planning and investment in infrastructure and public service facilities, among other principles.

The application of Growth Plan policies will support the achievement of complete communities that expand convenient access to an appropriate supply of safe, publicly-accessible open spaces, parks, trails, and other recreational facilities (Section 2.2.1.4 d. iii). The Growth Plan requires municipalities to develop a strategy to achieve minimum intensification targets within delineated built-up areas which will, among several factors, support the investment in infrastructure and public service facilities (2.2.2.3 e)).

The Growth Plan articulates that well planned infrastructure is essential to the viability of Ontario’s communities and critical to economic competitiveness, quality of life, and the delivery of public services (Section 3.1). In this respect, the Plan provides a framework to

guide and prioritize infrastructure planning and investments in the GGH to support and accommodate forecasted growth to the horizon of this Plan and beyond. According to the policies of the Growth Plan, infrastructure planning, land use planning and infrastructure investment will be co-ordinated to implement the policies of the Growth Plan (Section 3.2.1.1). Under the Plan, municipalities are required to develop stormwater master plans or equivalent for serviced settlement areas (Section 3.2.7) that, among other considerations, identify the full life-cycle costs of the stormwater infrastructure, including maintenance costs (Section 3.2.7 f). Proposals for large-scale development will incorporate an integrated treatment approach to minimize stormwater flows and reliance on stormwater ponds, which includes appropriate LID and green infrastructure (Section 3.2.7.2 b).

Generally, the policies and provisions of the Growth Plan promote modern, well-maintained, sustainable and resilient infrastructure to support growth. Compact and efficient development are central factors in reducing the rate at which land is consumed. As such, the implementation of dual-use stormwater management facilities aligns with the Growth Plan's objective to render a more efficient use of land. The park /open space aspect of the dual-use facilities will help to further support the goals and objectives set forth in the Growth Plan. Dual-use facilities are also able to achieve the objectives and goals of comprehensive stormwater master plans and add to a municipality's toolkit for managing stormwater that corresponds with the Growth Plan's requirements for large-scale development.

Conservation Authority Policy Framework

The TRCA has expressed support for alternative approaches to traditional SWM ponds, provided they can meet all applicable design criteria, including protection from flooding, maintaining water quality, mitigating erosion and managing water balance. As noted by the TRCA (provided in correspondence to the City of Markham and DECAST, attached as Appendix A), underground tanks/chambers have proven to be an effective alternative to open stormwater ponds within TRCA's jurisdiction, particularly when employed in high-density urban areas. When located below parks, dual-use SWM ponds have the potential to significantly reduce the surface footprint of the developed area, allowing for greater conservation of natural lands and more efficient and compact land use planning. The TRCA has acknowledged that, based on monitoring of recent projects (namely Unionville in Markham by the Sustainable Technologies Evaluation Program (STEP)), UG/SWMF are capable of providing "enhanced" water quality with much cooler discharge temperatures.

The application of stormwater tanks is also described within both the Stormwater Management Planning and Design Manual (MOE 2003) and TRCA's Low Impact Development Stormwater Management Planning and Design Guide. Both documents emphasize the importance of the treatment train approach, which promotes the treatment of runoff at the source, enroute, and at end-of-pipe as an integrated approach to every SWM strategy.

UG/SWMF that are designed and sited appropriately can deliver both land conservation

and water quality benefits, effectively mitigating flooding and satisfying the TRCA's criteria related to water quality, quantity and water balance, as outlined in TRCA's Stormwater Criteria Document. The possibility of open bottom chambers, combined with pre-treatment, can be effective at providing infiltration needed to maintain water balance. The TRCA has stated that Stormwater Management Innovation, combined with sound engineering and environmental principles, will continue to be encouraged and accepted provided that the necessary technical analyses, documentation, and approval from the municipality or SWM infrastructure owner are achieved. The UG/SWMF proposal must also satisfy all other applicable requirements and criteria, including provisions for long-term operations, monitoring and maintenance.

York Region Policy Framework

York Region Official Plan, 2010

The York Region Official Plan, 2010 ("YROP") represents York Region's ongoing collaboration with its partners and stakeholders to rethink the way communities are designed, serviced and supported. Within the Provincial Context, York Region and its municipalities are directed to formulate new plans to accommodate additional population and employment growth to 2031 in more compact, complete communities and protect and enhance the environment and strengthen the economy (Section 1.3). A key aspect of this Plan includes City building with focus on Regional Centres and Corridors and including innovation in urban design and green building (Section 1.2.1). Other key elements include the establishment of new community areas, designed to a higher standard that includes requirements for sustainable buildings, water and energy management, public spaces, mixed-use, compact development, and urban design (Section 1.2.3) and the establishment of progressively higher standards in energy and water efficiency, renewable energy systems and waste reduction (Section 1.2.8). Generally, the YROP applies a "Sustainability lens" through which York Region formulates, enhances and implements policy.

Section 2.3 of the YROP establishes an objective to maintain and enhance water system health to ensure water quality and quantity, and to maintain the natural hydrologic function of water systems. The policies of the YROP require the preparation of comprehensive master environmental servicing plans as part of secondary plans to protect, improve or restore water quality and quantity including hydrologic function of water systems. It is noted that such plans will incorporate best management practices with a goal that water balance and hydrologic functions will be maintained as much as possible. Notably, these plans will emphasize water conservation and may include water reuse and innovative technologies (Section 2.3.17).

The Stormwater Management section of the YROP details that stormwater is runoff that occurs in urbanized areas which, if unmitigated, results in increased downstream watercourse erosion, pollution and, increased water temperatures. According to the YROP, the use of sustainable stormwater planning and practices will help ensure the continued health of the streams, rivers, lakes, fisheries and terrestrial habitats in our

watersheds. It is the objective of the Plan to ensure the careful management of stormwater through the use of innovative techniques. Policy 2.3.40 specifically articulates that it is the policy of council to work in partnership with local municipalities, the Province, conservation authorities and other agencies in the implementation of stormwater management initiatives.

The Region is dedicated to implementing the policies of this Plan in a fiscally efficient and effective manner, including the co-ordination and streamlining of service delivery, optimizing service levels, eliminating duplication and seeking innovative and efficient approaches to implementing the objectives and policies of the YROP. In this respect, it is the policy of Council to ensure the most efficient and effective use of infrastructure, and to design and implement urban services to meet the capacity requirements of the Urban Area (Section 4.5.17). Likewise, it is the policy of Council that development have an integrated and innovative approach to water management, be water efficient, and minimize stormwater volumes and contaminant loads and maximize infiltration through an integrated treatment approach, which may include a variety of low-impact development techniques, including the preservation and enhancement of native vegetation cover (Section 5.2.11).

Under Section 5.6 of the YROP, New Community Areas will prioritize people, sustainability and liveability. A Regional Greenlands System that is connected to a network of parks and open spaces is a key component of new community areas. Similarly, the planning and design in intensification areas will provide well-designed public open spaces that create attractive and vibrant places and support walking, cycling and transit for everyday activities.

The in-effect YROP generally sets out to address issues associated with climate change and public health. In terms of stormwater management, the YROP supports the use of innovative techniques and initiatives to ensure the careful management of stormwater. In this regard, the YROP supports the application of new and innovative approaches that promote water efficiency, minimize stormwater volumes and contaminant loads, and maximize infiltration. Providing tandem uses aligns with the Region's objectives to facilitate the most efficient and effective use of infrastructure while helping the Region achieve increased opportunities for establishing connected park space.

York Region Draft Official Plan, December 2021

In November 2021, York Region presented the Draft York Region Official Plan (the "Draft YROP") to York Region Committee of the Whole. The Draft YROP sets out to update Regional land use policies as part of York Region's Municipal Comprehensive Review and Growth Plan conformity exercise. Similar to the in-effect YROP, the Draft YROP is intended to provide direction pertaining to land use and guide the long-term vision for York Region's physical form and community structure.

An important objective for the Region's Community Areas is to ensure they are walkable, pedestrian-oriented, and amenity rich locations which provide residents with a range of

services and open spaces within a 15-minute walk or cycle of their home. The policies of this section under the Draft YROP enhance existing communities and create new communities which integrate greenspaces, pedestrian, transit and active transportation networks in a manner that offers a variety of housing, transportation, human services and employment options (Section 4.1). Within New Community Areas, phasing will ensure that communities are developed as complete communities for residents to have access to a wide range of services and amenities within the same community such as schools, parks, libraries, transit, and jobs in a timely manner (Section 4.2.2).

The draft policies provide guidance for Stormwater Management under Section 6.5. The draft policies continue the intent of the in-force YROP to require that development and site alteration proposals meet applicable stormwater management policies, guidelines, and best practices, while promoting integrated and innovative approaches to stormwater management (Section 6.5.9).

Although the policies are presently in draft form, the Draft YROP provides an indication of proposed land use policies for the future of York Region. The draft policies generally emphasize the importance of using land efficiently and promote optimizing infrastructure with a compact, mixed-use, pedestrian-friendly built form. In this regard, the implementation of dual-use facilities aligns with the proposed policy framework and would assist the Region in achieving the objectives provided by the Draft YROP.

City of Vaughan Policy Framework

City of Vaughan Official Plan, 2010 (2020 Office Consolidation)

The Vaughan Official Plan (“VOP”) as adopted by City Council on September 7, 2010, generally outlines land use policies that have been set out to shape the future of the City and guide its continued transformation into a vibrant, beautiful, and sustainable City. The VOP was partially approved by the then Ontario Municipal Board and the majority of policies are presently in force and effect. In alignment with the current YROP, the VOP plans for growth to the 2031 planning horizon.

Section 2.1 of the VOP outlines a number of Key Planning Objectives that are deemed to be integral. Notably, section 2.1.3 of the VOP outlines concerns associated with the historical pattern of growth and current urban structure which has resulted in a number of significant issues including sprawling development that Vaughan, and other suburban municipalities, have begun addressing by encouraging the creation of more compact and complete communities that make better use of land and resources.

Under the VOP, it is the policy of Council to recognize stormwater management facilities as a functioning part of Vaughan’s natural water system and ecosystem (Section 3.6.6). New development will employ stormwater management practices that are sensitive to the natural environment and natural heritage features (Section 3.6.6.2). The VOP policies provide that new stormwater facilities shall be integrated into the design of proposed developments to positively contribute to the overall character of the development

(Section 3.6.6.5). As noted in Section 3.6.6.6 of the Vaughan Official Plan, new SWM facilities are to be designed as local amenities while also providing a utilitarian function by integrating SWM facilities into surrounding developments as publicly accessible open space. This is achieved in part by locating stormwater facilities adjacent to open spaces, parks and/or natural heritage areas contributing to a connected system and to encourage public access to these facilities, where appropriate; integrating stormwater facilities into surrounding developments as publicly accessible open space; and, designing stormwater facilities as naturalized or formal landscapes that are complementary to adjacent features, including adjacent landscapes or natural heritage features. It is the policy of Council to accommodate a variety of open space types, including stormwater management facilities, which provide opportunities for trails and resting areas and can improve linkages to other parks and open spaces (Policy 7.3.1.3 d). According to the Parks and Open Space Design policies of the VOP, Vaughan's parks and open spaces assume many forms and are located throughout the City. It is noted that parks and open spaces may include a range of community amenities, including sports facilities, playgrounds, pavilions and shelters, outdoor amphitheatres, and picnic areas. As Vaughan grows and intensifies, more opportunities for a diversity of new parks and open spaces will be identified.

The VOP states that parks shall be located and oriented to be in a central location or in the community to be served in order to act as a focal point for the community; uninterrupted by major physical barriers, such as rail lines, arterial, and collector streets, and other physical barriers that restrict access; and connected to other parks, open spaces and natural features to create an interconnected network of parks and open spaces (Section 7.3.2.3). The design of parks and open spaces are intended to cater to a broad range of users by providing space and facilities that support a range of activities (Policy 7.3.2.4 b) as well as incorporate best practice principles of sustainable design, including natural heritage enhancement, naturalized stormwater management features, use of native plant species, incorporation of environmental education features and use of low maintenance and energy efficient facilities and landscapes (Policy 7.3.2.4 f).

The policies of the VOP are generally supportive of the implementation of dual-use stormwater management ponds. These proposed facilities are designed as local amenities while also providing a utilitarian function, in alignment with the policies detailed above. The VOP currently contemplates the coupling of parkland and infrastructure and integrating the development of stormwater management facilities in a manner that positively contributes to the overall character of a development. Dual-use stormwater management facilities provide an opportunity to encourage the efficient use of land and deliver novel options for new and diverse parks and open spaces. As such, the proposed dual-use stormwater management ponds align with and promote the policies and provisions of the Vaughan Official Plan.

City-Wide Stormwater Management Master Plan Municipal Class EA, 2014

The City's SWM Master Plan has identified underground storage as an alternative for meeting the City's SWM objectives and has specifically recommended the use of underground storage in the Yonge Steeles Secondary Plan area, the Woodbridge Core Secondary Plan Area, the West Vaughan Employment Area, the Huntington Road Community, Vaughan Mills Centre, Concord Centre, the Vaughan Health Campus of Care, the Dufferin St./Centre St. area and the Promenade Mall. The report also notes that SWM quantity control for new communities such as Blocks 27 and 41 should be provided by SWM facilities, along with combination of parking lot/surface, rooftop and underground storage where feasible.

As demonstrated in the Class EA, the City has already established the groundwork for the use of underground storage as an acceptable method of SWM control.

5.0 Engineering Overview of Dual Use Stormwater Facilities

Groundwater Interaction

Both traditional SWM ponds and UG/SWMF must consider the implications of seasonally high groundwater elevations and hydraulic conductivity of the native or imported soils.

SWM ponds typically have a permanent pool which, although not required to stay full for water quality purposes, is preferred from an aesthetic perspective. If the existing soils are pervious and the groundwater elevation is low, a pond liner is typically required to allow the pond to maintain a permanent water level. Alternatively, if the groundwater elevation is higher than the normal water level in the pond, a liner and subdrain system could be required to ensure that the existing groundwater elevation does not cause bank instability both during normal operation and for dewatering conditions when the pond is maintained.

UG/SWMF do not present an aesthetic concern related to maintaining a normal water level. In the case of a wet facility with a permanent pool, if the groundwater level is low and soils are pervious, there is no requirement for an impervious liner since aesthetics of a “full” permanent pool are not required. Although seepage into the facility is not a stormwater management or operational concern, if there is a high groundwater situation, an impervious liner or sealant materials between the internal joints, along with a sub-drain, can be provided for the facility to facilitate future maintenance operations.

In an excessively high groundwater condition, floatation potential for the UG/SWMF must be addressed by the geotechnical and structural engineers. This can typically be accommodated by depth of cover, subdrains or the weight of the facility itself.

SWM Facility Design Considerations

Both SWM ponds and UG/SWMF can provide stormwater quality, quantity and erosion control. Traditional SWM ponds are typically designed as wet pond facilities, along with extended detention and quantity storage to provide the appropriate quality control, erosion control and quantity control. Water balance opportunities are typically not provided in SWM ponds since infiltration opportunities are generally not readily available, however there are examples of infiltration galleries within SWM ponds in areas of highly pervious soils and low groundwater.

UG/SWMF can also be designed to accommodate quality, quantity and erosion control. With appropriate based on-site conditions and upstream pre-treatment constraints, a permanent pool can be created within an UG/SWMF by creating an outlet at an elevation above the base of the facility. Alternatively, UG/SWMF are often paired with upstream quality control measures, including oil-grit separators, filters and various LID measures to minimize the cleanout frequency of the underground structure. The use of LIDs is strongly encouraged by the MECP and Conservation Authorities and have therefore become common practice for meeting water balance, erosion and quality control requirements. In many cases, this leaves only an end of pipe quantity control requirement for flood control.

Outlet Design Considerations

Both SWM ponds and UG/SWMF store stormwater runoff, creating a hydraulic backwater condition which must be considered in the upstream infrastructure design and associated foundation drain interaction.

Traditional SWM ponds typically have a piped and overland flow inlet design. The 100-year hydraulic grade line in the pond must be considered in the upstream storm sewer design. The pond outlet structure typically provides a restricted outlet to provide quality and quantity control, and also includes an emergency overland flow structure to by-pass the unrestricted 100 year or regulatory flows in the event of an outlet structure blockage to avoid hydraulic implications to the upstream storm sewer system.

UG/SWMF provide a similar hydraulic condition to SWM ponds during normal operating conditions to provide water quantity and possibly quality control. Major system inlets to the UG/SWMF are required at the downstream limit of the development drainage area. This is typically accommodated with overland flow routes and inlet grates directly above the facility or inlet control grates above a trunk storm sewer which directs flows to the storage facility. Grates are typically designed to account for 50% blockage. Outlet structures for UG/SWMF must also account for the uncontrolled stormwater discharge from the associated drainage area without impacting the upstream storm sewer hydraulic gradeline. This is typically achieved with an outlet conduit, grate or structure located immediately above the maximum storage elevation. The associated hydraulic gradeline elevations must be considered in the upstream storm sewer design.

Erosion and Sediment Control During Construction

Traditional SWM facilities are typically built together with a new development area's earthworks program and are utilized as a temporary erosion and sediment control facility during both the earthworks and servicing phase of construction.

UG/SWMF require a different approach than typical SWM ponds in that they are typically built at the end of the construction program, together with the site servicing, to avoid unnecessary sediment build-up in the tanks and pre-treatment systems. The tank location can be pre-graded to the depth of the proposed facility and utilized as a

temporary erosion and sediment control facility during the earthworks program. Regarding the timing of the ultimate construction of the facility, it can be completed either together with the site servicing or potentially in a phased development, or it could be delayed until future phases if the temporary excavation can be maintained to provide interim SWM control during the initial house construction phases, to minimize the construction-based sediment build-up in the tank. Regardless, the UG/SWMF will be fully cleaned prior to assumption by the municipality.

6.0 Maintenance, Installation, Life Cycle, and Costs

Inspection

Regulations require all SWM systems to be inspected on a regular basis and maintained as necessary to ensure performance and protect downstream receiving waters. Monitoring and maintenance responsibilities are an important component of an effective SWM system.

Traditional SWM ponds are recommended to be subject to routine inspection programs in accordance with good practice and the MECP Environmental Compliance Approval (ECA) conditions. Per the ECA, a logbook should be maintained to record the results of the inspections and any cleaning and maintenance activities. Every municipality takes a different approach to this with regard to the techniques used and the frequency of the inspections. SWM ponds are typically proposed to have bi-annual visual inspections which can be undertaken by a single municipal inspector walking around the facility to review vegetation, slope stability, obvious sediment accumulation, inlet/outlet blockage, outfall erosion, condition of structures, visual water quality etc. Sediment accumulation should also be monitored every 5 years, which requires a bathymetric survey using a boat and two-person crew.

UG/SWMF should be similarly inspected and monitoring reports prepared, typically annually, or in accordance with the prescribed inspection frequency of the ECA conditions. Personnel must be properly trained and equipped before entering any underground or confined space structure. Training includes familiarity with and adherence to any and all local, provincial and federal regulations governing confined space access and the operation, inspection, and maintenance of underground structures.

Similar to a SWM pond, during the first two years of operation, the UG/SWMF should be inspected periodically and after every significant rainfall (precipitation of ≥ 25 mm) to ensure proper functioning or as per the ECA conditions. TRCA recommends that a SWM system should be inspected a minimum of four times per year and maintained as required; inlet and outlet openings and structures should be inspected for blockages and damage.

The annual inspection of UG/SWMF should include the following activities:

- Visually inspect through the access chamber lids for evidence of sediment

deposits in the underground storage facility the inlet structure, the outlet structure and the outfall channel;

- Visually inspect to confirm no oil sheen is present on the water surface and no presence of visible contaminants or odours;
- Confirm control orifice, weir, overflow grate, and inlet/outlet pipes are unobstructed;
- Confirm outfall is unobstructed; and
- Confirm the outfall channel and confluence with the tributary is stable and unobstructed;

A bi-annual inspection of underground SWM facilities would include:

- Dip measurement of sediment accumulation from surface access chambers;
- Visual inspection of the tank's interior. This exercise can be completed by accessing the inside of the tank using confined space entry procedures for concrete chambers and via video inspection for smaller concrete structures or multi-cell plastic chambers. This exercise requires a two-person crew to meet the confined space entry guidelines.

Maintenance Activities/Cleanout

Traditional SWM ponds require a routine and on-going maintenance program throughout the year including vegetation cutting, weed control, trash removal, debris removal, etc. Longer term maintenance is required for quality control wet ponds to remove accumulated sediment, in accordance with MECP ECA requirements. The maintenance frequency is site specific and is driven by the amount of runoff and pollutant loading encountered by a given system. Local jurisdictions may also dictate inspection and maintenance frequencies. The frequency of the cleanout is a function of the pond design and tributary area loading but can be expected to be required every 10 to 20 years on average but could be longer. SWM pond cleanout is typically completed either in a dry condition by dewatering the pond and excavating the material, or in a wet condition by vacuuming the sediment out of the pond. "Dry" excavation typically still results in relatively wet excavated material which must be managed prior to being taken off-site. Vacuuming sediments is typically achieved with an enviro-tank to add flocculants and pumping into sediment bags. Both operations are relatively slow and costly.

Care must be taken with SWM pond cleaning to avoid damaging an impervious liner which could lead to additional costs if the liner is compromised.

SWM pond cleanout, especially in a valley setting, could possibly have a fish rescue program requirement prior to drawing down the water level. This typically requires the appropriate agency approvals and permits and could add 6 months to the overall process.

UG/SWMF typically have a pre-treatment methodology, such as an oil-grit separator or various low impact development techniques, which serve to reduce the sediment accumulation in the underground tank, and therefore reduce the required frequency and

volume of sediment removal. Subject to bi-annual cleaning of the pre-treatment devices (i.e. vacuuming an oil-grit separator), the frequency of cleanout of an UG/SWMF could be up to twice as long as a traditional SWM facility Total Suspended Solids (TSS) are expected to accumulate at a specified rate in accordance with site conditions and geohydrological assessments. While the rate of accumulation will be site-specific, typical TSS removal frequency is roughly every 50 years for a system outfitted with pre-treatment devices.

Sediment removal from underground SMW facilities can be undertaken by flushing and vacuuming the facility through the access chambers via access ports or grates. Confined space entry procedures must be followed for personnel entering the facility to operate the flushing hoses. In some instances, large concrete storage facilities could also be cleaned out using small excavation machinery. The I-Storm Stormwater Management Manual outlines the following considerations.

The design provides strategically placed access points to facilitate efficient and effective inspections and debris removal when required. Personnel must be properly trained and equipped before entering any underground or confined space structure. To complete an inspection, safety measures including traffic control must be deployed before the access covers are removed. The following procedures are to be completed as part of a facility inspection:

- Obtain a copy of As-Built drawings of the facility to identify the locations and design of components being inspected
- Determine if inlets and outlets are clear of debris, trash or blockages
- Visually inspect water surface to confirm there is no oil sheen or the presence of visible contaminants and odours
- Observe internal components (baffles, flow control orifices, steps, ladders, pre-treatment devices, etc.) to determine whether they are damaged, missing or obstructed
- Measure sediment depths within the I-STORM SWM system
- Check inlet and outlet pipe connections for cracks, leaks or movement
- Inspect interior condition of modules for concrete cracking or deterioration
- Remove any floating debris/trash with a net, if possible
- For retention facilities, confirm that permanent water level is correct
- Record the date of inspection, date of previous inspection, and track any changes to site conditions
- Refer to the inspection checklist available at the end of this manual

Corrective maintenance must be scheduled if any of the following conditions are identified during an inspection:

- Inlets or outlets are blocked or obstructed
- Internal components are broken, missing or obstructed
- Sediment depth of 150mm or greater is present on the floor of the system
- Significant amount of floating debris/trash is present and cannot be retrieved with

a net

- System is not draining properly and does not meet permit requirements • Any hazardous material is observed or reported
- Emergency Spill Conditions - excessive accumulation of hydrocarbons (oil, gasoline, diesel fuel, transmission oil or antifreeze) usually resulting from an accidental discharge. Excessive accumulation is described as any amount larger than a thin sheen visible on the water surface. The incident must be reported to the appropriate authorities and shall be mitigated by authorized and trained personnel.

Maintenance should be conducted during dry weather when no or minimal flow is entering the system. If personnel are required to enter the I-STORM SWM system to complete maintenance, confined space training and certification is mandatory. After safety measures are in place (i.e. traffic control and pedestrian signage) access covers may be removed and the following maintenance activities can occur:

- Use mini track loader (skid steer) to push accumulated sediment toward strategically placed maintenance hole locations for ease of removal (equipment will be lowered into the tank through the provided access hatch(es))
- Remove debris, trash or any blockages using a net (if possible) or vacuum truck. Flushing/jetting may be necessary to fully eliminate the sediment from the system
- All material removed from the system during maintenance must be disposed of in accordance with local regulations
- If inlet and outlet connections have cracking or leaks, or if internal components are damaged, missing or obstructed contact DECAST for an appropriate repair procedure
- Be sure to securely replace all access covers following inspection and/or maintenance

Because of the hard bottom and enclosed nature of the underground facilities, fish rescue programs or concerns of impervious liner damage are not relevant for this type of SWM facility.

Lifecycle and Costs

Conceptual life-cycle cost evaluations have been undertaken utilizing the operating and maintenance characteristics of a wet SWM pond and an UG/SWMF, along with land efficiency benefits associated with the underground facility. Details are provided below and demonstrate that an underground SWM facility can have a considerably more efficient overall net cost to the municipality when taking into account all relevant factors. Every site-specific application will have varying design and cost parameters however the consistent benefitting factor of the underground facility is the associated land efficiency opportunities.

DECAST retained University of Toronto Civil Engineering professor Dr. R.D. Hooton to

conduct a study on the service life of underground precast stormwater storage tanks based on predicted chloride exposure and found that (depending on modelling scenario) the product had a life cycle of 100+ or 150+ years (see Appendix B).

Lifecycle Cost Breakdown

The maintenance processes considered as part of an asset's lifecycle include: repair, rehabilitation, refurbishment, and disposal. The following will outline the expected maintenance activities and associated costs for both a SWM pond and an I-STORM concrete tank system to provide quality and quantity control for a generic 20 ha residential development area to provide a high-level comparison of the two SWM applications. As noted previously, every specific installation will have varying design parameters and costs depending on various factors including the products used, however the following comparison provides a general overview of the associated life-cycle cost components for a typical pond vs. a concrete tank UG/SWMF. There are underground tank system products available that use other materials that may involve less costs, lower loading capability for surface uses, and shorter lifespans. Section 10 of this paper provides examples of installed UG/SWMF throughout the Greater Toronto Area, including concrete, polyvinyl chloride (plastic), and hybrid chambers and products.

Inspection and Maintenance

Stormwater management ponds require routine inspection and sediment cleanout. A one-year frequency has been assumed for inspections. A 20-year interval has been assumed for sediment removal which is typical for a wet SWM facility based on the MECP cleanout frequency criteria.

With regard to the I-Storm SWM facility, a similar annual inspection program has been assumed. Since the tank will be a "dry" quantity control facility only with upstream quality control, sediment removal from the tank floor has been assumed to be required once every 50 years to remove built-up silt or other foreign materials. Based on the upstream storm sewer pre-treatment, the accumulation of sediment has been assumed at a rate of roughly 2 mm/year and will need to be cleared away using a hydro-vac truck or mini excavator/skid-steer at the specified frequency. Costs are based on equipment, labour, and sediment disposal fees.

Rehabilitation

SWM pond rehabilitation costs are included within the maintenance and refurbishment costs.

With regard to the underground concrete facility, occasional repairs have been assumed, similar to other municipal concrete facilities, to address sealing of any spalling or cracks that may become evident over time. The lifecycle cost analysis has been prepared assuming rehabilitation activities that may need to be performed at a frequency of once every 100 years for the internal tank and would consist of small in-situ patching of spalled

or cracked concrete. Costs are based on material and labour necessary to repair 20 locations, increasing at a rate of ~45% every 100 years.

Refurbishment/Disposal

Stormwater management ponds are assumed to have a perpetual maintenance program, with the long-term replacement of inlet and outlet structures every 50 years. The underground facility lifecycle cost assessment has been prepared with the assumption that the facility in its entirety will not be replaced at one time, but instead, a perpetual maintenance program will be implemented where its components will be replaced on an as-required basis.

Capital Cost Summary

The following tables demonstrate the lifecycle cost comparison between a SWM pond (average stormwater pond block size of 1.4 ha) and an underground facility for a typical 20 ha drainage area. As demonstrated in this analysis, the typical average annual lifecycle costs are comparable between a traditional SWM pond and an underground SWM facility with pre-treatment. The major difference however is in the municipal revenue benefits realized by the municipality with regard to both development charge credits and on-going tax revenue assuming that the dual park use above the UG/SWMF will result in additional development intensification potential for the site.

Table 1: Typical Lifecycle Cost of SWM Pond

Item	Maintenance Period (Yrs)	Quantity	Unit	Price (\$/Unit)	Total Cost Per Year (\$)
Inspection (Inlet/Outlet, etc.)	1	1	each	\$1,500	\$1,500
Trash Removal	1	1.4	ha	\$2,000	\$2,800
Weed Control	1	1.4	ha	\$2,500	\$3,500
Vegetation Maintenance	5	0.1	ha	\$3,500	\$70
SWM Pond Cleanout	20	1.4	ha	\$180,000	\$12,600
Access Road Maintenance	5	1,200	m ²	\$15	\$5,200
SWM Pond Inlet/Outfall Structure Reconstruction	50	1	each	\$200,000	\$4,000
Annualized Cost					\$29,670

Table 2: Typical Lifecycle Cost of Concrete Tank System

Item	Maintenance Period (Yrs)	Quantity	Unit	Price (\$/Unit)	Total Cost Per Year (\$)
Inspection	1	1	each	\$2,500	\$2,500
Cleaning/Maintenance	50	1	each	\$195,000	\$3,900
Concrete Rehabilitation (Internal)	100	1	each	\$50,000	\$500
Cleanout OGS	1	1	each	\$3,500	\$3,500
Replace OGS	50	1	each	\$140,000	\$2,800
LID Inspection	1	1	each	2,500	\$2,500
LID replacement	50	1	each	\$430,000	\$8,600
Access Road Maintenance	5	1300	m²	\$20	\$5,200
		Annualized Cost			\$29,500
Additional DC Revenue (City)*					(-\$2,110,000)
Additional Annual General Municipal Tax Revenue **					(-\$92,935)
Additional Annual Total Tax Revenue **					(-\$337,668)

* Assuming 30 units/ha for 1.4ha at 3.5 ppm = 42 TH units.

** Assuming \$1.2M/unit

7.0 Above Ground Uses

Potential uses:

- *Parks*
- *Multi-use paths and trails*
- *Sports fields*
- *Off leash parks*
- *Urban plazas*
- *Playgrounds*
- *Skating rinks*
- *Landscaping*
- *Parking lots*

Park Uses


Strata Landscape Zone

The Strata Landscape Zone (SLZ) is the area where the presence of the UG/SWMF can have a direct or an indirect influence on the overlying landscape. It is important to note that these influences do not preclude the SLZ from functioning as viable parkland. They may, however, limit the ability to accommodate certain types of recreational facilities or components thereof, based on physical constraints and/or practical considerations. The SLZ is defined as the area that is located directly over top of the UG/SWMF, as well as a defined setback area around the perimeter of the UG/SWMF and related underground infrastructure. The provision of this setback area is necessary to enable the repair and/or replacement of the UG/SWMF. The width of the setback area is determined by the depth of the UG/SWMF, based on the requirement for excavation to facilitate access for repair/replacement having a corresponding width that is equal to approximately 1.2 times the dimension from surface grade to the underside of the foundation of the UG/SWMF.

The SLZ can be utilized for numerous purposes, including passive or active parkland, parking lots or landscape areas, public right-of-ways or structures. Access locations are required to allow for long-term inspection and maintenance, which typically requires the installation of a 600mm diameter lid flush with the surface or potentially slightly buried below a shallow layer of topsoil and sod.

Figure 1 illustrates the SLZ.

Figure 1: Strata Landscape Zone (SLZ)



Source: Schollen & Company Inc.

Influencing Factors

The composition of the landscape within the SLZ will be influenced by the following:

- Life span of the UG/SWMF
- Depth of soil cover over the UG/SWMF
- Load capacity of the UG/SWMF structure
- Requirements for access to maintain the UG/SWMF
- The ability to customize the configuration of the UG/SWMF to suit requirements for increased structural soil depth and/or to accommodate footings

Each of the above factors influences the types of plant communities and suite of recreational facilities and park amenities that can be implemented within the SLZ. For example, the depth of soil cover over top of the UG/SWMF will affect the following:

- Potential to install footings and foundations to support components of recreational facilities, such as high-mast sports field lights;
- Potential to accommodate underground infrastructure such as drainage and irrigation systems, storm and sanitary sewers and water and electrical services; and,
- Type of soft landscaping (turf, wildflowers and shrubs and/or trees) that can be sustained over top of the UG/SWMF

The section below provides recommendations to direct the types of recreational facilities, park amenities and vegetation communities that can be implemented within the SLZ. This section also sets out the recommended depths of soil cover to sustain various types of vegetation.

Strata Landscape – Principles

The following principles have been established to guide the selection and integration of the landscape that will overlay the UG/SWMF.

- **Independence** – The Strata Landscape should be independent of the UG/SWMF structure;
- **Minimization of Potential Impact** – The Strata Landscape should not negatively impact the structural integrity or function of the UG/SWMF;
- **Provision for Maintenance** – The components of the Strata Landscape should accommodate the short and long-term maintenance requirements of the UG/SWMF; and,
- **Future Environmental Implications** – The requirement to remove components of the Strata Landscape to facilitate future maintenance, repair, rehabilitation or replacement of the UG/SWMF should not result in adverse environmental impacts or regulatory complications.

In response, the components of the Strata Landscape should be designed with regard for the following:

- The type and configuration of the UG/SWMF;
- The load-bearing capacity of the UG/SWMF structure;
- Requirements for drainage over top of the UG/SWMF;
- Requirements for maintenance of the UG/SWMF;
- The base design capabilities of various available UG/SWMF products;
- Potential for modification and/or customization of the design of the UG/SWMF to

facilitate the installation of specific components of the Strata Landscape;

- Requirements for maintenance of the various components of the Strata Landscape; and,
- The strategy for removal/re-installation of the components of the Strata Landscape should rehabilitation or replacement of the UG/SWMF be required.

Composition of the Strata Landscape


The Strata Landscape can comprise both hard and soft landscape elements, including a wide variety of vegetation communities, as well as social, cultural and recreational facilities and amenities. As such, the Strata Landscape offers the potential to accommodate a diverse range of facilities in order to serve the recreational and social programming requirements of the City of Vaughan. However, in consideration of the principles set out above, some recreational facilities and/components of these facilities may not be suitable for implementation within the SLZ, based on the specific characteristics of the UG/SWMF installation. Municipalities and developers shall work with tank manufacturers to ensure tanks are designed to be compatible with the proposed recreational facilities/components.

Recreational Facilities

Tables 3 and 4 below provide a summary of the suitability for implementation within the SLZ of the various recreational facilities that comprise the City's overall catalogue. In determining the suitability of the various recreational facilities, the following assumptions were adopted:

- The structure of the UG/SWMF will be adequate to support the weight of the recreational facility; and,
- The depth of soil cover over top of the UG/SWMF in the "Base Condition" will be a minimum of 1.2m to accommodate conventional footings for small structures such as low chain link fences, goal posts and other elements that do not require foundations beyond 1.2m in depth. The Base Condition also presumes that the design of the UG/SWMF will not be customized to suit specific recreational facility foundation requirements.

Figure 2: Baseball Diamond Overlay on SLZ / UG/SWMF – Base Condition



Source: Schollen & Company Inc.

Structures that require foundations in excess of 1.2m in depth (baseball diamond backstops, light standards, tennis court fences, etc.) cannot be located within the SLZ under the Base Condition but may be able to be accommodated contingent on the characteristics of the specific product or if specific modifications are able to be made to the UG/SWMF. For the purposes of this paper, UG/SWMF systems/installations that exceed the “Base Condition” assumptions, such as providing an increase in the depth of soil cover over the UG/SWMF or other physical characteristics of, or modifications to the structure to accommodate extended footings or other infrastructure are referred to as the “Modified Condition”. Note, certain structural concrete products are intrinsically suitable for Modified Condition applications.

Figure 3: Baseball Diamond Overlay on SLZ / UG/SWMF – Modified Condition



Source: Schollen & Company Inc.

Table 3 defines the components of various recreational facilities that are suitable for implementation within the SLZ under the Base Condition. Table 4 identifies appropriate recreational facilities for implementation within the SLZ under the Modified Condition.

Table 3: Suitability of Recreational Facilities within SLZ – Base Condition

	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
PATHS AND TRAILS							
	TRAILS			YES	NO	PARTIAL	
	Multi-use Asphalt (Unlit)	3-4 m Wide	1	✓			
	Multi-use Asphalt (Lit)	3-4 m Wide	1			✓	Light Standards must be located outside of SLZ
	Recreational Trail - Granular (Unlit)	1.5-2.5m Wide	1	✓			
	Nature Trail - Soft Surface (Unlit)	1.2-2.1m Wide	N/A	✓			

	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
	Skating Track - Refrigerated (Lit)	3-5m Wide	1		✓		
SPORTS FIELDS / PLAY FIELDS							
	BALL DIAMOND			YES	NO	PARTIAL	
	Ball Diamond (Junior/Softball/T- Ball)	60.96m Foul Line - Unlit	67 x 67			✓	Infield fence must be located outside of SLZ
	Ball Diamond (Senior)	102m Foul Line - Drainage & Unlit	112 x 112			✓	Infield fence must be located outside of SLZ
	Ball Diamond (Senior)	102m Foul Line - Drainage & Lit	112 x 112		✓		
	Ball Diamond (Premium Senior)	111.96m Foul Line - Drainage, Close-out, Lit	131 x 131		✓		
	CRICKET						
	Cricketer Practice Cage/Pitch	1-Lane, Unlit	5 x 30		✓		
	Cricketer Practice Cages/Pitch	3-Lane, Unlit	15 x 30		✓		
	Cricketer Practice Cages/Pitch	5-Lane, Unlit	25 x 30		✓		
	Cricketer Field (Class C)	100m Dia - Unlit	100 x 100	✓			
	Cricketer Field (Class B)	137m Dia - Unlit	110 x 127.5	✓			
	Cricketer Field (Class A)	150m Dia - Unlit	150 x 168	✓			
	SOCCER						
	Mini-Mini Soccer	Unlit	35 x 50	✓			Goal posts must be surface mounted
	Mini Soccer	Unlit	50 x 65	✓			
	Minor (9V9) Soccer	Unlit	56 x 83	✓			

FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
Major/Senior Soccer	Unlit	78 x 120	✓			
Major/Senior Soccer	Lit	78 x 120			✓	Light standards must be located outside of SLZ
MULTI-PURPOSE FIELD						
Multi-Purpose Field (Rugby)	Artificial, Lit	78 x 147			✓	Goal posts and lights must be located outside of SLZ
OFF LEASH PARK						
Off Leash Park	126.5 x 79	1 ha	✓			Perimeter Fence must be located outside of SLZ
PLAZAS AND GATHERING SPACES						
OPEN SPACE/PLAZAS			YES	NO	PARTIAL	All structures must be on slab footings, Light standards must be outside of SLZ
Urban Open Space	24 x 23.5, 150 Capacity	559 m ²	✓			
Neighbourhood Open Space	24 x 23.5, 150 Capacity	560 m ²	✓			
Neighbourhood/Dist rict Open Space	44 x 46, 250 Capacity	0.2 ha	✓			
District Open Space	77 x 78, 500 Capacity	0.6 ha	✓			
Regional/District Open Space	1000 Capacity	1.7 ha	✓			
Regional Open Space	2000 Capacity	4.3 ha	✓			
OPEN SPACE (LAWN)						
Neighbourhood Open Lawn	30 x 50, 400 Capacity	1500 m ²	✓			All structures must be on slab footings, Light

FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
District Open Lawn	60 x 50, 800 Capacity	3000 m ²	✓			standards must be outside of SLZ
HARDSCAPE GATHERING SPACE (PLAZA)						
Urban Plaza	30 x 50, 400 Capacity	1500 m ²	✓			All structures must be on slab footings, Light standards must be outside of SLZ
Neighbourhood Plaza	30 x 50, 400 Capacity	1500 m ²	✓			
District Plaza	60 x 50, 800 Capacity	3000 m ²	✓			
SPORTS COURTS						
BASKETBALL COURT			YES	NO	PARTIAL	
Single Basketball Court	Unlit	26 x 17.5	✓			Basketball net post, must be on slab footing
Single Basketball Court	Lit	26 x 17.5			✓	Basketball net post, must be on slab footing, Light standards must be outside of SLZ
Double Basketball Court	Unlit	26 x 38			✓	Basketball net post, must be on slab footing
Double Basketball Court	Lit	26 x 38			✓	Basketball net post, must be on slab footing, Light standards must be outside of SLZ *
BEACH VOLLEYBALL COURT						
Beach Volleyball Court	Unlit	15 x 24	✓			Net posts must be on slab footing

FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
MULTI-USE COURT						
Half Multi-Use Court	Unlit	7.62 x 15.25	✓			Goal posts must be surface mounted
Multi-Use Court	Unlit	15.25 x 30.5	✓			
Multi-Use Court	Lit	15.25 x 30.5			✓	Goal posts must be surface mounted, Light standards must be outside of SLZ
TENNIS						
Double Tennis Court	Unlit	32.92 x 36.58		✓		
Double Tennis Court	Lit	32.92 x 36.58		✓		
Triple Tennis Court (w/ Pickle Ball)	Lit	40.16 x 36.58		✓		
Quadruple Tennis Court	Lit	54.77 x 36.58		✓		
PICKLEBALL						
Double Pickleball Court	Unlit	32.92 x 36.58		✓		
BOCCE COURT						
Triple Bocce Court	Unlit	28.2 x 15.2	✓			Lights must be located outside of SLZ
Triple Bocce Court	Lit	28.2 x 15.2			✓	
FITNESS FACILITIES						
FITNESS EQUIPMENT			YES	NO	PARTIAL	
Fitness Equipment	1 piece	45 m²	✓			Sleeper or slab foundations only
Fitness Equipment	6 piece, 8 x 25	200 m²	✓			
Fitness Equipment	Lit	200 m²		✓		

	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER UG/SWMF			QUALIFICATION REQUIREMENTS
PLAYGROUNDS							
	PLAYGROUND (Junior and Senior)						
	Neighbourhood/ Urban Park Playground	23 x 31, Unlit	700 m ²	✓			Sleeper or slab foundations only
	District/Regional Playground	32.5 x 39, Unlit	1200 m ²	✓			
	WATER PLAY/SPLASH PAD						
	Urban Splash Pad	12.5 x 20	250 m ²		✓		
	Neighbourhood Splash Pad	12.5 x 20	250 m ²		✓		
	District Splash Pad	25 x 20	500 m ²		✓		
SPECIALTY FACILITIES							
	OUTDOOR RINK			YES	NO	PARTIAL	
	Outdoor Rink	20 x 50m	500 m ²	✓			Boards must be surface mounted, Light standards must be outside of SLZ
	SKATEBOARD						
	Skate Zone	22 x 14.5	320 m ²	✓			
	Skate Park	57 x 35	2000 m ²	✓			
PARK STRUCTURES							
	SHADE STRUCTURE			YES	NO	PARTIAL	
	Shade Structure/Shelter	Metal	7 x 7	✓			Slab footing only
	Picnic Shelter	15 Single Tables (90 Capacity)	8 x 14	✓			Slab footing only
	PARK BUILDING						
	Park Building	Washroom facility and picnic shelter area	30 x 11		✓		
* Assumption - Cover over UG/SWMF is less than 1.2m							

Figure 4: Soccer Field (Unlit) Overlay on SLZ / UG/SWMF – Base Condition



Source: Schollen & Company Inc.

Table 4: Suitability of Recreational Facilities within SLZ – Modified Condition

				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF		QUALIFICATION REQUIREMENTS	
PATHS AND TRAILS							
	TRAILS			YES	NO	PARTIAL	
	Multi-use Asphalt (Unlit)	3-4 m Wide	1	✓			
	Multi-use Asphalt (Lit)	3-4 m Wide	1	✓			Additional depth of soil cover required
	Recreational Trail - Granular (Unlit)	1.5-2.5m Wide	1	✓			

				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF			QUALIFICATION REQUIREMENTS
	Nature Trail - Soft Surface (Unlit)	1.2-2.1m Wide	N/A	✓			
	Skating Track - Refrigerated (Lit)	3-5m Wide	1	✓			Additional depth of soil cover required and/or UF/SWMF customized to accept light standard footings
SPORTS FIELDS / PLAY FIELDS							
	BALL DIAMOND			YES	NO	PARTIAL	
	Ball Diamond (Junior/Softball/T-Ball)	60.96m Foul Line - Unlit	67 x 67	✓			Additional depth of soil cover required
	Ball Diamond (Senior)	102m Foul Line - Drainage & Unlit	112 x 112	✓			Additional depth of soil cover required
	Ball Diamond (Senior)	102m Foul Line - Drainage & Lit	112 x 112	✓			Additional depth of soil cover required and/or UF/SWMF customized to accept light standard footings
	Ball Diamond (Premium Senior)	111.96m Foul Line - Drainage, Close-out, Lit	131 x 131	✓			Additional depth of soil cover required and/or UF/SWMF customized to accept light standard footings

				MODIFIED CONDITION Increase in Soil Cover and/or Customization		
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF		QUALIFICATION REQUIREMENTS
	CRICKET					
	Cricket Practice Cages/Pitch	1-Lane, Unlit	5 x 30	✓		Additional depth of soil cover required
	Cricket Practice Cages/Pitch	3-Lane, Unlit	15 x 30	✓		
	Cricket Practice Cages/Pitch	5-Lane, Unlit	25 x 30	✓		
	Cricket Field (Class C)	100m Dia - Unlit	100 x 100	✓		
	Cricket Field (Class B)	137m Dia - Unlit	110 x 127.5	✓		
	Cricket Field (Class A)	150m Dia - Unlit	150 x 168	✓		
	SOCCER					
	Mini-Mini Soccer	Unlit	35 x 50	✓		Additional depth of soil cover required unless goal posts are surface mounted
	Mini Soccer	Unlit	50 x 65	✓		
	Minor (9V9) Soccer	Unlit	56 x 83	✓		
	Major/Senior Soccer	Unlit	78 x 120	✓		
	Major/Senior Soccer	Lit	78 x 120	✓		Additional depth of soil cover required or UG/SWMF customized to accommodate light standard footings
	MULTI-PURPOSE FIELD					
	Multi-Purpose Field (Rugby)	Artificial, Lit	78 x 147	✓		Additional depth of soil cover required or UG/SWMF customized to accommodate

				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF			QUALIFICATION REQUIREMENTS
							light standard footings
	OFF LEASH PARK						
	Off Leash Park	126.5 x 79	1 ha	✓			
PLAZAS AND GATHERING SPACES							
	OPEN SPACE/PLAZAS			YES	NO	PARTIAL	
	Urban Open Space	24 x 23.5, 150 Capacity	559 m ²	✓			Additional depth of soil cover required to accommodate footings and/or UG/SWMF customized to address footings/foundations
	Neighbourhood Open Space	24 x 23.5, 150 Capacity	560 m ²	✓			
	Neighbourhood/District Open Space	44 x 46, 250 Capacity	0.2 ha	✓			
	District Open Space	77 x 78, 500 Capacity	0.6 ha	✓			
	Regional/District Open Space	1000 Capacity	1.7 ha	✓			
	Regional Open Space	2000 Capacity	4.3 ha	✓			
OPEN SPACE (LAWN)							
	Neighbourhood Open Lawn	30 x 50, 400 Capacity	1500 m ²	✓			Additional depth of soil cover required to accommodate footings and/or UG/SWMF customized to address footings/foundations
	District Open Lawn	60 x 50, 800 Capacity	3000 m ²	✓			
HARDSCAPE GATHERING SPACE (PLAZA)							
	Urban Plaza	30 x 50, 400 Capacity	1500 m ²	✓			Additional depth of soil cover required to


				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF			QUALIFICATION REQUIREMENTS
	Neighbourhood Plaza	30 x 50, 400 Capacity	1500 m²	✓			accommodate footings and/or UG/SWMF
	District Plaza	60 x 50, 800 Capacity	3000 m²	✓			customized to address footings/foundations
SPORTS COURTS							
	BASKETBALL COURT			YES	NO	PARTIAL	
	Single Basketball Court	Unlit	26 x 17.5	✓			Additional depth of soil cover required and/or UG/SWMF customized to accept light standard footings
	Single Basketball Court	Lit	26 x 17.5	✓			
	Double Basketball Court	Unlit	26 x 38	✓			
	Double Basketball Court	Lit	26 x 38	✓			
BEACH VOLLEYBALL COURT							
	Beach Volleyball Court	Unlit	15 x 24	✓			Additional depth of soil cover required
MULTI-USE COURT							
	Half Multi-Use Court	Unlit	7.62 x 15.25	✓			Additional depth of soil cover required and/or UG/SWMF customized to accept light standard footings
	Multi-Use Court	Unlit	15.25 x 30.5	✓			
	Multi-Use Court	Lit	15.25 x 30.5	✓			
TENNIS							
	Double Tennis Court	Unlit	32.92 x 36.58	✓			Additional depth of soil cover required

				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF			QUALIFICATION REQUIREMENTS
	Double Tennis Court	Lit	32.92 x 36.58	✓			Additional depth of soil cover required and/or UG/SWMF customized to accept light standard footings
	Triple Tennis Court (w/ Pickle Ball)	Lit	40.16 x 36.58	✓			
	Quadruple Tennis Court	Lit	54.77 x 36.58	✓			
	PICKLEBALL						
	Double Pickleball Court	Unlit	32.92 x 36.58	✓			Additional depth of soil cover required
	BOCCE COURT						
	Triple Bocce Court	Unlit	28.2 x 15.2	✓			
Triple Bocce Court	Lit	28.2 x 15.2	✓			Additional depth of soil cover required	
FITNESS FACILITIES							
	FITNESS EQUIPMENT			YES	NO	PARTIAL	
	Fitness Equipment	1 piece	45 m²	✓			Additional depth of soil cover required
	Fitness Equipment	6 piece, 8 x 25	200 m²	✓			
	Fitness Equipment	Lit	200 m²	✓			Additional depth of soil cover required and/or UG/SWMF customized to accept light standard footings

				MODIFIED CONDITION Increase in Soil Cover and/or Customization			
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF			QUALIFICATION REQUIREMENTS
PLAYGROUNDS							
	PLAYGROUND (Junior and Senior)						
	Neighbourhood/ Urban Park Playground	23 x 31, Unlit	700 m ²	✓			Additional depth of soil cover required
	District/Regional Playground	32.5 x 39, Unlit	1200 m ²	✓			
	WATER PLAY/SPLASH PAD						
	Urban Splash Pad	12.5 x 20	250 m ²	✓			Additional depth of soil cover required
	Neighbourhood Splash Pad	12.5 x 20	250 m ²	✓			
	District Splash Pad	25 x 20	500 m ²	✓			
SPECIALTY FACILITIES							
	OUTDOOR RINK			YES	NO	PARTIAL	
	Outdoor Rink	20 x 50m	500 m ²	✓			Additional depth of soil cover required
	SKATEBOARD						
	Skate Zone	22 x 14.5	320 m ²	✓			
	Skate Park	57 x 35	2000 m ²	✓			
PARK STRUCTURES							
	SHADE STRUCTURE			YES	NO	PARTIAL	
	Shade Structure/Shelter	Metal	7 x 7	✓			Additional depth of soil cover required and/or UG/SWMF customized to accommodate footings
	Picnic Shelter	15 Single Tables (90 Capacity)	8 x 14	✓			

				MODIFIED CONDITION Increase in Soil Cover and/or Customization	
	FACILITY	DESCRIPTION / FEATURES	PLAY + PLAYOUT AREA DIMENSIONS (m)	ACCEPTABLE FOR STRATA LANDSCAPE OVER SWMF	QUALIFICATION REQUIREMENTS
PARK BUILDING					
	Park Building	Washroom facility and picnic shelter area	30 x 11	✓	

Figure 5: Soccer Field (Unlit) Overlay on SLZ / UG/SWMF – Modified Condition



Source: Schollen & Company Inc.

Park Amenities

Park amenities comprise the furniture and other practical elements within parks and open spaces park amenities may include the following:

- Benches
- Bicycle racks/rings

- Picnic tables
- Waste and recycling receptacles
- Games tables
- Fitness equipment
- Play structures
- Drinking fountains
- Wayfinding, instructional and interpretive signs
- Bake ovens
- Furniture associated with sports fields, including players benches and spectator bleachers

A broad range of park amenities can be installed within the SLZ, contingent on the depth of soil cover over top of the UG/SWMF. In situations where the depth of soil cover is proposed to be 1.2m or greater, all of the amenities listed above can be accommodated within the SLZ. When the depth of soil cover is proposed to be less than 1.2m, alternative foundation methods will be required to facilitate the installation of park amenities, including the following:

- Concrete slab foundations
- Sleeper or stringer foundations

Fortunately, many of the manufacturers/suppliers of park amenities offer products that are fabricated to be installed on concrete slabs or sleepers/stringers. As a result, the SLZ does not pose any constraints to the installation of the majority of park amenities. However, drinking fountains should not be installed within the SLZ where the depth of soil cover is proposed to be less than 1.2m, due to the requirement for adequate cover over the water supply line to ensure frost protection.

Planting

Soft Landscaping

With respect to the composition of the vegetation community within the SLZ, a wide variety of plants and landscape types can be accommodated including the following:

- Turfgrass;
- Sports field turf (with irrigation and drainage);
- Meadow/prairie;

- Shrubs;
- Groundcovers;
- Micro-agriculture / community gardens; and,
- Horticultural displays.

However, consistent with Principle D (Future Environmental Implications), as set out above, trees are not to be planted within the SLZ owing to the fact that if rehabilitation/replacement of the UG/SWMF is required in the future, the removal of trees that have become established and semi-mature in size will result in loss of the canopy cover and may have other environmental implications. In addition, from a regulatory perspective, the requirement to remove trees may impose restrictions on the timing of rehabilitation/replacement work related to the Migratory Birds Convention Act, and potentially, the endangered Species Act (should a tree or trees provide habitat for Species At Risk (SAR)).

The planting of trees within the SLZ also poses concerns related to future loading of the structure. As a tree matures, it assumes more biomass and increases in weight and over decades a semi-mature tree can weigh in excess of 10 tonnes. Municipalities should work with the developers and tank manufacturers to ensure the tank is designed to withstand expected loads if trees will be planted above. There are also concerns related to the implications associated with the eventual failure of a tree that would be planted within the SLZ, including the following:

- Requirement for access by heavy machinery to remove the fallen tree/wood;
- Potential for damage to the UG/SWMF during the removal of the remnant stump; and,
- Implications of upturning of the root ball and displacement of soil over top of the UG/SWMF.

In addition to these issues, the requirement to remove semi-mature trees to facilitate future rehabilitation/replacement may be met with opposition from the public and other interest groups, which could complicate the process.

With the objective of sustaining the vegetation communities that are proposed within the SLZ, the following minimum planting media depths, as set out in the Canadian Landscape Standard – Second Edition (2020), are recommended.

Table 5: Minimum Depths of Growing Media

Application	Over Prepared Subgrade (which Retains "A" Horizon)	Over Prepared Subgrade where the Subsoil Drains Rapidly	Over Prepared Subgrade where the Subsoil Drains Poorly	Over Structures
Low Traffic Lawn Areas				
Irrigated	100mm (4in.)	150mm (6in.)	200mm (8in.)	200mm (8in.)
Non Irrigated	100mm (4in.)	150mm (6in.)	300mm (12in.)	300mm (12in.)
High Traffic Lawn Areas	100mm (4in.)	150mm (6in.)	300mm (12in.)	300mm (12in.)
Planting Aeras and Planters				
Ground Cover Areas	150mm (6in.)	300mm (12in.)	300mm (12in.)	300mm (12in.)
Small Shrubs	300mm (12in.)	450mm (18in.)	300mm (12in.)	450mm (18in.)
Large Shrubs	450mm (18in.)	600mm (24in.)	500mm (20in.)	500mm (20in.)

Parking Lots and Service Roads

Underground storage facilities can be designed to accommodate highway loading and are therefore ideally utilized below private or public parking areas and/or driveways. Most concrete precast systems are designed to CSA S6:19, the Canadian Highway Bridge Code as a base condition. The UG/SWMF can be designed to either work around or integrate stormwater inlets and light poles.

8.0 Rules/Responsibilities

Like traditional open stormwater management ponds, underground facilities come with rules and responsibilities for the City, the developer, and the ultimate owner (if this is not the City). This section outlines typical responsibilities for each party involved.

Typically, proposed stormwater management facilities are located at the topographic low point of a development, near existing watercourses or other available drainage outlets. At the early design stage, siting of a public park on top of an underground stormwater management facility will require consultation between the proponent's design team and municipal staff to ensure that community parkland facilities are conveniently located and situated to benefit the wider development area, and in some cases a proposed stormwater management facility location may not be suitable for public parkland in terms of placement, visibility, access or other community planning rationale.

It is envisioned that engineering design, review and municipal approvals for underground stormwater management systems located on public property/beneath public parks will follow the same protocols as the City's current process for open-air stormwater management ponds and facilities. Underground storage facilities should be considered municipal infrastructure and the City currently provides detailed engineering design, drawing and submission requirements within their standards documents for implementing such infrastructure where ownership of the facility is ultimately conveyed to the municipality. Proponents should refer to the City's Engineering Design Criteria & Standard Drawings (December 2020), Section 1.3, Stormwater Management System, for overall objectives of the stormwater strategy and facility criteria in support of development.

Similarly, during the construction and subsequent assumption process, underground stormwater management systems will follow the same City protocols for inspection, repairs, clean-out and maintenance criteria as typical municipal infrastructure or open-air stormwater managements ponds, prior to the ultimate conveyance of the facility ownership to the Municipality.

Developer

The intention to implement an underground stormwater management system within a development, situated beneath proposed public lands/parks, should be initially indicated by the Developer at the draft plan application stage through the submission of relevant supporting technical drawings and reports to the City.

The developer shall be generally responsible for:

- Siting the proposed dual-use underground stormwater management facility and public park and demonstrate the intended location is suitable for the dual-use purposes.
- Identify the proposed Block size based on stormwater management criteria identified within the City's Engineering Design Criteria & Standard Drawings (December 2002) and parkland amenity/facility fit requirements.
- Preparation of functional and detailed engineering design drawings, including general arrangement plans and manufacturer's shop drawings for the underground facility, all sealed by a P. Eng.
- In the case of a public park use above the UG/SWMF, preparation of a facility fit plan for the public park, including grading, landscaping, drainage, illumination and park amenity design layout.
- Provide an engineer's cost estimate based on the construction value of the underground facility and secure the full value of the proposed municipal infrastructure works with the Municipality.
- Securing Environmental Compliance Approval ("ECA") from the Ministry of the Environment, Conservation and Parks ("MECP") for the UG/SWMF.
- Funding and completing the construction of the UG/SWMF and provide full-time inspection by the responsible engineer(s); provide the municipality with certification letter(s) of general construction conformance, sealed by a P.Eng. and as-built drawings upon construction completion.
- Execute a Subdivision Agreement or Development Agreement with the municipality which shall include the developer's obligations and security requirements for the UG/SWMF.
- Undertake periodic inspection, monitoring, maintenance, repairs and/or clean-out of the facility up to municipal assumption of the facility, in accordance with municipal requirements, Development Agreement and MECP ECA certificate.
- Complete and submit documents to the MECP upon municipal assumption, transferring ownership and responsibility of the facility to the Municipality.

Municipality (City of Vaughan)

The City shall consider the UG/SWMF as municipal infrastructure, to be ultimately owned and operated by the City, and will follow similar design, approvals, construction, and assumption protocols as is currently applied by the City to development applications. The City shall be generally responsible for:

- Confirming at an early stage of the development application process the suitability of the proposed dual-use location for both a UG/SWMF and the above-ground use.
- Completing preliminary and detailed review of technical drawings and documents; including outsourcing for peer review of structural engineering design, if required, and issue engineering approvals.

- Preparation of the Subdivision or Development Agreement, including language accepting ultimate ownership of the infrastructure, confirming security requirements and outlining monitoring obligations.
- In the case of public parkland as an above-ground use over the UG/SWMF, review of the detailed design, landscape architecture and fund/administer the ultimate construction of the public parkland through conditions of development approval or the Development Agreement. Should the public park be constructed prior to assumption of the UF/SWMF, the City should circulate the detailed park design to the Developer and the City shall ensure no damage to the facility occurs as a result of the park construction.
- In the case of private ownership of the facility lands, administration of Development or Condominium Agreements to set out requirements and obligations for maintenance, typically found in commercial or higher density developments.
- Reducing and releasing securities at pre-established milestones.
- Issuing a letter to the MECP accepting ownership and responsibility of the UG/SWMF upon assumption.

9.0 Available Stormwater Infrastructure Products

The most common product materials used for UG/SWMF are concrete and polyvinyl chloride (PVC).

Underground stormwater management products and systems are available through numerous local manufacturers supplying Southern Ontario and product material may consist of concrete, polyvinyl chloride (“PVC”), corrugated metal pipe (“CMP”) or granular clear stone. CMP is not commonly utilized for underground storage while granular clear stone may be suitable only for very small-scale storage applications, therefore the two most common product materials applicable to underground storage beneath public lands are concrete and PVC. It is increasingly recommended that PVC storage tanks are limited to use on private properties only due to the inherent structural benefits of concrete products.

The design engineer, in consultation with the municipality, should determine and select the desired material and product for the underground stormwater storage based on a variety of parameters such as cost, durability, life span, access, ease of installation, loading, and maintenance requirements.

Concrete

The majority of concrete underground stormwater management storage systems tend to be linear concrete box and circular storm sewers, also known as superpipe systems, which are usually located under roads and provide both stormwater conveyance and temporary storage. Superpipe systems, where storm sewers are oversized to create the required storage, are preferred where space for underground storage is limited.

Additionally, manufacturers also supply large concrete chamber systems specifically intended for large scale projects that are dedicated primarily to stormwater storage. These products can be referred to as end-of-pipe storage systems, similar to the function of a traditional open-air stormwater management pond. Smaller scale projects will benefit from concrete box or chamber storage with a modular design that allows for unique configurations to suit sites with space constraints. Generally, concrete products gain cost efficiencies over PVC products when large storage volumes are required.

Depending on the product supplier, concrete box or concrete chamber storage systems can be installed with an open bottom that allows for the infiltration of stormwater from

the chambers into the ground to meet additional stormwater criteria, such as water balance.

Figure 6: DECAST I-Storm Prototype



Source: DECAST


Notably, concrete products have a much longer lifespan in comparison to plastic products. Maintenance benefits are also associated with concrete facilities which are typically accessible to maintenance crews, unlike plastic UG/SWMF alternatives. Some facilities, like the I-Storm, can accommodate maintenance equipment inside, while most plastic systems are maintained via flushing and hydro-vac processes from the surface.

Polyvinyl Chloride

Underground stormwater management storage systems made of PVC (plastic) tend to be smaller in scale and are generally produced as arches or small cubic cells, however can also be used for larger applications. Generally, PVC stormwater management products are cost efficient for smaller scale projects, and if utilized for larger projects may require greater area than an equivalent concrete stormwater management system.

PVC storage arches are constructed as rows of an arched chamber system with manifolds that disperse stormwater across the chamber bed. Storage chambers may be constructed with an optional isolated containment row that pre-treats stormwater prior to entering the main storage chambers and can provide for the option of an open bottom to allow for infiltration of stormwater from the chambers into the ground below. Similar to concrete box storage systems, PVC cubic cells have a modular box design that allows for flexible installation configurations to suit site specific space constraints.

Figure 7: Sample PVC Prototypes



Source: StormCon

10.0 Examples of Existing Dual-Use Facilities

Dual use stormwater facilities have been successfully implemented in various locations and contexts through the Greater Toronto Area, including in the City of Vaughan. The following pages provide an overview and photos of select examples:

- *Nashville, City of Vaughan*
- *Pan Am Aquatic Centre, City of Toronto*
- *Amazon Fulfilment Centre, Town of Ajax*
- *Thornhill Green Park, City of Vaughan*
- *Bill Crothers Secondary School, City of Markham*
- *Uptown Markham, City of Markham*
- *Honda Canada Campus, City of Markham*

This section of the document provides some examples of Strata Landscapes over top UG/SWMFs. As noted, some of these projects have been approved and constructed within the City of Vaughan. These examples demonstrate the diversity of landscape types that can be implemented above UG/SWMFs without compromising the stormwater management functions or the aesthetic and visual components above grade.

Nashville, City of Vaughan



- Description: DECAST DE-CUBES were installed at this facility to provide the necessary detention volume for a 100-year storm event. The installation included 350mm thick cast-in-place slab underneath the tank pieces, cast in sections and 136 total pieces with 5 different wall configurations. Grading, topsoil, and terraseeding have now been completed over the tanks.
- Date Installed: 2021
- Storage Capacity: 1,459m³



Nashville, City of Vaughan



Source: DECAST

Pan Am Aquatic Centre, City of Toronto



- Description: Full-scale underground wet pond with stormwater detention, a forebay for grit removal, a baffle wall for oil and floatable trash removal. Two precast SWM tank systems were designed and installed around the foundation of the Pan Am Aquatics Centre, under green space and a parking lot, representing a true transfer of all the benefits of an above-ground pond underground.
- Date Installed: 2013-2014
- Storage Capacity: 1,742m³ and 2,500m³



Source: DECAST, Infrastructure Ontario

Amazon Fulfilment Centre, Town of Ajax



- Description: An underground SWM solution was mandatory for Amazon to select this location. This system features a hybrid design with precast structures (O-Series® system) with an underground SWM pond. Fully-loaded transport trucks frequently drive and park on top of the UG/SWMF demonstrating full dual use of the facility lands. The facility took less than a month to install.
- Date Installed: 2021
- Storage Capacity: 11,633m³

Amazon Fulfilment Centre, Town of Ajax




Source: DECAST

Thornhill Green Park, City of Vaughan



- Description: This neighbourhood park includes a passive play field, trails and a pavilion that are located over top of an UG/SWMF. The UG/SWMF comprises concrete tanks that are located below the passive open space area. The UG/SWMF provides both quality and quantity control.
 - 5.0 acre municipal park with precast concrete stormwater tanks below
 - Date Installed: 2008
-

Thornhill Green Park, City of Vaughan



Source: Schollen & Company Inc., Google Earth

Bill Crothers Secondary School, City of Markham



- Description: A 1,300m³ stormwater storage tank located below the artificial turf practice area and Olympic caliber running track. The tank is located below the elevation of the groundwater table and includes an innovative weeper and pump system that supplies the tank using groundwater, in the event that the water level in the tank is depleted below a specified level. Stormwater that is collected within the storage tank is used to irrigate the natural turf sports fields, as well as to cool down the artificial turf field prior to each cycle of play during the summer months.
- Date Installed: 2004-2010
- Storage Capacity: 1,300m³

Bill Crothers Secondary School, City of Markham



Source: Schollen & Company Inc.

Uptown Markham, City of Markham



- Description: Concrete quantity/erosion control tank under parkland
- Installed: 2015
- Pre-treatment with OGS and stone filtration/infiltration system



Source: SCS Consulting Group

Honda Canada Campus, City of Markham



- Description: The Honda Canada Campus was designed to reflect Honda's corporate vision for environmental efficiency and sustainability. Stormwater runoff is managed through an integrated system of LID technologies that include permeable pavement, biofilters, rain gardens and a rainwater storage and recycling system. The storage system comprises an 1,800m³ storage tank that is overlain by a baseball field and trails. The tank stores water that is used for landscape irrigation throughout the campus.



Source: Schollen & Company

11.0 Conclusions & Recommendations

Many municipalities have adopted a dual-use approach to stormwater management in order to efficiently use land and optimize new developments. UG/SWMF are an innovative, cost-effective, and safe alternative to traditional SWM ponds and can be applied in various types of developments and areas, including both greenfield areas and built-up intensification areas. They provide benefits to the community by creating additional opportunities for usable parkland and recreational facilities and have been used successfully in municipalities throughout the Greater Toronto Area, including in the City of Vaughan.

Recommendations related to the application of UG/SWMF are presently being considered by the City of Markham (see Appendix C for proposed Council resolution) to initiate the process of approving UG/SWMF city-wide.

It is recommended that the City of Vaughan, in order to encourage and implement the use of UG/SWMF within new developments in the City, prepare City-wide engineering guidelines and/or standards to be used in the development planning process by City staff, developers and private consultants.

APPENDIX A

Letter from TRCA to DECAST dated October 18, 2021, Use of Underground Tanks for Stormwater Management

October 18, 2021

SENT BY E-MAIL (kseravalle@decastltd.com; aabbruscato@decastltd.com)

Katya Seravalle, PMP, Manager, New Products Development
Anthony Abbruscato, P.Eng., Technical Sales Engineer
DECAST
8807 County Road 56
Utopia, Ontario L0M 1T0

Dear Ms. Seravalle and Mr. Abbruscato:


Thank you for meeting with TRCA to discuss the use of underground tanks for stormwater management (SWM). We appreciate the information provided and look forward to a future opportunity to monitor your system as part of TRCA's Sustainable Technologies Evaluation Program (www.sustainabletechnologies.ca). It appears that products listed within the DE-STORM group of stormwater management solutions can be used for various applications, to suit site-specific needs and adhere to various requirements.

As discussed, underground tanks and chambers have been an effective alternative to above ground stormwater ponds in TRCA's jurisdiction, particularly in high density urban areas. When located below parks they have the potential to significantly reduce the surface footprint of the developed area, allowing for greater conservation of natural lands and more efficient and compact land use planning. Monitoring of an underground tank in Unionville, Markham by the Sustainable Technologies Evaluation Program (STEP) showed that an appropriately designed underground tank provided similar water quality performance to that of "Enhanced Level" stormwater ponds, but with much cooler effluent temperatures (<https://www.mdpi.com/2073-4441/8/5/211/htm>). In addition to the land conservation and water quality benefits, underground tanks designed and sited appropriately can also effectively mitigate flooding and satisfy TRCA's criteria for both water quality and quantity as outlined in TRCA's Stormwater Criteria Document (<https://trca.ca/conservation/stormwater-management/understand/>). In addition, underground tanks with an open bottom can provide for infiltration of runoff, achieving TRCA criteria related to water balance and erosion.

The application of stormwater tanks is also described within both the Stormwater Management Planning and Design Manual (MOE 2003) and TRCA's Low Impact Development Stormwater Management Planning and Design Guide (https://wiki.sustainabletechnologies.ca/wiki/Main_Page). Both documents emphasize the importance of the treatment train approach, which suggests that the treatment of runoff at the source, enroute, and at end-of-pipe should be incorporated into every SWM strategy.

Stormwater Management Innovation combined with sound engineering and environmental principles will continue to be encouraged and accepted by TRCA provided that the necessary technical analyses, documentation, and approval from the municipality or SWM infrastructure owner are completed, and that these proposed works also satisfy all other applicable requirements and criteria, including provision for long term operations, monitoring and maintenance. We look forward to continuing to work with DECAST to achieve our shared objectives in stormwater management.

Sincerely,



Sameer Dhalla, P.Eng.
Director, Development and Engineering Services

T: 416.661.6600 | F: 416.661.6898 | info@trca.on.ca | 101 Exchange Avenue, Vaughan, ON L4K 5R6 | www.trca.ca

APPENDIX B

Letter from Concrete Durability Associates Inc. to DECAST dated March 12, 2021,
Service Life Predictions for Proposed Underground Precast Stormwater Storage Tanks

Concrete Durability Associates Inc.

41 Edgemore Drive, Toronto, Ontario, Canada, M8Y2N4

March 12, 2021

DECAST Ltd
8807 County Road 56, Utopia, ON
L0M 1T0
Attn: David Archer, P.Eng
darcher@decastltd.com

Service Life Predictions for Proposed Underground Precast Stormwater Storage Tanks

My Background

In addition to providing consulting services, I have been a Professor in the Department of Civil & Mineral Engineering at the University of Toronto since 1986 where my research focusses on concrete materials and durability. At the university, I hold the NSERC/CAC Senior Industrial Research Chair in Concrete Durability & Sustainability. I am also the current Chair of CSA Committee A23.1/A23.2 on Concrete Materials and methods of Concrete Construction & Concrete Test Methods, ASTM Committee C01 on Cements, and American Concrete Institute (ACI) Committee 201 on Concrete Durability. I am also member of ACI Committee 365 on Service Life Prediction.

The Project

It is my understanding that DECAST Ltd. is designing modular precast reinforced concrete units to be used to create vaults for temporarily storing stormwater, allowing for controlled releases and flood prevention.

The concrete units will be placed well below the frost line and therefore should not be exposed to freezing and thawing cycles. Regardless, it is planned to air entrain the concrete mixtures. Some of these underground vaults will be used to control runoff from sport fields, where there should be essentially no chlorides in the runoff water, but others maybe located beneath on-grade parking lots and therefore will be exposed to chlorides from de-icer salts so concrete mixtures will need to be designed to meet CSA A23.1 Exposure Class C-1 (i.e. minimum of 35 MPa at 56 days, air entrained and have a permeability index of less than 1500 Coulombs at 91 days). However, I understand that it is desired for the vaults to attain 100-year service life without requiring repairs due to corrosion of reinforcement, so they should be designed to meet CSA Exposure Class C-XL (i.e. minimum of 35 MPa at 56 days, air entrained and have a permeability index of less than 1000 Coulombs at 91 days).

Service Life Modelling

The Life-365 service life model, Version 2.2.2 was used to make time-to-corrosion predictions for four different concrete mixtures. This program was developed to assess highway bridges, parking garages and marine structures, therefore, the default values for the build up of chlorides in the concrete are not suitable. For the purposes of adapting the Life-365 model, it is assumed that on-grade parking slabs will more commonly plowed to remove snow rather than salted, but there will be some salt dripping from parked cars. Also, any salt in the runoff water from the parking lot will become highly diluted as melting snow and ice enters the underground vaults. As

well, the water stored in the tanks will only be there temporarily so chloride contents in the water will not likely build up to high values. Therefore, two different chloride exposure scenarios were modelled, (a) the chlorides in the concrete build up to 0.85% of concrete mass (the same as an urban bridge deck in Toronto), but instead of building to this value in 3.8 years, 100 years was used: this is still a very conservative assumption. (b) the chlorides in the concrete build up to a diluted value of only 0.20% of concrete mass (this assumes a conservative low dilution value of approximately 4x), and building up to this value over the first 25 years.

It is my understanding the clear cover depth to embedded reinforcement will be at least 50 mm. A base slab and wall thickness of 250 mm was used, based on preliminary drawings provided. Two potential concrete air-entrained mix designs were provided to me by DECAST Ltd.: Mix 158 with w/cm = 0.35 and 22% slag replacement of CSA Type GU portland cement, and Mix 336 with w/cm = 0.35 using 15% slag and 85% cement composed of $\frac{3}{4}$ Type GU cement and $\frac{1}{4}$ Type GUB8 SF cement (resulting in 2% silica fume in the total cementitious materials). In addition, two other mixtures were evaluated: a Modified Mix 158 with 35% slag, and a Modified Mix 336 with 6% silica fume (i.e. only using GUB8SF blended cement) and 25% slag, both at w/cm = 0.35.

Results

Prediction results are shown in the following tables with values rounded to whole numbers of years. In Life-365, after onset of rebar corrosion, a 6-year corrosion propagation period is assumed before repairs are required.

Chloride Exposure Scenario A: build up to 0.85% Chloride content over 100 years					
Mixture	w/cm	% Slag	% silica fume	Predicted time-to onset of corrosion	Predicted time-to-repair
158	0.35	22	0	54	60
Modified 158	0.35	35	0	70	76
336	0.35	15	2	58	64
Modified 336	0.35	25	6	106	112

Chloride Exposure Scenario B: build up to 0.20% Chloride over 25 years					
Mixture	w/cm	% Slag	% silica fume	Predicted time-to corrosion	Predicted time-to-repair
158	0.35	22	0	67	73
Modified 158	0.35	35	0	95	101
336	0.35	15	2	73	79
Modified 336	0.35	25	6	>150	>150

From the predictions, it can be seen that the assumptions made in selecting both the ultimate chloride content and the rate of chloride buildup have a large impact.

Also, with Mix 158, a 100-year service life is not attained in either exposure scenario but when the slag replacement of cement increased to 35%, the predicted service life by 16 to 28 years. And 100 years is predicted in Scenario B.

Similarly, for Mix 336 a 100-year service life is not attained in either exposure scenario but when the silica fume content is increased to 6% and the slag replacement of cement increased to 25%, predictions greater than 100 years are achieved in both scenarios.

Finally, it must be noted that all service life predictions are merely estimates and are best used to assess relative performance, so the actual years of service life should not be taken to be exact.

In this case, only corrosion of reinforcement due to chloride ingress was modelled. Also, for this analysis, there was no field data available to better define the actual exposure of these concrete vaults to chloride-contaminated water, the two chloride exposure values used were thought to be fairly conservative, so actual service lives could be longer.

A handwritten signature in black ink, appearing to read 'R.D. Hooton', is positioned above the printed name.

Dr. R.D. Hooton, President
Concrete Durability Associates Inc.

APPENDIX C

City of Markham Development Services Committee Minutes dated June 7, 2021, Item 9.1, Recommendation re City of Markham Tanking Storm Ponds and Creating Parkland on Top

Electronic Development Services Committee Meeting

Minutes

Meeting Number 13

June 7, 2021, 9:30 AM - 1:00 PM

Live streamed

Roll Call	Mayor Frank Scarpitti Deputy Mayor Don Hamilton Regional Councillor Jack Heath Regional Councillor Joe Li Regional Councillor Jim Jones Councillor Keith Irish Councillor Alan Ho	Councillor Reid McAlpine Councillor Karen Rea Councillor Andrew Keyes Councillor Amanda Collucci Councillor Khalid Usman Councillor Isa Lee
Staff	Andy Taylor, Chief Administrative Officer Claudia Storto, City Solicitor and Director of Human Resources Biju Karumanchery, Director, Planning & Urban Design Bryan Frois, Chief of Staff Ron Blake, Senior Development Manager, Planning & Urban Design Alain Cachola, Senior Manager, Infrastructure and Capital Projects Geoff Day, Senior Planner, Zoning & Special Projects Loy Cheah, Acting Director, Engineering Regan Hutcheson, Manager, Heritage Darryl Lyons, Manager, Policy Brad Roberts, Manager, Zoning and Special Projects	Laura Gold, Council/Committee Coordinator Mary-Jane Courchesne Morgan Jones, Commissioner of Community Services Adam Grant, Fire Chief Martha Pettit, Deputy Clerk Prathapan Kumar, Senior Manager of Infrastructure Nhat-Anh Nguyen, Senior Manager, Development & Environmental Engineer Victoria Chai, Assistant City Solicitor Kimberley Kitteringham, Director, Legislative Services & Communications Peter Wokral, Senior Heritage Planner

Alternate formats for this document are available upon request

Moved by Councillor Alan Ho
 Seconded by Councillor Andrew Keyes

1. **That the deputations by Christiane Bergauer-Free, Ian Free, and Elizabeth Brown be received; and,**
2. That the report titled, “INFORMATION REPORT – PHASE 3B: New Comprehensive Zoning By-law Project, PR 13 128340” dated June 7, 2021, be received; and,
3. That the Development Services Committee authorize the scheduling of three non-statutory Open Houses and a Development Services Workshop, as outlined in this report; and further,
4. That staff be authorized and directed to do all things necessary to give effect to this resolution.

Carried

8.3 ITEMS TO BE SENT TO COUNCIL ON JUNE 8, 2021

Moved by Councillor Isa Lee
 Seconded by Deputy Mayor Don Hamilton

That the Development Services Committee provide its consent for the following items to go to Council on June 8, 2021:

- 1) **7.2 – Designated Property Grant**
- 2) **7.3 – Commercial Façade Improvement Grant Program for 2021**
- 3) **7.4 – Heritage Easement Agreement**
- 4) **7.5 – Garden Homes (Markham) Inc., 73 Main Street South, Proposed Draft Plan of Subdivision.**

Carried

9. MOTIONS

9.1 CITY OF MARKHAM TANKING STORM PONDS AND CREATING PARKLAND ON TOP (5.0, 6.3)

Councillor Keith Irish assumed the Chair at 1:00 PM

Regional Councillor Jim Jones advised that it has been requested that the motion on the City of Markham Tanking Storm Ponds and Creating Parkland on Top be referred to staff for further analysis.

Committee provided the following feedback on the motion regarding the City of Markham tanking storm ponds and creating parkland on top:

- Suggested that Engineering Staff evaluate the mechanics, capital cost, and maintenance cost of tanking storm water ponds, and that Planning Staff evaluate the effectiveness of tanking storm water ponds to provide parkland ;
- Noted that the tanking storm ponds should be considered on a case by case basis, as sinking the tanks may be more appropriate in certain instances, such as in higher density communities;
- Requested that staff look at what additional policies may be required if storm water ponds were permitted to be tanked on private property;
- Requested that staff breakout the issues so that they can be considered separately.

Biju Karumanchery, Director of Planning & Urban Design, advised that Planning Staff will collaborate with Environmental Services Staff to conduct a cost benefit analysis on the tanking of storm water ponds. Mr. Karumanchery advised that staff will also breakout the issues in their analysis in order for Committee to consider each issue separately.

Moved by Councillor Andrew Keyes

Seconded by Councillor Reid McAlpine

That the motion on the “City of Markham Tanking Storm Ponds and Creating Parkland on Top” be referred to staff for further analysis; and,

That staff report back to the Development Services Committee at a future meeting.

Carried

Recommendation:

Whereas the City of Markham is considered a leader in Community Planning and Development; and,

Whereas the City of Markham recognizes that new Community Development should be premised on the efficient use of land for the benefit of the City and its residents; and,

Whereas the Robinson Glen Block and other areas in the future urban area represents an opportunity for the City to implement industry leading techniques and technologies to create more livable communities; and,

Whereas for example, the current stormwater pond located south of Sheridan Nurseries with a fence around it, should be tanked and parkland created on top as it is in a high density urban area and be financed by Kingdom Development because of their parkland deficiencies and they should be given a parkland credit; and,

Whereas the Langstaff Gateway has been approved for stormwater storage tanks 11 years ago and parkland will be created on top of the tank and Condor should be given a parkland credit; and,

Whereas the City of Markham's \$40 million stormwater pond being created on the west side of Torbay Road should be tanked and parkland created on top (in this case a bubbled sports dome that creates the equivalent of two regulation soccer fields) and be classified as parkland and paid for by applicants who have parkland deficiencies in their development applications submitted; and,

Whereas the City of Markham needs to hire a civil engineering firm like SCS Consulting Group, Shaffer Consulting or Urbantech Engineering and engage B+H Architects to work on the Torbay Sports Fields Centre Concept; and,

Whereas when storm ponds are identified in complete destination Transit Oriented Community stations, they should be tanked and parkland created on top because it makes a more desirable urban public realm; and,

Whereas any storm ponds installed or being installed and requires fencing, indicates they are unsafe for the public, therefore tanking the storm ponds should be considered and parkland created on top; and,

Whereas storm ponds created in TOC communities, tanking the storm pond should be considered as they serve a dual purpose, 1st, as a stormwater storage tank, and 2nd, parkland on top of very expensive lands; and,

Whereas parkland cash-in-lieu is taken because the application doesn't have sufficient parkland contribution; and,

Whereas, parkland cash-in-lieu is worth approx \$3,750,000 in Markham, but it is subject to a market value appraisal, Lands in Markland Centre, Langstaff

Gateway / Richmond Hill Centre and Vaughan Metropolitan Centre are valued between \$13,000,000 to \$25,000,000 per acre; and,

Whereas one such technique is to discontinue where possible, the practice of constructing traditional style land-consumptive open stormwater ponds; and,

Whereas it is recognized that open stormwater detention ponds are an undesirable inefficient use of land, collect unsightly garbage, are unsafe and dangerous to local residents and present a local breeding ground for disease carrying mosquitos; and,

Whereas the use of underground stormwater storage tanks will eliminate the undesirable impact of traditional stormwater detention ponds; and,

Whereas underground stormwater storage facilities create an opportunity for the City to develop more parkland for active and passive recreation for the benefit of the residents of the municipality; and,

Whereas the annual maintenance cost of underground stormwater detention facilities is significantly less, relative to the traditional stormwater detention ponds; and,

Whereas underground stormwater storage facilities meet or exceed stormwater management standards with a design life of 100 to 150 years and will only require minor maintenance during that period to extend beyond that period of time. Further, the total life cycle for the water storage tanks are up to 200 to 300 years, rendering the City's Alternative Infrastructure Policy unnecessary; and,

Whereas the City will peer review the detailed structural design of the underground tanks at the expense of the proponent; and,

Now Therefore Be It Resolved,

1. That the City of Markham endorse and approve the use of underground stormwater storage facilities in all residential, industrial and commercial developments as they are a benefit to the Community by providing opportunities for usable parkland, etc; and,
2. That the City of Markham not impose the Alternative Infrastructure Policy for the use of underground stormwater storage facilities; and,
3. That the City of Markham endorse and approve the use of underground stormwater storage facilities for the Torbay Properties in the Markham's Steeles-area to provide the required stormwater protection and resolve an existing on going flooding problem; and,

4. That the Chief Administrative Officer for the City be authorized to negotiate a fair parkland credit for the parkland created by the use of the underground stormwater storage facilities and come back with a stormwater storage tank and parkland on the top policy,
5. That the Commissioner of Development Services develop a stormwater management retrofit plan strategy and identify the storm ponds that could be converted to a water storage tank with parkland on top.

Be it further resolved that a copy of this resolution be sent to:

- Hon. Jeff Yurek, Minister of the Environment, Conservation and Parks;
- Hon. Steve Clark, Minister of Municipal Affairs and Housing;
- Hon. Laurie Scott, Minister of Infrastructure Ontario
- Hon. Victor Fedeli, Minister of Economic Development, Job Creation and Trade;
- Hon. Lisa MacLeod, Minister of Heritage, Sport, Tourism and Culture Industries;
- MPP Billy Pang, Parliamentary Assistant to the Minister of Tourism, Culture and Sport (Tourism);
- MPP Vincent Ke, Parliamentary Assistant to the Minister of Tourism, Culture and Sport (Culture and Sport)
- Debbie Low, President & CEO – Canadian Sport Institute Ontario
- John MacKenize, CEO, Toronto, and Region Conservation Authority.
- Chris Raynor, Regional Clerk, Regional Municipality of York;

Referred

9.2 RICHMOND HILL GO TRANSIT LINE - OPPORTUNITY FOR A TOC GO STATION AT GREEN LANE/JOHN STREET AREA (5.14)

Deputy Mayor Don Hamilton assumed the Chair at 1:18 PM.

Committee supported staff investigating the opportunity of having a GO Station at Green Lane and John Street on the Richmond Hill GO Transit Line.

Moved by Regional Councillor Jim Jones

Seconded by Councillor Keith Irish



Malone Given Parsons Ltd.
201- 140 Renfrew Drive
Markham Ontario
L3R 6B3 Canada

1-905-513-0170 mgp.ca