ITEM: 6.11

COMMITTEE OF ADJUSTMENT REPORT SUMMARY MINOR VARIANCE APPLICATION FILE NUMBER A275/22 165 PURPLE CREEK ROAD, WOODBRIDGE

THIS REPORT CONTAINS COMMENTS FROM THE FOLLOWING DEPARTMENTS & AGENCIES:

*Please see Schedule B of this report for a copy of Development Planning and Agency correspondence.

Additional comments from departments and agencies may be received after the publication of the Staff Report. These comments will be processed as an addendum and posted on the City's Website.

DEPARTMENTS	Circulated	Comments Received	Conditions	Nature of Comments
Committee of Adjustment	\boxtimes	\boxtimes		General Comments
Building Standards (Zoning Review)	\boxtimes	\boxtimes		General Comments
Building Inspection (Septic)	\boxtimes			No Comments Received to Date
Development Planning		\boxtimes		Recommend Approval/No Conditions
Development Engineering				Recommend Approval/No Conditions
Parks, Forestry and Horticulture Operations				General Comments
By-law & Compliance, Licensing & Permits				No Comments Received to Date
Development Finance				General Comments
Real Estate				
Fire Department	\boxtimes			No Comments Received to Date
ACENIQUEO	Cinculated	A	Conditions	Nature of Comments
AGENCIES	Circulated	Comments Received	Conditions	Nature of Comments
TRCA	⊠ ⊠	Comments Received	Conditions	No Comments Received to Date
TRCA	\boxtimes			
TRCA Ministry of Transportation (MTO)				No Comments Received to Date
TRCA Ministry of Transportation (MTO) Region of York				No Comments Received to Date General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra				No Comments Received to Date General Comments General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada				No Comments Received to Date General Comments General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada YRDSB				No Comments Received to Date General Comments General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada YRDSB YCDSB				No Comments Received to Date General Comments General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada YRDSB YCDSB CN Rail				No Comments Received to Date General Comments General Comments
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada YRDSB YCDSB CN Rail CP Rail				No Comments Received to Date General Comments General Comments No Comments Received to Date
TRCA Ministry of Transportation (MTO) Region of York Alectra Bell Canada YRDSB YCDSB CN Rail CP Rail TransCanada Pipeline				No Comments Received to Date General Comments General Comments No Comments Received to Date

PUBLIC & APPLICANT CORRESPONDENCE

*Please see **Schedule C** of this report for a copy of the public & applicant correspondence listed below.

The deadline to submit public comments is noon on the last business day prior to the scheduled hearing date.

Comments and written public submissions received after the publication of this Staff Report will be processed as an addendum and posted on the City's Website.

All personal information collected because of this public meeting (including both written and oral submissions) is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.

Correspondence Type	Name	Address	Date Received (mm/dd/yyyy)	Summary
None				

PREVIOUS COA DECISIONS ON THE SUBJECT LAND		
*Please see Schedule D for a copy of the Decisions listed below		
File Number	Date of Decision MM/DD/YYYY	Decision Outcome
None		

ADJOURNMENT HISTORY	
* Previous hearing dates where this application was adjourned by the Committee and public notice issued.	
None	



COMMITTEE OF ADJUSTMENT REPORT MINOR VARIANCE APPLICATION A275/22

165 PURPLE CREEK ROAD, WOODBRIDGE

ITEM NUMBER: 6.11	CITY WARD #: 3
APPLICANT:	Matteo & Gianna Genova
AGENT:	Andrew Solari
PROPERTY:	165 Purple Creek Rd Woodbridge ON L4H 5C6
ZONING DESIGNATION:	See below
VAUGHAN OFFICIAL PLAN	City of Vaughan Official Plan 2010 ('VOP 2010'): "Low Density
(2010) DESIGNATION:	Residential," Volume 2, Section 12.13 Block 40/47
RELATED DEVELOPMENT	None
APPLICATIONS:	
PURPOSE OF APPLICATION:	Relief from the Zoning By-law is being requested to permit a proposed
	pool and installation of related (pool) equipment.

The following variances have been requested from the City's Zoning By-law:

The subject lands are zoned A – Agriculture and subject to the provisions of Exception 14.1080 under Zoning By-law 001-2021, as amended.

#	Zoning By-law 001-2021	Variance requested
1	The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool. [Section 4.21.3]	To permit a minimum setback of 1.0m to the outdoor swimming pool measured from its inside wall to the rear lot line.
2	The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool. [Section 4.21.3]	To permit a minimum setback of 1.0 m to the outdoor swimming pool measured from its inside wall to the interior lot line.
3	Air conditioner (central), heat pump, condenser or similar equipment (ground mounted) are permitted to encroach a maximum of 1.0m into the interior side yard. [Table 4-1] Unless otherwise expressly permitted by this Bylaw, a minimum distance of 0.6 m shall be required from any permitted encroachment to the nearest lot line. [Section 4.13.3]	To permit ground mounted equipment at a minimum distance of 0.30m from the interior lot line.

The subject lands are zoned RD3 – Residential Detached Zone Three and subject to the provisions of Exception 9(1455) under Zoning By-law 1-88, as amended.

	Zoning By-law 1-88	Variance requested
4	A private swimming pool shall be constructed not nearer to rear lot line than 1.5 metres.	To permit a private swimming pool to be constructed at a minimum distance of 1.0 metres from the rear lot line.
5	A private swimming pool shall be constructed not nearer to interior side lot line than 1.5 metres.	To permit a private swimming pool to be constructed at a minimum distance of 1.0metres from the interior side lot line.
6	External ground mounted central Air Conditioner and/ or Heat Pump Units shall be permitted in the interior side yard with a minimum setback of 0.6 metres. [Section 3.14.h). ii).]	To permit external ground mounted units in the interior side yard with a minimum setback of 0.30 metres.

HEARING INFORMATION

DATE OF MEETING: Thursday, March 2, 2023

TIME: 6:00 p.m.

MEETING LOCATION: Vaughan City Hall, Council Chamber, 2141 Major Mackenzie Drive, Vaughan

LIVE STREAM LINK: Vaughan.ca/LiveCouncil

PUBLIC PARTICIPATION

If you would like to speak to the Committee of Adjustment at the meeting, either remotely or in person, please complete the Request to Speak Form and submit to cofa@vaughan.ca

If you would like to submit written comments, please quote file number above and submit by mail or email

to:

Email: cofa@vaughan.ca

Mail: City of Vaughan, Office of the City Clerk, Committee of Adjustment, 2141 Major Mackenzie Drive, Vaughan, ON, L6A 1T1

THE DEADLINE TO <u>REGISTER TO SPEAK</u> OR <u>SUBMIT WRITTEN COMMENTS</u> ON THE ABOVE NOTED FILE(S) IS <u>NOON</u> ON THE LAST BUSINESS DAY BEFORE THE MEETING.

INTRODUCTION

Staff and Agencies act as advisory bodies to the Committee of Adjustment. The comments contained in this report are presented as recommendations to the Committee.

Section 45(1) of the Planning Act sets the criteria for authorizing minor variances to the City of Vaughan's Zoning By-law. Accordingly, review of the application may consider the following:

That the general intent and purpose of the by-law will be maintained.

That the general intent and purpose of the official plan will be maintained.

That the requested variance(s) is/are acceptable for the appropriate development of the subject lands.

That the requested variance(s) is/are minor in nature.

Public written and oral submissions relating to this application are taken into consideration by the Committee of Adjustment as part of its deliberations and final decision on this matter.

COMMITTEE OF ADJUSTMENT COMMENTS		
Date Public Notice Mailed:	February 17, 2023	
Date Applicant Confirmed Posting of Sign:	February 16, 2023	
Applicant Justification for Variances: *As provided by Applicant in Application Form Rear yard size limits available space to position pool and equipment pad		to position pool and
Adjournment Requests (from staff): *Adjournment requests provided to applicant prior to issuance of public notice	None	
Was a Zoning Review Waiver (ZRW) Form	submitted by Applicant:	No
*ZRW Form may be used by applicant in instances where a revised submission is made, and zoning staff do not have an opportunity to review and confirm variances prior to the issuance of public notice. *A revised submission may be required to address staff / agency comments received as part of the application review process. *Where a zoning review has not been completed on a revised submission, an opportunity is provided to the applicant to adjourn the proposal prior to the issuance of public notice. Adjournment Fees:		
In accordance with Procedural By-law 069-2019, an Adjournment Fee is applicable to reschedule an application after the issuance of public notice where a request for adjournment has been provided to the applicant prior to the issuance of public notice.		
An Adjournment Fee can only be waived in instances where adjournment of an application is requested by the Committee or staff after the issuance of public notice.		
Committee of Adjustment Comments:		
Committee of Adjustment Recommended Conditions of Approval:	None	

BUILDING STANDARDS (ZONING) COMMENTS	
**See Schedule B for Building Standards (Zoning) Comments	
Building Standards Recommended Conditions of Approval: None	

DEVELOPMENT PLANNING COMMENTS	
**See Schedule B for Development Planning Comments.	
Development Planning Recommended Conditions of Approval:	None

DEVELOPMENT ENGINEERING COMMENTS

<u>Link to Grading Permit</u> <u>Link to Pool Permit</u> <u>Link to Curb Curt Permit</u> <u>Link Culvert Installation</u>

The Owner/applicant shall apply for a pool permit with the Development Engineering (DE) Department. Please visit or contact the Development Engineering Department through email at DEPermits@vaughan.ca or visit the pool permit link provided above to learn how to apply for the pool permit.

The proposed work by the owner/ applicant will increase the rear yard hardscaping area in the subject property. The added hardscape may have impact on City's Storm Water management system. Staff suggests the owner/applicant to introduce Low-impact Development (LID) measures (Bioswales, Permeable pavers, Rain Gardens, Rain Barrels etc.) to reduce the impacts.

The Applicant has implemented a floating concrete slab design in order to ensure that drainage on the side yard swale is not impacted.

The Development Engineering (DE) Department does not object to the variance application A275/22

The Development Engineering (DE) Department does not object to the variance application A273/22.	
Development Engineering	None
Recommended Conditions of	
Approval:	

PARKS, FORESTRY & HORTICULTURE (PFH) COMMENTS	
Forestry: Forestry has no comment at this time.	
PFH Recommended Conditions of Approval:	None

DEVELOPMENT FINANCE COMMENTS		
No comment no concerns		
Development Finance Recommended Conditions of Approval:	None	

BY-LAW AND COMPLIANCE, LICENSING AND PERMIT SERVICES COMMENTS		
No comments received to date.		
BCLPS Recommended Conditions of Approval:	None	

BUILDING INSPECTION (SEPTIC) COMMENTS		
No comments received to date.		
Building Inspection Recommended Conditions of Approval:	None	

FIRE DEPARTMENT COMMENTS		
No comments received to date.		
Fire Department Recommended Conditions of Approval:	None	

SCHEDULES TO STAFF REPORT *See Schedule for list of correspondence		
Schedule A Drawings & Plans Submitted with the Application		
Schedule B Staff & Agency Comments		
Schedule C (if required)	Correspondence (Received from Public & Applicant)	
Schedule D (if required)	Previous COA Decisions on the Subject Land	

Should the Committee find it appropriate to approve this application in accordance with request and the sketch submitted with the application, as required by Ontario Regulation 200/96, the following conditions have been recommended:

SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL

All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval "if required". If a condition is no longer required after an approval is final and binding, the condition may be waived by the respective department or agency requesting conditional approval. A condition cannot be waived without written consent from the respective department or agency.

#	DEPARTMENT / AGENCY	CONDITION(S) DESCRIPTION	
	None		

IMPORTANT INFORMATION - PLEASE READ

CONDITIONS: It is the responsibility of the owner/applicant and/or authorized agent to obtain and provide a clearance letter from respective department and/or agency (see condition chart above for contact). This letter must be provided to the Secretary-Treasurer to be finalized. All conditions must be cleared prior to the issuance of a Building Permit.

APPROVALS: Making any changes to your proposal after a decision has been made may impact the validity of the Committee's decision.

An approval obtained from the Committee of Adjustment, where applicable, is tied to the building envelope shown on the plans and drawings submitted with the application and subject to the variance approval.

A building envelope is defined by the setbacks of the buildings and/or structures shown on the plans and drawings submitted with the application, as required by Ontario Regulation 200/96. Future development outside of an approved building envelope, where a minor variance was obtained, must comply with the provisions of the City's Zoning By-law.

Elevation drawings are provided to reflect the style of roof (i.e. flat, mansard, gable etc.) to which a building height variance has been applied. Where a height variance is approved, building height is applied to the style of roof (as defined in the City's Zoning By-law) shown on the elevation plans submitted with the application.

Architectural design features that are not regulated by the City's Zoning By-law are not to be considered part of an approval unless specified in the Committee's decision.

DEVELOPMENT CHARGES: That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.

That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City's Development Charges By-law in effect at the time of payment.

That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment

That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City's Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.

NOTICE OF DECISION: If you wish to be notified of the decision in respect to this application or a related Ontario Land Tribunal (OLT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee's decision you will **not** receive notice.


SCHEDULE A: DRAWINGS & PLANS




LOCATION MAP - A275/22


165 PURPLE CREEK ROAD, WOODBRIDGE

Teston Road





JAN 10 2023 **SCALE** 1:200



SCHEDULE B: STAFF & AGENCY COMMENTS				
DEPT/AGENCY	Circulated	Comments Received	Conditions	Nature of Comments
TRCA *Schedule B	Х			No Comments Received to Date
Ministry of Transportation (MTO) *Schedule B				No Comments Received to Date
Region of York *Schedule B	Х	X		General Comments
Alectra *Schedule B	X	X		General Comments
Bell Canada *Schedule B	Х			No Comments Received to Date
YRDSB *Schedule B				
YCDSB *Schedule B				
CN Rail *Schedule B				
CP Rail *Schedule B				
TransCanada Pipeline *Schedule B	Х			No Comments Received to Date
Metrolinx *Schedule B				
Propane Operator *Schedule B				
Development Planning	Х	Х		Recommend Approval/no conditions
Building Standards (Zoning)	Х	Х		General Comments



Date: November 28th 2022

Attention: Christine Vigneault

RE: Request for Comments

File No.: A275-22

Related Files:

Applicant Matteo & Gianna Genova

Location 165 Purple Creek Road



COMMENTS:

	We have reviewed the proposed Variance Application and have no comments or objections to its approval.
X	We have reviewed the proposed Variance Application and have no objections to its approval, subject to the following comments (attached below).
	We have reviewed the proposed Variance Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Variance Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

References:

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream(Construction Standard 03-1, 03-4, 03-9), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:

Stephen Cranley, C.E.T Mitchell Penner

Supervisor, Distribution Design, ICI & Layouts (North)


Supervisor, Distribution Design-Subdivisions

Supervisor, Distribution Design-Subdivisions

Phone: 1-877-963-6900 ext. 31297 **Phone**: 416-302-6215



	SYSTEM VOLTAGE				
LOCATION OF WIRES, CABLES OR CONDUCTORS	SPAN GUYS AND COMMUNICATIONS WIRES		4.16/2.4kV TO 27.6/16kV (SEE NOTE 1)	44 k V	
	MINIMUM	MINIMUM VERTICAL CLEARANCES (SEE NOTE 2)			
OVER OR ALONGSIDE ROADS, DRIVEWAYS OR LANDS ACCESSIBLE TO <u>VEHICLES</u>	442cm	442cm	480cm	520cm	
OVER GROUND ACCESSIBLE TO PEDESTRIANS AND BICYCLES ONLY	250cm	310cm	340cm	370cm	
ABOVE TOP OF RAIL AT RAILWAY CROSSINGS	730cm	730cm	760cm	810cm	



- MINIMUM ATTACHMENT HEIGHT = MAXIMUM SAG + MINIMUM VERTICAL CLEARANCE (FROM ABOVE TABLE)
 - GRADE DIFFERENCE

 - + 0.3m (VEHICLE OR RAILWAY LOCATION) + SNOW DEPTH (PEDESTRIAN LOCATION, SEE NOTE 3)

NOTES:

- THE MULTIGROUNDED SYSTEM NEUTRAL HAS THE SAME CLEARANCE AS THE 600V SYSTEM.
- 2. THE VERTICAL CLEARANCES IN THE ABOVE TABLE ARE UNDER MAXIMUM SAG CONDITIONS.
- 3. REFER TO CSA STANDARD C22.3 No.1, ANNEX D FOR LOCAL SNOW DEPTH VALUES.
- 4. ALL CLEARANCES ARE IN ACCORDANCE TO CSA STANDARD C22.3.

REFERENCES				
SAGS	AND	TENSIONS	SECTION	02

METRIC

810cm

760cm 730cm

520cm

480cm

442cm 370cm

340cm

310cm 250cm IMPERIAL (APPROX)

27'-0" 25'-4"

24'-4" 17'-4"

16'-0' 15'-5

10'-4

8'-4

MINIMUM VERTICAL CLEARANCES OF WIRES, CABLES AND CONDUCTORS ABOVE GROUND OR RAILS


ORIGINAL ISSUE DATE: 2010-DEC-24 REVISION NO: R1 REVISION DATE: 2012-JAN-09


Certificate of Approval This construction Standard meets the safety requirements of Section 4 of Regulation 22/04			
Joe Crozier, P.Eng. Name	2012-JAN-09 Date		
P.Eng. Approval By:	Joe Crozier		



Construction Standard

03 - 4





VOLTAGE	MINIMUM HORIZONTAL CLEARNACE UNDER MAXIMUM SWING CONDITIONS DIMENSION "X" (SEE NOTES 1, 3 & 4)	MINIMUM VERTICAL CLEARANCE UNDER MAXIMUM DESIGN SAG CONDITIONS DIMENSION "Y" (SEE NOTES 1, 2, 4 & 5)
0-600V AND NEUTRAL	100cm	250cm
4.16/2.4 TO 44kV	300cm	480cm

- $\underline{\mathsf{NOTES}}$ under no circumstances shall a conductor be permitted to penetrate the envelope shown by the dotted line.
- THE VERTICAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM DESIGN SAG.
- THE HORIZONTAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM SWING. WHERE THE CONDUCTOR SWING IS NOT KNOWN A HORIZONTAL CLEARANCE OF 480CM SHALL BE USED.
- BUILDINGS THAT EXCEED 3 STOREYS OR 15M IN HEIGHT, THE MINIMUM HORIZONTAL CLEARANCE OF THE SECONDARY CONDUCTORS SHOULD BE INCREASED TO 300cm WHERE IT IS NECESSARY TO ALLOW FOR THE RAISING OF LADDERS BY LOCAL FIRE DEPARTMENTS.
- IN SITUATIONS SUCH AS MULTI-LEVEL GARAGES, WHERE ROOFS ARE NORMALLY USED BY PERSONS AND VEHICLES, THE VERTICAL CLEARANCES OF POWERSTREAM STANDARD 03-1SHALL APPLY.
- DISTRIBUTION LINES CONSTRUCTED NEAR BUILDINGS SHALL BE BUILT TO AVOID OVERHANG WHEREVER POSSIBLE. WHERE LINES MUST BE CONSTRUCTED OVER OR ADJACENT TO BUILDINGS THE APPLICABLE HORIZONTAL AND VERTICAL CLEARANCES SHALL BE AT CONDITIONS OF MAXIMUM CONDUCTOR SWING AND MAXIMUM SAG. THE ABOVE CLEARANCES ARE DESIGNED TO PREVENT PERSONS ON OR IN BUILDINGS AS WELL AS EXTERNAL MACHINERY USED IN CONJUCTION WITH A BUILDING TO COME IN CONTACT WITH CONDUCTORS, EFFORTS SHOULD BE MADE TO INCREASE THESE CLEARANCES WHERE POSSIBLE.
- 7. ALL CLEARANCES ARE IN ACCORDANCE TO CSA C22.3 NO.1-06 (TABLE-9).


CONVERS	ON TABLE
METRIC	(APPROX)
480cm	16'-0"
300cm	10'-0"
250cm	8'-4"
10000	¥1_4**

MINIMUM VERTICAL & HORIZONTAL CLEARANCES OF CONDUCTORS FROM BUILDINGS OR OTHER PERMANENT STRUCTURES (CONDUCTORS NOT ATTACHED TO BUILDINGS)

Certificate of Approval This construction Standard meets the safety requirements of Section 4 of Regulation 22/04 Debbie Dadwani, P.Eng. P.Eng. Approval By: D. Dadwani

ORIGINAL ISSUE DATE: 2010—MAY—05 REVISION NO: REVISION DATE: PSSystem Planching and Standards/Standard Design/PowerStream Standards/PowerStream Standards worthing (editor/Section 33-9/JWG 03-4 RD May 5, 2010, d V5/2010 8:22502 AM.





NOTES:

- ANY STRUCTURE WITHIN 5.0 METRES OF POOL EDGE SHALL BE CONSIDERED PART OF THE POOL.
- THERE SHALL NOT BE ANY OVERHEAD SECONDARY OR COMMUNICATION WIRING (750V OR LESS) ABOVE THE POOL, AND ABOVE OTHER ELEVATED SURFACES ASSOCIATED WITH THE POOL, INCLUDING BUT NOT RESTRICTED TO A DIVING STRUCTURE, SLIDE, SWINGS, OBSERVATION STAND, TOWER OR PLATFORM, OR ABOVE THE ADJACENT AREA EXTENDING 5.0M HORIZONTALLY FROM THE POOL EDGE.
- 3. THERE SHALL NOT BE ANY OVERHEAD PRIMARY WIRING (751V -44KV) ABOVE THE POOL AND OTHER ELEVATED SURFACES ASSOCIATED WITH THE POOL, OR ABOVE THE ADJACENT AREA EXTENDING 7.5M HORIZONTALLY FROM THE POOL EDGE.
- 4. ANY UNDERGROUND CONDUCTORS SHALL BE 2.0M AWAY FROM POOL EDGE IN DUCT WITH NON-CONDUCTING JACKET. FOR DEPTH AND DUCT DETAILS REFER TO FIGURE 3 IN 25-100 FOR 200A SERVICE AND 25-101 FOR 400A SERVICE RESPECTIVELY, AS PER POWERSTREAM SERVICE DESIGN SPECIFICATIONS.
- 5. THESE DIMENSIONS APPLY TO ALL SIDES OF THE POOL.

MINIMUM CLEARANCES FOR
CONDUCTORS ADJACENT
TO SWIMMING POOLS

ORIGINAL ISSUE DATE: 2013-JUNE-12 REVISION NO: RO REVISION DATE:

CONVERS	ON TABLE
METR I C	(APPROX.)
7.5m	24'-6"
5.0m	16'-3"
2.0m	6'-6"

REFERENC	CES
FIGURE 3, 25-100	SECTION 25
FIGURE 3, 25-101	SECTION 25

Certificate of Approval This construction Standard meets the safety requirements of Section 4 of Regulation 22/04	
Joe Crozier, P.Eng. Name	2013-JUN-12 Date
P.Eng. Approval By:	Joe Crozier



To: Committee of Adjustment

From: Punya Marahatta, Building Standards Department

Date: January 6, 2023

Applicant: Matteo & Gianna Genova

Location: 165 Purple Creek Road

PLAN 65M-4647, Lot 146

File No.(s): A275/22

Zoning Classification:

The subject lands are zoned A – Agriculture and subject to the provisions of Exception 14.1080 under Zoning By-law 001-2021, as amended.

#	Zoning By-law 001-2021	Variance requested
1	The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool. [Section 4.21.3]	To permit a minimum setback of 1.0m to the outdoor swimming pool measured from its inside wall to the rear lot line.
2	The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool. [Section 4.21.3]	To permit a minimum setback of 1.0 m to the outdoor swimming pool measured from its inside wall to the interior lot line.
3	Air conditioner (central), heat pump, condenser or similar equipment (ground mounted) are permitted to encroach a maximum of 1.0m into the interior side yard. [Table 4-1] Unless otherwise expressly permitted by this By-law, a minimum distance of 0.6 m shall be required from any permitted encroachment to the nearest lot line. [Section 4.13.3]	To permit ground mounted equipment at a minimum distance of 0.30m from the interior lot line.

The subject lands are zoned RD3 – Residential Detached Zone Three and subject to the provisions of Exception 9(1455) under Zoning By-law 1-88, as amended.

	Zoning By-law 1-88	Variance requested
4	A private swimming pool shall be constructed not nearer to rear lot line than 1.5 metres.	To permit a private swimming pool to be constructed at a minimum distance of 1.0 metres from the rear lot line.
5	A private swimming pool shall be constructed not nearer to interior side lot line than 1.5 metres.	To permit a private swimming pool to be constructed at a minimum distance of 1.0metres from the interior side lot line.
6	External ground mounted central Air Conditioner and/ or Heat Pump Units shall be permitted in the interior side yard with a minimum setback of 0.6 metres. [Section 3.14.h). ii).]	To permit external ground mounted units in the interior side yard with a minimum setback of 0.30 metres.

Staff Comments:

Stop Work Order(s) and Order(s) to Comply:

There are no outstanding Orders on file

Building Permit(s) Issued:

A Building Permit has not been issued. The Ontario Building Code requires a building permit for structures that exceed 10m2

Other Comments:

0	General Comments	
1		The applicant shall be advised that additional variances may be required upon review of detailed
		drawing for building permit/site plan approval.



Conditions of Approval:

If the committee finds merit in the application, the following conditions of approval are recommended.

 * Comments are based on the review of documentation supplied with this application.





To: Christine Vigneault, Committee of Adjustment Secretary Treasurer

From: Nancy Tuckett, Director of Development Planning

Date: February 15, 2023

Name of Owners: Matteo & Gianna Genova

Location: 165 Purple Creek Road

File No.(s): A275/22

Proposed Variance(s) (By-law 001-2021):

- 1. To permit a minimum setback of 1.0 m to the outdoor swimming pool measured from its inside wall to the rear lot line.
- 2. To permit a minimum setback of 1.0 m to the outdoor swimming pool measured from its inside wall to the interior lot line.
- 3. To permit ground mounted equipment at a minimum distance of 0.30 m from the interior lot line.

By-Law Requirement(s) (By-law 001-2021):

- 1. The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool.
- 2. The minimum setback of an outdoor swimming pool to any lot line shall be 1.5 m. The setback shall be measured from the inside wall of the outdoor swimming pool.
- 3. Air conditioner (central), heat pump, condenser or similar equipment (ground mounted) are permitted to encroach a maximum of 1.0 m into the interior side yard. Unless otherwise expressly permitted by this By-law, a minimum distance of 0.6 m shall be required from any permitted encroachment to the nearest lot line.

Proposed Variance(s) (By-law 1-88):

- 4. To permit a private swimming pool to be constructed at a minimum distance of 1.0 m from the rear lot line.
- 5. To permit a private swimming pool to be constructed at a minimum distance of 1.0 m from the interior side lot line.
- 6. To permit external ground mounted units in the interior side yard with a minimum setback of 0.30 m.

By-Law Requirement(s) (By-law 1-88):

- 4. A private swimming pool shall be constructed not nearer to a rear lot line than 1.5 m.
- 5. A private swimming pool shall be constructed not nearer to an interior side lot line than 1.5 m
- 6. External ground mounted central Air Conditioner and/ or Heat Pump Units shall be permitted in the interior side yard with a minimum setback of 0.6 m.

Official Plan:

City of Vaughan Official Plan 2010 ('VOP 2010'): "Low Density Residential," Volume 2, Section 12.13 Block 40/47

Comments:

The Owners are requesting relief to permit the construction of an in-ground pool and placement of pool equipment, with the above noted variances.

The Development Planning Department has no objection to Variances 1, 2, 4 and 5 for the pool as the proposed rear yard and interior side yard setbacks of 1.0 m each maintains an appropriate area for safe access and maintenance.

The Development Planning Department has no objection to Variances 3 and 6 for the proposed pool equipment as the reduction to the interior side yard setback is minor in nature and maintains sufficient space for access and maintenance. The south interior

memorandum



side yard remains open for the passage of larger items between the front and rear yards. The Development Engineering Department has also reviewed the proposal and has no objection.

Accordingly, the Development Planning Department can support the requested variances and is of the opinion that the proposal is minor in nature, maintains the general intent and purpose of the Official Plan and Zoning By-laws, and is desirable for the appropriate development of the land.

Recommendation:

The Development Planning Department recommends approval of the application.

Conditions of Approval:

If the Committee finds merit in the application, the following conditions of approval are recommended:

None

Comments Prepared by: Joshua Cipolletta, Planner I

David Harding, Senior Planner

From: <u>Development Services</u>

To: <u>Christine Vigneault</u>; <u>Committee of Adjustment</u>

Subject: [External] RE: A275/22 (165 Purple Creek Road) - REQUEST FOR COMMENTS, CITY OF VAUGHAN

Date: Friday, November 25, 2022 3:07:39 PM

Attachments: image001.png image003.png

Hi Christine,

The Regional Municipality of York has completed its review of the above minor variance and has no comment.

Many thanks,

Niranjan Rajevan, M.PI. | Associate Planner, Programs and Process Improvement, Planning and Economic Development, Corporate Services

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1 1-877-464-9675 ext. 71521 | niranjan.rajevan@york.ca | www.york.ca

Our Values: Integrity, Commitment, Accountability, Respect, Excellence



Our Mission: Working together to serve our thriving communities - today and tomorrow

Please consider the environment before printing this email.

SCHEDULE C: PUBLIC & APPLICANT CORRESPONDENCE

None