ITEM: 6.2

COMMITTEE OF ADJUSTMENT REPORT SUMMARY MINOR VARIANCE APPLICATION FILE NUMBER A034/23 125 ROSSMULL CRESCENT, WOODBRIDGE

THIS REPORT CONTAINS COMMENTS FROM THE FOLLOWING DEPARTMENTS & AGENCIES:

*Please see **Schedule B** of this report for a copy of Development Planning and Agency correspondence.

Additional comments from departments and agencies may be received after the publication of the Staff Report. These comments will be processed as an addendum and posted on the City's Website.

DEPARTMENTS	Circulated	Comments Received	Conditions	Nature of Comments
Committee of Adjustment	\boxtimes			General Comments
Building Standards (Zoning Review)	\boxtimes			General Comments
Building Inspection (Septic)				No Comments Received to Date
Development Planning	\boxtimes		\boxtimes	Recommend Approval w/Conditions
Development Engineering	\boxtimes		\boxtimes	Recommend Approval w/Conditions
Parks, Forestry and Horticulture Operations				General Comments
By-law & Compliance, Licensing & Permits				General Comments
Development Finance	\boxtimes			General Comments
Real Estate				
Fire Department	\boxtimes			No Comments Received to Date
AGENCIES	Circulated	Comments Received	Conditions	Nature of Comments
TRCA	\boxtimes			No Comments Received to Date
Ministry of Transportation (MTO)				
Region of York	\boxtimes	\boxtimes		General Comments
Alectra	\boxtimes	\boxtimes		General Comments
Bell Canada	\boxtimes		П	No Comments Received to Date
YRDSB				
YRDSB YCDSB			1	
	_			
YCDSB				
YCDSB CN Rail				No Comments Received to Date
YCDSB CN Rail CP Rail				
YCDSB CN Rail CP Rail TransCanada Pipeline				

PUBLIC & APPLICANT CORRESPONDENCE

*Please see **Schedule C** of this report for a copy of the public & applicant correspondence listed below.

The deadline to submit public comments is noon on the last business day prior to the scheduled hearing date.

Comments and written public submissions received after the publication of this Staff Report will be processed as an addendum and posted on the City's Website.

All personal information collected because of this public meeting (including both written and oral submissions) is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.

Correspondence Type	Name	Address	Date Received (mm/dd/yyyy)	Summary
Public	Lou D'onofrio	43 Paddington Place	07/04/2023	Letter of Objection

PREVIOUS COA DECISIONS ON THE SUBJECT LAND		
*Please see Schedule D for a copy of the Decisions listed below		
File Number	Date of Decision	Decision Outcome

PREVIOUS COA DECISIONS ON THE SUBJECT LAND			
*Please see Schedule D for a copy of the Decisions listed below			
	MM/DD/YYYY		
None			

ADJOURNMENT HISTORY	
* Previous hearing dates where this application was adjourned by the Committee and public notice issued.	
None	



COMMITTEE OF ADJUSTMENT REPORT MINOR VARIANCE APPLICATION A034/23

125 ROSSMULL CRESCENT, WOODBRIDGE

ITEM NUMBER: 6.2	CITY WARD #: 2
APPLICANT:	Vincenzo & Maria Bertucci
AGENT:	Alexei Sitenko, Anna Boyko & Tatiana Sotsenko
PROPERTY:	125 Rossmull Crescent, Woodbridge
ZONING DESIGNATION:	See below
VAUGHAN OFFICIAL PLAN (2010) DESIGNATION:	Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"
RELATED DEVELOPMENT APPLICATIONS:	None
PURPOSE OF APPLICATION:	Relief from the Zoning By-law is required to permit the construction of a proposed gazebo.

The following variances have been requested from the City's Zoning By-law:

The subject lands are zoned R1B(EN) – First Density Residential Zone (Established Neighbourhood) and subject to the provisions of Exception 14.134 under Zoning By-law 001-2021, as amended.

#	Zoning By-law 001-2021	Variance requested
1	A residential accessory structure with a height	To permit a residential accessory structure with
	greater than 2.8 m shall not be located closer	the height greater than 2.8 metres (cabana) to
	than 2.4 m to any lot line.	be located a minimum of 1.02m from the rear lot
	[Section 4.1.2.b]	line.
2	A residential accessory structure with a height	To permit a residential accessory structure with
	greater than 2.8 m shall not be located closer	the height greater than 2.8 metres (cabana) to
	than 2.4 m to any lot line.	be located a minimum of 0.65m from the interior
	[Section 4.1.2.b]	lot line.
3	Eaves and gutters are permitted to encroach	To permit eaves and gutters to encroach 0.66m
	0.5m into a minimum required yard.	into the required rear yard.
	[Section 4.13, Table 4-1]	
4	A minimum distance of 0.6 m shall be required	To permit a minimum distance of 0.34m to
	from any permitted encroachment to the	eaves and gutters from the interior side lot line.
	nearest lot line.	
	[Section 4.13.3]	

	Zoning By-law 1-88	Variance requested
5	Eaves and gutters are permitted to encroach	To permit eaves and gutters to encroach 0.66m
	0.5m into a minimum required yard.	into the required rear yard.
	[Section 3.14. a)]	·

HEARING INFORMATION

DATE OF MEETING: Thursday, July 13, 2023

TIME: 6:00 p.m.

MEETING LOCATION: Vaughan City Hall, Woodbridge Room (2nd Floor), 2141 Major Mackenzie Drive

LIVE STREAM LINK: Vaughan.ca/LiveCouncil

PUBLIC PARTICIPATION

If you would like to speak to the Committee of Adjustment at the meeting, either remotely or in person, please complete the Request to Speak Form and submit to cofa@vaughan.ca

If you would like to submit written comments, please quote file number above and submit by mail or email to:

Email: cofa@vaughan.ca

HEARING INFORMATION

Mail: City of Vaughan, Office of the City Clerk, Committee of Adjustment, 2141 Major Mackenzie Drive, Vaughan, ON, L6A 1T1

To speak electronically, pre-registration is required by completing the Request to Speak Form on-line and submitting it to cofa@vaughan.ca no later than NOON on the last business day before the meeting.

THE DEADLINE TO REGISTER TO SPEAK ELECTRONICALLY OR SUBMIT WRITTEN COMMENTS ON THE ABOVE NOTED FILE(S) IS <u>NOON</u> ON THE LAST BUSINESS DAY BEFORE THE MEETING.

INTRODUCTION

Staff and Agencies act as advisory bodies to the Committee of Adjustment. The comments contained in this report are presented as recommendations to the Committee.

Section 45(1) of the Planning Act sets the criteria for authorizing minor variances to the City of Vaughan's Zoning By-law. Accordingly, review of the application may consider the following:

That the general intent and purpose of the by-law will be maintained.

That the general intent and purpose of the official plan will be maintained.

That the requested variance(s) is/are acceptable for the appropriate development of the subject lands. That the requested variance(s) is/are minor in nature.

Public written and oral submissions relating to this application are taken into consideration by the Committee of Adjustment as part of its deliberations and final decision on this matter.

COMMITTEE OF ADJUSTMENT COMMENTS		
Date Public Notice Mailed:	June 29, 2023	
Date Applicant Confirmed Posting of Sign:	June 26, 2023	
Applicant Justification for Variances: *As provided by Applicant in Application Form	Location of the proposed accessory structure allows to utilize available rear yard to full desired intend and create family place with various zones	
Adjournment Requests (from staff): *Adjournment requests provided to applicant prior to issuance of public notice	None	
Was a Zoning Review Waiver (ZRW) Form	submitted by Applicant:	No
*ZRW Form may be used by applicant in instances where a revised submission is made, and zoning staff do not have an opportunity to review and confirm variances prior to the issuance of public notice. *A revised submission may be required to address staff / agency comments received as part of the application review process.		
*Where a zoning review has not been completed on a revised submission, an opportunity is provided to the applicant to adjourn the proposal prior to the issuance of public notice.		
Adjournment Fees: In accordance with Procedural By-law 069-2019, an Adjournment Fee is applicable to reschedule an application after the issuance of public notice where a request for adjournment has been provided to the applicant prior to the issuance of public notice. An Adjournment Fee can only be waived in instances where adjournment of an application is requested by the Committee or staff after the issuance of public notice.		
Committee of Adjustment Comments:	None	
Committee of Adjustment Recommended Conditions of Approval:	None	

BUILDING STANDARDS (ZONING) COMMENTS	
**See Schedule B for Building Standards (Zoning) Comments	
Building Standards Recommended Conditions of Approval:	None

DEVELOPMENT PLANNING COMMENTS		
**See Schedule B for Development Planning Comments.		
Development Planning Recommended Conditions of Approval: That the final Arborist Report, indicating ground protection for Tree "C", be approved to the satisfaction of the Development Planning Department.		

DEVELOPMENT ENGINEERING COMMENTS

<u>Link to Grading Permit</u> <u>Link to Pool Permit</u> <u>Link to Curb Curt Permit</u> <u>Link Culvert Installation</u>

As the proposed dwelling in the subject property is 20.47m2, the owner/ applicant needs to obtain a lot grading permit from Development Inspection and Lot Grading division of the City's Development Engineering Department. Please note any in ground structure over 10 m2 requires a grading permit. Please contact COA application engineering reviewer after receiving the grading permit to clear the condition. (Condition attached)

The Development Engineering (DE) Department does not object to the variance application A034/23 subject to the following condition:

Development Engineering Recommended Conditions of Approval: The Owner/applicant shall submit a Lot Grading plan to the Development Inspection and Lot Grading division of the City's Development Engineering Department for final lot grading and/or servicing approval prior to any work being undertaken on the property. Please visit or contact the Development Engineering Department through email at DEPermits@vaughan.ca or visit the

PARKS, FORESTRY & HORTICULTURE (PFH) COMMENTS	
Forestry has no comment at this time.	
PFH Recommended Conditions of Approval:	None

DEVELOPMENT FINANCE COMMENTS		
No comment no concerns		
Development Finance Recommended Conditions of Approval:	None	

BY-LAW AND COMPLIANCE, LICENSING AND PERMIT SERVICES COMMENTS		
no comments		
BCLPS Recommended Conditions of Approval: None		

BUILDING INSPECTION (SEPTIC) COMMENTS		
No comments received to date.		
Building Inspection Recommended Conditions of Approval: None		

FIRE DEPARTMENT COMMENTS		
No comments received to date.		
Fire Department Recommended Conditions of Approval: None		

SCHEDULES TO STAFF REPORT *See Schedule for list of correspondence		
Schedule A	Drawings & Plans Submitted with the Application	
Schedule B	Schedule B Staff & Agency Comments	
Schedule C (if required) Correspondence (Received from Public & Applicant)		
Schedule D (if required)	Previous COA Decisions on the Subject Land	

Should the Committee find it appropriate to approve this application in accordance with request and the sketch submitted with the application, as required by Ontario Regulation 200/96, the following conditions have been recommended:

SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL				
All co	All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval "if			
	required". If a condition is no longer required after an approval is final and binding, the condition may be waived by			
	the respective department or agency requesting conditional approval. A condition cannot be waived without written			
conse	consent from the respective department or agency.			
#	# DEPARTMENT / AGENCY CONDITION(S) DESCRIPTION			
1	Development Planning	That the final Arborist Report, indicating ground		

Joshua.cipolletta@vaughan.ca

protection for Tree "C", be approved to the

	SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL				
	All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval "if				
		proval is final and binding, the condition may be waived by			
	the respective department or agency requesting conditional approval. A condition cannot be waived without written				
COLISE	consent from the respective department or agency. satisfaction of the Development Planning				
	Department.				
2	Development Engineering	The Owner/applicant shall submit a Lot Grading			
	Rex.bondad@vaughan.ca	plan to the Development Inspection and Lot			
	Grading division of the City's Development				
	Engineering Department for final lot grading				
	and/or servicing approval prior to any work being				
		undertaken on the property. Please visit or			
		contact the Development Engineering			
	Department through email at				
		DEPermits@vaughan.ca or visit the			

IMPORTANT INFORMATION - PLEASE READ

CONDITIONS: It is the responsibility of the owner/applicant and/or authorized agent to obtain and provide a clearance letter from respective department and/or agency (see condition chart above for contact). This letter must be provided to the Secretary-Treasurer to be finalized. All conditions must be cleared prior to the issuance of a Building Permit.

APPROVALS: Making any changes to your proposal after a decision has been made may impact the validity of the Committee's decision.

An approval obtained from the Committee of Adjustment, where applicable, is tied to the building envelope shown on the plans and drawings submitted with the application and subject to the variance approval.

A building envelope is defined by the setbacks of the buildings and/or structures shown on the plans and drawings submitted with the application, as required by Ontario Regulation 200/96. Future development outside of an approved building envelope, where a minor variance was obtained, must comply with the provisions of the City's Zoning By-law.

Elevation drawings are provided to reflect the style of roof (i.e. flat, mansard, gable etc.) to which a building height variance has been applied. Where a height variance is approved, building height is applied to the style of roof (as defined in the City's Zoning By-law) shown on the elevation plans submitted with the application.

Architectural design features that are not regulated by the City's Zoning By-law are not to be considered part of an approval unless specified in the Committee's decision.

DEVELOPMENT CHARGES: That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.


That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City's Development Charges By-law in effect at the time of payment.

That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment

That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City's Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.


NOTICE OF DECISION: If you wish to be notified of the decision in respect to this application or a related Ontario Land Tribunal (OLT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee's decision you will **not** receive notice.

SCHEDULE A: DRAWINGS & PLANS



Disclaimer:

Created By:
Infrastructure Delivery
Department
April 20, 2023 10:25 AM
Projection:
NAD 83
UTM Zone
17N



SCHEDULE B: STAFF & AGENCY COMMENTS					
DEPT/AGENCY	Circulated	Comments Received	Conditions	Nature of Comments	
TRCA *Schedule B	Х			No Comments Received to Date	
Ministry of Transportation (MTO) *Schedule B				No Comments Received to Date	
Region of York *Schedule B	Х	X		General Comments	
Alectra *Schedule B	Х	X		General Comments	
Bell Canada *Schedule B	Х			No Comments Received to Date	
YRDSB *Schedule B					
YCDSB *Schedule B					
CN Rail *Schedule B					
CP Rail *Schedule B					
TransCanada Pipeline *Schedule B	Х			No Comments Received to Date	
Metrolinx *Schedule B					
Propane Operator *Schedule B					
Development Planning	Х	Х	Х	Recommend Approval with conditions	
Building Standards (Zoning)	Х	Х		General Comments	



Date: March 27th 2023

Attention: Christine Vigneault

RE: Request for Comments

File No.: A034-23

Related Files:

Applicant Vincenzo & Maria Bertucci

Location 125 Rossmull Crescent



COMMENTS:

	We have reviewed the proposed Variance Application and have no comments or objections to its approval.
X	We have reviewed the proposed Variance Application and have no objections to its approval, subject to the following comments (attached below).
	We have reviewed the proposed Variance Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Variance Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

References:

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream (Construction Standard 03-1, 03-4), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:

Mr. Stephen Cranley, C.E.T

Supervisor, Distribution Design, ICI & Layouts (North)

Phone: 1-877-963-6900 ext. 31297

E-mail: stephen.cranley@alectrautilities.com

Mitchell Penner

Supervisor, Distribution Design-Subdivisions

Phone: 416-302-6215

Email: Mitchell.Penner@alectrautilities.com



Power Stream 1

Construction Standard

03-1

	SYSTEM VOLTAGE			
LOCATION OF WIRES, CABLES OR CONDUCTORS	SPAN GUYS AND COMMUNICATIONS WIRES		4.16/2.4kV TO 27.6/16kV (SEE NOTE 1)	44kV
	MINIMUM	VERTICAL CLEA	ARANCES (SEE	NOTE 2)
OVER OR ALONGSIDE ROADS, DRIVEWAYS OR LANDS ACCESSIBLE TO <u>VEHICLES</u>	442cm	442cm	480cm	520cm
OVER GROUND ACCESSIBLE TO PEDESTRIANS AND BICYCLES ONLY	250cm	310cm	340cm	370cm
ABOVE TOP OF RAIL AT RAILWAY CROSSINGS	730cm	730cm	760cm	810cm



MINIMUM ATTACHMENT HEIGHT = MAXIMUM SAG

- + MINIMUM VERTICAL CLEARANCE (FROM ABOVE TABLE)
 ± GRADE DIFFERENCE

- + 0.3m (VEHICLE OR RAILWAY LOCATION) + SNOW DEPTH (PEDESTRIAN LOCATION, SEE NOTE 3)

NOTES:

- THE MULTIGROUNDED SYSTEM NEUTRAL HAS THE SAME CLEARANCE AS THE 600V SYSTEM.
- 2. THE VERTICAL CLEARANCES IN THE ABOVE TABLE ARE UNDER $\underline{\text{MAXIMUM SAG}}$ CONDITIONS.
- 3. REFER TO CSA STANDARD C22.3 No.1, ANNEX D FOR LOCAL SNOW DEPTH
- 4. ALL CLEARANCES ARE IN ACCORDANCE TO CSA STANDARD C22.3.

<u>\G</u>	340cm	11'-4"		
	310cm	10'-4"		
VALUES.	250cm	8'-4"		
VALUES.				
REFERENCES				
SAGS AND	FNSIONS 1	SECTION 02		

METRIC

810cm

760cm 730cm

520cm 480cm

442cm 370cm

CONVERSION TABLE

IMPERIAL (APPROX)

27'-0" 25'-4"

24'-4" 17'-4"

15'-5" 12'-4"

MINIMUM VERTICAL CLEARANCES OF WIRES, CABLES AND CONDUCTORS ABOVE GROUND OR RAILS

ORIGINAL ISSUE DATE: 2010-DEC-24 REVISION NO: R1 REVISION DATE: 2012-JAN-09

Certificate of Approval This construction Standard meets the safety requirements of Section 4 of Regulation 22/04			
Joe Crozier, P.Eng. 2012-JAN-09 Name Date			
P.Eng. Approval By: Joe Crozier			



Construction Standard

03 - 4





VOLTAGE	MINIMUM HORIZONTAL CLEARNACE UNDER MAXIMUM SWING CONDITIONS DIMENSION "X" (SEE NOTES 1, 3 & 4)	MINIMUM VERTICAL CLEARANCE UNDER MAXIMUM DESIGN SAG CONDITIONS DIMENSION "Y" (SEE NOTES 1, 2, 4 & 5)
0-600V AND NEUTRAL	100cm	250cm
4.16/2.4 TO 44kV	300cm	480cm

NOTES

- UNDER NO CIRCUMSTANCES SHALL A CONDUCTOR BE PERMITTED TO PENETRATE THE ENVELOPE SHOWN BY THE DOTTED LINE.
- 2. THE VERTICAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM DESIGN SAG.
- THE HORIZONTAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM SWING. WHERE THE CONDUCTOR SWING IS NOT KNOWN A HORIZONTAL CLEARANCE OF 480CM SHALL BE USED.
- 4. BUILDINGS THAT EXCEED 3 STOREYS OR 15M IN HEIGHT, THE MINIMUM HORIZONTAL CLEARANCE OF THE SECONDARY CONDUCTORS SHOULD BE INCREASED TO 300cm WHERE IT IS NECESSARY TO ALLOW FOR THE RAISING OF LADDERS BY LOCAL FIRE DEPARTMENTS.
- IN SITUATIONS SUCH AS MULTI-LEVEL GARAGES, WHERE ROOFS ARE NORMALLY USED BY PERSONS AND VEHICLES, THE VERTICAL CLEARANCES OF POWERSTREAM STANDARD 03-1 SHALL APPLY.
- 6. DISTRIBUTION LINES CONSTRUCTED NEAR BUILDINGS SHALL BE BUILT TO AVOID OVERHANG WHEREVER POSSIBLE. WHERE LINES MUST BE CONSTRUCTED OVER OR ADJACENT TO BUILDINGS THE APPLICABLE HORIZONTAL AND VERTICAL CLEARANCES SHALL BE AT CONDITIONS OF MAXIMUM CONDUCTOR SWING AND MAXIMUM SAG. THE ABOVE CLEARANCES ARE DESIGNED TO PREVENT PERSONS ON OR IN BUILDINGS AS WELL AS EXTERNAL MACHINERY USED IN CONJUCTION WITH A BUILDING TO COME IN CONTACT WITH CONDUCTORS. EFFORTS SHOULD BE MADE TO INCREASE THESE CLEARANCES WHERE POSSIBLE.
- 7. ALL CLEARANCES ARE IN ACCORDANCE TO CSA C22.3 NO.1-06 (TABLE-9).

CONVERSION TABLE		
IMPERIAL		
(APPROX)		
16'-0"		
10'-0"		
8'-4"		
3'-4"		

MINIMUM VERTICAL & HORIZONTAL CLEARANCES OF CONDUCTORS FROM BUILDINGS OR OTHER PERMANENT STRUCTURES (CONDUCTORS NOT ATTACHED TO BUILDINGS)

ORIGINAL ISSUE DATE: 2010—MAY—05 REVISION NO: REVISION DATE:
PEgystem Planning and Standards/Standard Design/PowerStream Standards/working (abbr/Scellan 3/3-4/c/wg d3-4 Ro May 5, 2010, s/wg, 3/3/2010 8/2022 AM, Adobe POF



To: Committee of Adjustment

From: Punya Marahatta, Building Standards Department

March 24, 2023 Date:

Vincenzo & Maria Bertucci Applicant:

Location: 125 Rossmull Crescent

PLAN M2023 Lot 69

File No.(s): A034/23

Zoning Classification:

The subject lands are zoned R1B(EN) – First Density Residential Zone (Established Neighbourhood) and subject to the provisions of Exception 14.134 under Zoning By-law 001-2021, as amended.

#	Zoning By-law 001-2021	Variance requested
1	A residential accessory structure with a height greater than 2.8 m shall not be located closer than 2.4 m to any lot line. [Section 4.1.2.b]	To permit a residential accessory structure with the height greater than 2.8 metres (cabana) to be located a minimum of 1.02m from the rear lot line.
2	A residential accessory structure with a height greater than 2.8 m shall not be located closer than 2.4 m to any lot line. [Section 4.1.2.b]	To permit a residential accessory structure with the height greater than 2.8 metres (cabana) to be located a minimum of 0.65m from the interior lot line.
3	Eaves and gutters are permitted to encroach 0.5m into a minimum required yard. [Section 4.13, Table 4-1]	To permit eaves and gutters to encroach 0.66m into the required rear yard.
4	A minimum distance of 0.6 m shall be required from any permitted encroachment to the nearest lot line. [Section 4.13.3]	To permit a minimum distance of 0.34m to eaves and gutters from the interior side lot line.

	Zoning By-law 1-88	Variance requested
5	Eaves and gutters are permitted to encroach 0.5m into a	To permit eaves and gutters to
	minimum required yard.	encroach 0.66m into the required
	[Section 3.14. a)]	rear yard.

Staff Comments:

Stop Work Order(s) and Order(s) to Comply:

There are no outstanding Orders on file

Building Permit(s) Issued:

Building Permit No. 93-000908 for In-Ground Pool (Sfd/Semi) - POOL (Wang), Issue Date: Jul 12,

Building Permit No. 22-137316 for Shed/Gazebo - New, Issue Date: (Not Yet Issued)

Other Comments:

G	General Comments		
1	The applicant shall be advised that additional variances may be required upon review of	detailed	
	drawing for building permit/site plan approval.		

Conditions of Approval:

If the committee finds merit in the application, the following conditions of approval are recommended.

^{*} Comments are based on the review of documentation supplied with this application.





To: Christine Vigneault, Committee of Adjustment Secretary Treasurer

From: Nancy Tuckett, Director of Development Planning

Date: July 5, 2023

Name of Owners: Vincenzo & Maria Bertucci

Location: 125 Rossmull Crescent

File No.(s): A034/23

Proposed Variance(s) (By-law 001-2021):

- 1. To permit a residential accessory structure with the height greater than 2.8 m (cabana) to be located a minimum of 1.02 m from the rear lot line.
- 2. To permit a residential accessory structure with the height greater than 2.8 m (cabana) to be located a minimum of 0.65 m from the interior lot line.
- 3. To permit eaves and gutters to encroach 0.66 m into the required rear yard.
- 4. To permit a minimum distance of 0.34 m to eaves and gutters from the interior side lot line.

By-Law Requirement(s) (By-law 001-2021):

- 1. A residential accessory structure with a height greater than 2.8 m shall not be located closer than 2.4 m to any lot line.
- 2. A residential accessory structure with a height greater than 2.8 m shall not be located closer than 2.4 m to any lot line.
- 3. Eaves and gutters are permitted to encroach 0.5 m into a minimum required vard.
- 4. A minimum distance of 0.6 m shall be required from any permitted encroachment to the nearest lot line.

Proposed Variance(s) (By-law 1-88):

5. To permit eaves and gutters to encroach 0.66 m into the required rear yard.

By-Law Requirement(s) (By-law 1-88):

5. Eaves and gutters are permitted to encroach 0.5 m into a minimum required yard.

Official Plan:

City of Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"

Comments:

The Owners are requesting relief to permit the construction of a proposed cabana, with the above-noted variances. The proposed cabana will expand upon the footprint of the existing shed. The proposed cabana will retain the walls of the existing shed, turning that space into a pool equipment and washroom area, and add a new, longer flat roof containing a covered amenity area south of the existing shed.

The Development Planning Department has no objection to Variances 1 and 2 for the proposed rear yard and interior side yard setbacks for the cabana. The cabana, as a partially open structure, presents less mass overall relative to a fully enclosed structure. The cabana also complies with the height provisions of the Zoning By-laws. As such, the cabana is not anticipated to pose adverse massing and use impacts to the neighbouring properties and it provides an appropriate spatial separation for maintenance access.

The Development Planning Department has no objection to Variances 3, 4 and 5 for the encroachment of the eaves and gutters. The 0.34 m setback for the eaves to the interior side lot line is not anticipated to pose adverse massing impacts due to the open wall that encompasses most of the east elevation. Allowing a 0.16 m increase to the rear yard eave encroachment is minor in nature and is not anticipated to be perceptible. As such, no adverse massing impacts are anticipated to the neighbouring properties.

In support of the application, the Owners have submitted an Arborist Report prepared by P & A Urban Forestry Consulting Ltd., dated May 2, 2023, revised June 26, 2023. The

memorandum



report inventoried six trees, none of which are proposed to be removed. Urban Design staff have reviewed the report and recommend that ground protection to minimize compaction for Tree "C" be provided. A condition to this effect is included as a condition of approval.

Accordingly, the Development Planning Department can support the requested variances and is of the opinion that the proposal is minor in nature, maintains the general intent and purpose of the Official Plan and Zoning By-laws, and is desirable for the appropriate development of the land.

Recommendation:

The Development Planning Department recommends approval of the application, subject to the following condition:

Condition of Approval:

If the Committee finds merit in the application, the following condition of approval is recommended:

1. That the final Arborist Report, indicating ground protection for Tree "C", be approved to the satisfaction of the Development Planning Department.

Comments Prepared by:

Joshua Cipolletta, Planner David Harding, Senior Planner From: Rajevan, Niranjan
To: Committee of Adjustment

Subject: [External] FW: A034/23 (125 ROSSMULL CRESCENT) - REQUEST FOR COMMENTS

Date: Monday, April 24, 2023 4:43:38 PM

Attachments: image002.png image004.png

Hi Pravina,

The Regional Municipality of York has completed its review of the above minor variance and has no comment.

Many thanks,

Our working hours may be different. Please do not feel obligated to reply outside of your scheduled working hours. Let's work together to help foster healthy work-life boundaries.

Niranjan Rajevan, M.PI. | Associate Planner, Programs and Process Improvement, Planning and Economic Development, Corporate Services

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1 1-877-464-9675 ext. 71521 | niranjan.rajevan@york.ca | www.york.ca

Our Values: Integrity, Commitment, Accountability, Respect, Excellence



Our Mission: Working together to serve our thriving communities - today and tomorrow

Please consider the environment before printing this email.

SCHEDULE C: PUBLIC & APPLICANT CORRESPONDENCE						
Correspondence	Name	Address	Date	Summary		
Type			Received			
			(mm/dd/yyyy)			
None	Lou D'onofrio	43 Paddington Place	07/04/2023	Letter of Objection		

From:

To: <u>Committee of Adjustment;</u>

Subject: [External] MINOR VARIANCE APPLICATION AO34/23

Date: Tuesday, July 4, 2023 3:13:30 PM

MY NAME IS LOU D'ONOFRIO, MY WIFE IS SILVANA TOFANO-D'ONOFRIO. WE ARE THE RESIDENTS AT 43 PADDINGTON PLACE. UNFORTUANATELY WE ARE UNABLE TO ATTEND THE HEARING SINCE WE WILL BE OUT OF TOWN BUT WE WOULD LIKE TO REISTER OUR CONCERS.

WE ARE OPPOSED TO THE ABOVE NOTED PROPOSAL.

OUR BACK YARD SITS BEHIND THIS PROPERTY, ABOUT 4 FEED BELOW THE PROPERTY MAKING THIS APPLICATION. THE APPLICANT IS ASKING FOR THE STRUCTURE TO BE LOCATED 1.02 M FROM THE REAR LOT LINE RATHER THAN THE PRESENT ZONING BYLAW OF 2.5 M TO ANY LOT LINE (SECTION 4.1.2.b). OUR BIGGEST CONCERN IS WATER FLOWING FROM THE PROPOSED STRUCTURE INTO OUR BACKYARD. THE WATER FROM GUTTERS AND EAVES WOULD FLOW TOO CLOSE TO THE LOT LINE. IN THE CASE OF A MAJOR RAINFALL, WHICH WE HAVE BEEN EXPIERNCING MORE OFTEN RECENTLY, THE ADDED WATERFLOW WOULD RESULT IN FLOODING IN OUR BACK YARD BECAUSE OF THE PROPOSED DISTANCE OF THE STRUCTURE TO THE THE LOT LINE. THIS WOULD ADVERSLY IMPACT OUR PROPERTY BECAUSE OF THE INCREASED WATER FROM THE RUNOFF THAT WILL FLOW FROM THE PROPOSED GAZEBO. THIS WATER WILL RESULT IN SUBSTANTIAL INCREASED FLOODING TO OUR BACK YARD.

THANK YOU FOR YOUR CONSIDERATION

Sent from Mail for Windows