

ITEM #: 6.4

**COMMITTEE OF ADJUSTMENT REPORT
CONSENT APPLICATION
B013/22
9773 KEELE ST VAUGHAN**

COA REPORT SUMMARY

**THIS REPORT CONTAINS COMMENTS FROM THE FOLLOWING
DEPARTMENTS & AGENCIES:**

*Please see **Schedule B** of this report for a copy of Staff and Agency correspondence.

Additional comments from departments and agencies may be received after the publication of the Staff Report. These comments will be processed as an addendum and posted on the City's Website.

DEPARTMENTS	Circulated	Comments Received	Conditions	Nature of Comments
Committee of Adjustment	X	X	X	General Comments
Building Standards -Zoning Review *Schedule B	X			General Comments
Building Inspection (Septic)	X			No Comments Recieved to Date
Development Planning *Schedule B	X	X		Recommend Approval/No Conditions
Development Engineering	X	X	X	Recommend Approval w/Conditions
Parks, Forestry and Horticulture Operations	X			No Comments Recieved to Date
By-law & Compliance, Licensing & Permits	X			No Comments Recieved to Date
Development Finance	X	X	X	General Comments w/Conditions
Real Estate	X			No comments received to date
Fire Department	X			No Comments Recieved to Date
AGENCIES	Circulated	Comments Received	Conditions	Nature of Comments
TRCA *Schedule B	X			No Comments Recieved to Date
Ministry of Transportation (MTO) *Schedule B	X			No Comments Recieved to Date
Region of York *Schedule B	X	X		General Comments
Alectra *Schedule B	X	X		General Comments
Bell Canada *Schedule B	X			No Comments Recieved to Date
YRDSB *Schedule B				
YCDSB *Schedule B				
CN Rail *Schedule B				
CP Rail *Schedule B				
TransCanada Pipeline *Schedule B	X			No Comments Recieved to Date
Metrolinx *Schedule B				
Propane Operator *Schedule B				

PUBLIC & APPLICANT CORRESPONDENCE

*Please see **Schedule C** of this report for a copy of the public & applicant correspondence listed below.

The deadline to submit public comments is **noon on the last business day prior to the scheduled hearing date.**

Comments and written public submissions received after the publication of this Staff Report will be processed as an addendum and posted on the City's Website.

All personal information collected because of this public meeting (including both written and oral submissions) is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.

Correspondence Type	Name	Address	Date Received (mm/dd/yyyy)	Summary
None				

PREVIOUS COA DECISIONS ON THE SUBJECT LAND

*Please see **Schedule D** for a copy of the Decisions listed below

File Number	Date of Decision MM/DD/YYYY	Decision Outcome
None		

ADJOURNMENT HISTORY

* Previous hearing dates where this application was adjourned by the Committee and public notice issued.

None	
------	--



**COMMITTEE OF ADJUSTMENT REPORT
CONSENT APPLICATION
B013/22
9773 Keele St Vaughan ON**

FILE MANAGER: Lenore Providence, Administrative Coordinator - Committee of Adjustment

ITEM NUMBER:	CITY WARD #: 1
APPLICANT:	9773 Keele Street Inc.
AGENT:	Weston Consulting
PROPERTY:	9773 Keele St Vaughan ON
ZONING DESIGNATION:	See Below
VAUGHAN OFFICIAL PLAN (2010) DESIGNATION:	Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"
RELATED DEVELOPMENT APPLICATIONS:	
PURPOSE OF APPLICATION:	Consent is being requested to permit an easement over Part B (on the Site Plan submitted with the application) for access purposes (vehicular & pedestrian) in favour of the lands to the north municipally known as 9785 & 9797 Keele Street (dominant land).

HEARING INFORMATION

DATE OF MEETING: Thursday , July 28, 2022
TIME: 6:00 p.m.
MEETING LOCATION: Vaughan City Hall, Council Chamber, 2141 Major Mackenzie Drive, Vaughan
LIVE STREAM LINK: Vaughan.ca/LiveCouncil

PUBLIC PARTICIPATION

If you would like to speak to the Committee of Adjustment at the meeting, either remotely or in person, please complete the [Request to Speak Form](#) and submit to cofa@vaughan.ca
 If you would like to submit written comments, please quote file number above and submit by mail or email to:

Email: cofa@vaughan.ca

Mail: City of Vaughan, Office of the City Clerk, Committee of Adjustment, 2141 Major Mackenzie Drive, Vaughan, ON, L6A 1T1

THE DEADLINE TO REGISTER TO SPEAK OR SUBMIT WRITTEN COMMENTS ON THE ABOVE NOTED FILE(S) IS NOON ON THE LAST BUSINESS DAY BEFORE THE MEETING.

INTRODUCTION

Staff and Agencies act as advisory bodies to the Committee of Adjustment. The comments contained in this report are presented as recommendations to the Committee.

The Planning Act sets the standard to which provincial interests, provincial and local policies and goals are implemented. Accordingly, review of this application considers the following:

- ✓ Conformity to Section 51(24) as required by Section 53(12) of the Planning Act.
- ✓ Conformity to the City of Vaughan Official Plan.
- ✓ Conformity to the Provincial Policy Statements as required by Section 3 (1) of the Planning Act.

Public written and oral submissions relating to this application are taken into consideration by the Committee of Adjustment as part of its deliberations and final decision on this matter.

COMMITTEE OF ADJUSTMENT COMMENTS

Date Public Notice Mailed:	July 14, 2022
Date Applicant Confirmed Posting of Sign:	July 13, 2022

COMMITTEE OF ADJUSTMENT COMMENTS

Adjournment Requests (from staff): <small>*Adjournment requests provided to applicant prior to issuance of public notice</small>	None
Was a Zoning Review Waiver (ZRW) Form submitted by Applicant: <small>*ZRW Form may be used by applicant in instances where a revised submission is made, and zoning staff do not have an opportunity to review and confirm variances prior to the issuance of public notice.</small> <small>*A revised submission may be required to address staff / agency comments received as part of the application review process.</small> <small>*Where a zoning review has not been completed on a revised submission, an opportunity is provided to the applicant to adjourn the proposal prior to the issuance of public notice.</small>	No
Adjournment Fees: In accordance with Procedural By-law 069-2019, an Adjournment Fee is applicable to reschedule an application after the issuance of public notice where a request for adjournment has been provided to the applicant prior to the issuance of public notice. An Adjournment Fee can only be waived in instances where adjournment of an application is requested by the Committee or staff after the issuance of public notice.	
Committee of Adjustment Comments:	None
Committee of Adjustment Recommended Conditions of Approval:	<ol style="list-style-type: none"> 1. That the applicant's solicitor provides the secretary-treasurer with a copy of the prepared draft transfer document to confirm the legal description of the servient lands. 2. That the applicant provides two (2) full size copies of the deposited plan of reference of the entire land which conforms substantially with the application as submitted. 3. That the applicant emails an electronic copy of the deposited reference plan to cofa@vaughan.ca 4. Payment of the Certificate Fee as provided on the City of Vaughan's Committee of Adjustment Fee Schedule.

BUILDING STANDARDS (ZONING) COMMENTS

<small>**See Schedule B for Building Standards (Zoning) Comments.</small>	
Building Standards Recommended Conditions of Approval:	None

DEVELOPMENT PLANNING COMMENTS

<small>**See Schedule B for Development Planning Comments.</small>	
Development Planning Recommended Conditions of Approval:	None

DEVELOPMENT ENGINEERING COMMENTS

Link to Grading Permit Link to Pool Permit Link to Curb Curt Permit Link Culvert Installation	
The Development Engineering (DE) Department does not object to consent application B013/22 subject to the following condition(s):	
Development Engineering Recommended Conditions of Approval:	<p>The Owner/applicant shall prepare and register a updated reference plan at their expense showing all easements to the satisfaction of Development Engineering Department (DE) for the Subject Lands applicable to the Consent Application. The Owner/applicant shall submit a draft reference plan to DE for review prior to deposit with the Land Registry. The Owner/applicant shall submit the deposited reference plan to DE in order to clear this condition.</p> <p>The Owner/applicant shall provide proof of an agreement or easement documents between the property owners of the severed and retained lands including sufficient language to clearly describe the nature of the shared servicing & access easements in favor of the retained lands, all to the satisfaction of Development Engineering.</p>

PARKS, FORESTRY & HORTICULTURE (PFH) COMMENTS

No comments received to date.

PFH Recommended Conditions of Approval:	None
--	------

DEVELOPMENT FINANCE COMMENTS

That the payment of the City Development Charge is payable to the City of Vaughan prior to issuance of a building permit in accordance with the Development Charges Act and City-wide Development Charge By-law in effect at time of payment.

That the payment of Region of York Development Charge is payable to the City of Vaughan prior to issuance of a building permit in accordance with the Development Charges Act and Regional Development Charges By-laws in effect at time of payment.

That the payment of Education Development Charge is payable to the City of Vaughan prior to issuance of a building permit in accordance with the Education Act and York Region District School Board and York Catholic District School Board Development Charges By-laws in effect at time of payment.

That the payment of applicable Area Specific Development Charges are payable to the City of Vaughan prior to issuance of a building permit in accordance with the Development Charges Act and Area Specific Development Charge By-laws in effect at time of payment.

Development Finance Recommended Conditions of Approval:	The owner shall pay all property taxes as levied. Payment is to be made by certified cheque, to the satisfaction of the City of Vaughan Financial Planning and Development Finance Department (contact Nelson Pereira to have this condition cleared).
--	--

BY-LAW AND COMPLIANCE, LICENSING AND PERMIT SERVICES COMMENTS

No comments received to date.

BCLPS Recommended Conditions of Approval:	None
--	------

BUILDING INSPECTION (SEPTIC) COMMENTS

No comments received to date.

Building Inspection Recommended Conditions of Approval:	None
--	------

FIRE DEPARTMENT COMMENTS

No comments received to date.

Fire Department Recommended Conditions of Approval:	None
--	------

SCHEDULES TO STAFF REPORT

*See Schedule for list of correspondence

Schedule A	Drawings & Plans Submitted with the Application
Schedule B	Staff & Agency Comments
Schedule C (if required)	Correspondence (Received from Public & Applicant)
Schedule D (if required)	Previous COA Decisions on the Subject Land

Should the Committee find it appropriate to approve this application, the following conditions have been recommended:

SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL

All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval “**if required**”. If a condition is no longer required after an approval is final and binding, the condition may be waived by the respective department or agency requesting conditional approval. A condition cannot be waived without written consent from the respective department or agency.

#	DEPARTMENT / AGENCY	CONDITION(S) DESCRIPTION
1	Committee of Adjustment christine.vigneault@vaughan.ca	1. That the applicant’s solicitor provides the secretary-treasurer with a copy of the prepared draft transfer document to confirm the legal description of the servient lands. 2. That the applicant provides two (2) full size copies of the deposited plan of reference of the

SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL

All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval “if required”. If a condition is no longer required after an approval is final and binding, the condition may be waived by the respective department or agency requesting conditional approval. A condition cannot be waived without written consent from the respective department or agency.

		<p>entire land which conforms substantially with the application as submitted.</p> <p>3. That the applicant emails an electronic copy of the deposited reference plan to cofa@vaughan.ca</p> <p>4. Payment of the Certificate Fee as provided on the City of Vaughan’s Committee of Adjustment Fee Schedule.</p>
2	<p>Development Engineering Ian.Reynolds@vaughan.ca</p>	<p>1. The Owner/applicant shall prepare and register a updated reference plan at their expense showing all easements to the satisfaction of Development Engineering Department (DE) for the Subject Lands applicable to the Consent Application. The Owner/applicant shall submit a draft reference plan to DE for review prior to deposit with the Land Registry. The Owner/applicant shall submit the deposited reference plan to DE in order to clear this condition.</p> <p>2. The Owner/applicant shall provide proof of an agreement or easement documents between the property owners of the severed and retained lands including sufficient language to clearly describe the nature of the shared servicing & access easements in favor of the retained lands, all to the satisfaction of Development Engineering.</p>
3	<p>Development Finance nelson.pereira@vaughan.ca</p>	<p>The owner shall pay all property taxes as levied. Payment is to be made by certified cheque, to the satisfaction of the City of Vaughan Financial Planning and Development Finance Department (contact Nelson Pereira to have this condition cleared).</p>

IMPORTANT INFORMATION – PLEASE READ

CONDITIONS: Conditions must be fulfilled within **two years** from the date of the giving of the Notice of Decision, failing which this application shall thereupon be deemed to be refused. No extension to the last day for fulfilling conditions is permissible.

DEVELOPMENT CHARGES: That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.


That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City’s Development Charges By-law in effect at the time of payment.

That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment


That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City’s Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.

NOTICE OF DECISION: If you wish to be notified of the decision in respect to this application or a related Ontario Land Tribunal (OLT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee’s decision you will **not** receive notice.

SCHEDULE A: DRAWINGS & PLANS



Map Information:



Title:

9773 KEELE STREET, MAPLE

NOTIFICATION MAP - B013/22

Disclaimer:

Every reasonable effort has been made to ensure that the information appearing on this map is accurate and current. We believe the information to be reliable, however the City of Vaughan assumes no responsibility or liability due to errors or omissions. Please report any discrepancies to Infrastructure Programming.



Scale: 1:4,514

0 0.07 km



Created By:


Infrastructure Delivery
Department
June 24, 2022 7:07 AM

Projection:
NAD 83
UTM Zone
17N

KEELE ST

**9785 & 9797
KEELE ST**

**9773 KEELE STREET
SUBJECT LANDS**



EASEMENT SKETCH



9773 KEELE STREET
CITY OF VAUGHAN
REGIONAL MUNICIPALITY OF YORK

KEY MAP

Not to scale



LEGEND

-  SUBJECT LANDS - 9773 KEELE ST (SERVIENT LANDS)
-  9785 & 9797 KEELE STREET (DOMINANT LANDS)
-  EXTENT OF EXISTING SHARED SERVICING & DRIVEWAY EASEMENTS W/ 9785 & 9797 KEELE ST (PART A)
-  PROPOSED EXPANSION OF EASEMENT BOUNDARY (PART B)

Dimensions are according to draft survey plan from Schaeffer Dzalidov Bennett Ltd. dated Sept. 7, 2021.

SCALE

0 30 METRES


SCALE: SEE SCALE BAR
DATE DRAWN: MAY 27, 2022
FILE NO. 6728-1



WESTON CONSULTING
planning + urban design


1480.353.3558 westonconsulting.com

Vaughan
201 Hurontario Ave., Ste. 19
Vaughan, Ontario L4K 5K8
T: 905.738.8090 F: 905.738.6637
Toronto
288 Binkley St.
Toronto, Ontario M6A 2X5
T: 416.249.3177 F: 905.738.6637



B013/22

NOTE:
THE LOCATION OF THE EXISTING INFRASTRUCTURE WAS
OBTAINED USING AERIAL AND NEEDS TO BE VERIFIED
UPON RECEIVING TOPOGRAPHIC INFORMATION



<p>LEA Consulting Ltd. Consulting Engineers and Planners www.LEA.ca</p>		Project No. 18028	Drawing No. SK01
		Date FEB. 22, 2021	
<p>DRAFT FOR DISCUSSION</p>		9785 & 9797 KEELE ST VAUGHAN ONTARIO	
		LOADING REVIEW – TEMPORARY TURN AROUND 11.5m TRUCK (13.1m RADIUS) ENTRY & EXIT PATHS	

SCHEDULE B: STAFF & AGENCY COMMENTS				
DEPT/AGENCY	Circulated	Comments Received	Conditions	Nature of Comments
TRCA *Schedule B	X			No Comments Recieved to Date
Ministry of Transportation (MTO) *Schedule B	X			No Comments Recieved to Date
Region of York *Schedule B	X	X		General Comments
Alectra *Schedule B	X	X		General Comments
Bell Canada *Schedule B	X			No Comments Recieved to Date
YRDSB *Schedule B				
YCDSB *Schedule B				
CN Rail *Schedule B				
CP Rail *Schedule B				
TransCanada Pipeline *Schedule B	X			No Comments Recieved to Date
Metrolinx *Schedule B				
Propane Operator *Schedule B				
Development Planning	X			Recommend Approval/no conditions
Building Standards (Zoning)	X			General Comments

Date: June 29th , 2021
Attention: **Christine Vigneault**
RE: Request for Comments

File No.: **B013-22**
Related Files:
Applicant: 9773 Keele Street Inc.
Location 9773 Keele Street



Discover the possibilities

COMMENTS:

- We have reviewed the proposed Consent Application and have no comments or objections to its approval.
- We have reviewed the proposed Consent Application and have no objections to its approval, subject to the following comments (attached below).
- We have reviewed the proposed Consent Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Consent Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

References:

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream (Construction Standard 03-1, 03-4), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:

Stephen Cranley, C.E.T

Mitchell Penner


Supervisor, Distribution Design, ICI & Layouts (North)
Phone: 1-877-963-6900 ext. 31297

Supervisor, Distribution Design-Subdivisions
Phone: 416-302-6215

E-mail: stephen.cranley@alectrautilities.com

Email: Mitchell.Penner@alectrautilities.com

LOCATION OF WIRES, CABLES OR CONDUCTORS	SYSTEM VOLTAGE			
	SPAN GUYS AND COMMUNICATIONS WIRES	UP TO 600V AND NEUTRAL	4.16/2.4kV TO 27.6/16kV (SEE NOTE 1)	44kV
	MINIMUM VERTICAL CLEARANCES (SEE NOTE 2)			
OVER OR ALONGSIDE ROADS, DRIVEWAYS OR LANDS ACCESSIBLE TO VEHICLES	442cm	442cm	480cm	520cm
OVER GROUND ACCESSIBLE TO PEDESTRIANS AND BICYCLES ONLY	250cm	310cm	340cm	370cm
ABOVE TOP OF RAIL AT RAILWAY CROSSINGS	730cm	730cm	760cm	810cm



MINIMUM ATTACHMENT HEIGHT = MAXIMUM SAG
 + MINIMUM VERTICAL CLEARANCE (FROM ABOVE TABLE)
 ± GRADE DIFFERENCE
 + 0.3m (VEHICLE OR RAILWAY LOCATION)
 + SNOW DEPTH (PEDESTRIAN LOCATION, SEE NOTE 3)

NOTES:

1. THE MULTIGROUNDED SYSTEM NEUTRAL HAS THE SAME CLEARANCE AS THE 600V SYSTEM.
2. THE VERTICAL CLEARANCES IN THE ABOVE TABLE ARE UNDER MAXIMUM SAG CONDITIONS.
3. REFER TO CSA STANDARD C22.3 No.1, ANNEX D FOR LOCAL SNOW DEPTH VALUES.
4. ALL CLEARANCES ARE IN ACCORDANCE TO CSA STANDARD C22.3.


METRIC	IMPERIAL (APPROX)
810cm	27'-0"
760cm	25'-4"
730cm	24'-4"
520cm	17'-4"
480cm	16'-0"
442cm	15'-5"
370cm	12'-4"
340cm	11'-4"
310cm	10'-4"
250cm	8'-4"

SAGS AND TENSIONS	SECTION 02
-------------------	------------

MINIMUM VERTICAL CLEARANCES OF WIRES, CABLES AND CONDUCTORS ABOVE GROUND OR RAILS

ORIGINAL ISSUE DATE: 2010-DEC-24 REVISION NO: R1 REVISION DATE: 2012-JAN-09

This construction Standard meets the safety requirements of Section 4 of Regulation 22/04	
Joe Crozier, P.Eng.	2012-JAN-09
Name	Date
P.Eng. Approval By:	Joe Crozier



VOLTAGE	MINIMUM HORIZONTAL CLEARNACE UNDER MAXIMUM SWING CONDITIONS DIMENSION "X" (SEE NOTES 1, 3 & 4)	MINIMUM VERTICAL CLEARANCE UNDER MAXIMUM DESIGN SAG CONDITIONS DIMENSION "Y" (SEE NOTES 1, 2, 4 & 5)
0-600V AND NEUTRAL	100cm	250cm
4.16/2.4 TO 44kV	300cm	480cm

NOTES

1. UNDER NO CIRCUMSTANCES SHALL A CONDUCTOR BE PERMITTED TO PENETRATE THE ENVELOPE SHOWN BY THE DOTTED LINE.
2. THE VERTICAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM DESIGN SAG.
3. THE HORIZONTAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM SWING. WHERE THE CONDUCTOR SWING IS NOT KNOWN A HORIZONTAL CLEARANCE OF 480CM SHALL BE USED.
4. BUILDINGS THAT EXCEED 3 STOREYS OR 15M IN HEIGHT, THE MINIMUM HORIZONTAL CLEARANCE OF THE SECONDARY CONDUCTORS SHOULD BE INCREASED TO 300cm WHERE IT IS NECESSARY TO ALLOW FOR THE RAISING OF LADDERS BY LOCAL FIRE DEPARTMENTS.
5. IN SITUATIONS SUCH AS MULTI-LEVEL GARAGES, WHERE ROOFS ARE NORMALLY USED BY PERSONS AND VEHICLES, THE VERTICAL CLEARANCES OF POWERSTREAM STANDARD 03-1 SHALL APPLY.
6. DISTRIBUTION LINES CONSTRUCTED NEAR BUILDINGS SHALL BE BUILT TO AVOID OVERHANG WHEREVER POSSIBLE. WHERE LINES MUST BE CONSTRUCTED OVER OR ADJACENT TO BUILDINGS THE APPLICABLE HORIZONTAL AND VERTICAL CLEARANCES SHALL BE AT CONDITIONS OF MAXIMUM CONDUCTOR SWING AND MAXIMUM SAG. THE ABOVE CLEARANCES ARE DESIGNED TO PREVENT PERSONS ON OR IN BUILDINGS AS WELL AS EXTERNAL MACHINERY USED IN CONJUNCTION WITH A BUILDING TO COME IN CONTACT WITH CONDUCTORS. EFFORTS SHOULD BE MADE TO INCREASE THESE CLEARANCES WHERE POSSIBLE.
7. ALL CLEARANCES ARE IN ACCORDANCE TO CSA C22.3 NO.1-06 (TABLE-9).

METRIC	IMPERIAL (APPROX)
480cm	16'-0"
300cm	10'-0"
250cm	8'-4"
100cm	3'-4"

MINIMUM VERTICAL & HORIZONTAL CLEARANCES OF CONDUCTORS FROM BUILDINGS OR OTHER PERMANENT STRUCTURES (CONDUCTORS NOT ATTACHED TO BUILDINGS)

Certificate of Approval
This construction Standard meets the safety requirements of Section 4 of Regulation 22/04
Debbie Dadwani, P.Eng. 2010-MAY-05
Name Date
P.Eng. Approval By: *D. Dadwani*

ORIGINAL ISSUE DATE: 2010-MAY-05 REVISION NO: REVISION DATE:
F:\System Planning and Standards\Standard Design\PowerStream Standards\PowerStream Standards working files\Section 03-4\DWG 03-4 RD May 5, 2010.dwg, 5/5/2010 9:27:52 AM, Adobe PDF

From: [Rajevan, Niranjan](#)
To: [Committee of Adjustment](#)
Cc: [Lenore Providence](#)
Subject: [External] FW: B013/22 - REQUEST FOR COMMENTS, CITY OF VAUGHAN
Date: Wednesday, July 6, 2022 10:00:40 AM
Attachments: [image002.png](#)
[image004.png](#)

Good morning Lenore,

The Regional Municipality of York has completed its review of the above Consent for Easement and has no comment.

Thank you,
Niranjan

Niranjan Rajevan, M.Pl. | Associate Planner, Programs and Process Improvement, Planning and Economic Development, Corporate Services

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
1-877-464-9675 ext. 71521 | niranjan.rajevan@york.ca | www.york.ca

Our Values: Integrity, Commitment, Accountability, Respect, Excellence



Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Please consider the environment before printing this email.

From: Lenore Providence <Lenore.Providence@vaughan.ca>
Sent: Friday, June 24, 2022 7:18 AM
To: rowcentre@bell.ca; carrie.gordon@bell.ca; Development Services <developmentservices@york.ca>; yorkplan@trca.ca; Hamedeh.Razavi@trca.ca; engineeringadmin@powerstream.ca; TCEnergy@mhbcplan.com; CIRCULATION -RAIL - GO/METROLINX <development.coordinator@metrolinx.com>
Cc: Christine Vigneault <Christine.Vigneault@vaughan.ca>
Subject: B013/22 - REQUEST FOR COMMENTS, CITY OF VAUGHAN

CAUTION! This is an external email. Verify the sender's email address and carefully examine any links or attachments before clicking. If you believe this may be a phishing email, forward it to isitsafe@york.ca then delete it from your inbox. If you think you may have clicked on a phishing link, report it to the IT Service Desk, ext. 71111, and notify your supervisor immediately.

MEETING DATE: JULY 28, 2022
RE: 9773 KEELE STREET, MAPLE

Hello,

Please email comments and recommendations on the above noted application to cofa@vaughan.ca. If you wish to be notified of the decision, please confirm in

To: Committee of Adjustment
From: Lindsay Haviland, Building Standards Department
Date: June 23, 2022
Applicant: 9773 Keele Street Inc.
Location: CONC 3 Part of Lot 19 municipally known as 9773 Keele Street
File No.(s): B013/22

Zoning Classification:

The subject lands are zoned RT – Residential Zone, under Zoning By-law 001-2021, as amended.

The subject lands are zoned RT1, Residential Townhouse Zone, and subject to the provisions of Exception 9(1515) under Zoning By-law 1-88, as amended.

Proposal:

The subject consent application is permit an easement in favour of the lands to the north, and therefore the Zoning By-law requirements for Lot Area, Lot Frontage and Lot Depth are not applicable.

Staff Comments:

Stop Work Order(s) and Order(s) to Comply:

There are no outstanding Orders on file

Building Permit(s) Issued:

A Building Permit has not been issued. The Ontario Building Code requires a building permit for structures that exceed 10m²

Other Comments:

Building Department staff have no additional comments in respect to this application.

Conditions of Approval:

If the committee finds merit in the application, the following conditions of approval are recommended.

None

* Comments are based on the review of documentation supplied with this application.

To: Christine Vigneault, Committee of Adjustment Secretary Treasurer
From: Nancy Tuckett, Director of Development Planning
Date: July 14, 2022
Name of Owner: 9773 Keele Street Inc.
Location: 9773 Keele Street
File No.(s): B013/22

Proposal:

The Owner has submitted Consent Application File B013/22 to enlarge an easement for shared road access and services in favour of the lands to the north, municipally known as 9785 & 9797 Keele Street (the "Laurier Lands"). Single detached, and/or semi-detached, and/or townhouse condominiums are proposed at all three addresses. The Laurier Lands will access Keele Street through the subject property. Access and servicing easements were established on the subject property in favour of the Laurier Lands via Consent Applications B001/20 and B019/21. The enlargement of the shared road access and services easement will facilitate a larger turning area for a waste collection vehicle.

Official Plan:

City of Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential".

Comments:

On March 10, 2021, Council approved Official Plan Amendment File OP.17.001 and Zoning By-law Amendment File Z.17.002, while Draft Plan of Subdivision File 19T-17V001 and Site Development File DA.18.073 received draft approval to facilitate the development of two 2.5-storey townhouse blocks and to relocate the existing heritage dwelling. The Consent would amend the boundaries of the existing access and servicing easement to accommodate sufficient space for the proposed turning movements of a private waste collection vehicle servicing the Laurier Lands. No physical alteration to the site will occur because of the easement expansion as the lands to be encumbered will contain a condominium road.

The Development Engineering Department has reviewed the proposed easement expansion and has no objection.

Accordingly, the Development Planning Department has no objection to the requested severance and is of the opinion that the proposal conforms to VOP 2010, and the consent criteria stipulated in Section 51(24) of the Planning Act, R.S.O. 1990, c P.13.

Recommendation:

The Development Planning Department recommends approval of the application.

Conditions of Approval:

If the Committee finds merit in the application, the following conditions of approval are recommended:

None

Comments Prepared by:

Michelle Perrone, Planner 1
David Harding, Senior Planner

SCHEDULE C: PUBLIC & APPLICANT CORRESPONDENCE

None