
ATTACHMENT 5 60 NAPIER



FOUNDATION WALL DIMPLE SHEET DRAINAGE LAYER 2-PLY SPRAYED WATERPROOFING MEMBRANE

10"(250mm) THK. POURED CONC. FOUNDATION WALL AT BASEMENT, REINF. 15M @ 400 c/c VERT. & HORT. @ INT. FACE, 2-15M @ TOP, POURED CONC. FOOTING 600x200mm (WxD) w/3-15M CONT.


15M DOWELS MATCH VERT. TYP. MIN.1220mm BELOW FIN. GRADE CONC.STRENGTH TO BE 25 MPa AT 28 DAYS w/AIR ENTERTAINMENT CLASS 'F-2'

R20 BATT CONTINOUS INSUL. VAPOR BARRIER

RETAINING WALL DIMPLE SHEET DRAINAGE LAYER 2-PLY SPRAYED WATERPROOFING MEMBRANE

10"(250mm) THK. POURED CONC. FOUNDATION WALL AT WALKOUT REINF. 15M @ 400c/c VERT. & HORT. @ EACH FACE, POURED CONC. FOOTING 600x200mm (WxD) w/3-15M CONT.

15M DOWELS MATCH VERT. TYP. MIN.1220mm BELOW FIN. GRADE CONC. STRENGTH TO BE 25 MPa AT 28 DAYS w/AIR ENTERTAINMENT CLASS 'F-2'



 \langle F2 \rangle

EXTERIOR WALL PARTITION BRICK OR STONE VENEER METAL TIES MAX. 600mm HORIZ. & MAX. 400mm VERT. O.C. 25mm AIR SPACE 25mm R5 CONTINUOUS RIGID INSULATION (SEALED JOINTS) TYVEK VAPOUR BARRIER 13mm PLYWOOD SHEATHING 38X140 STUDS @ 400mm O.C. R24 BATT INSULATION 6 MIL VAPOUR BARRIER 13mm GYPSUM BOARD



INTERIOR WALL PARTITION 13mm DRYWALL 38X89 WOOD STUDS AT 406mm O.C 13mm DRYWALL

KEY PLAN

ISSUED FOR CONSTRUCTION

ISSUED FOR BID ISSUED FOR BUILDING PERMIT ISSUED FOR SITE PLAN APPROVAL

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

SUBMITTALS

REVISIONS

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE ARCHITECTS

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA


DESIGN DRAWINGS PROPOSED 60 NAPIER CITY OF VAUGHAN

FLOOR PLAN

PLOTTED:


REVIEWED BY:

01 FLOOR PLAN A2-5 SCALE: 1:50



2-PLY SPRAYED WATERPROOFING MEMBRANE

FOUNDATION WALL



10"(250mm) THK. POURED CONC. FOUNDATION WALL AT BASEMENT, REINF. 15M @ 400 c/c VERT. & HORT. @ INT. FACE, 2-15M @ TOP, POURED CONC. FOOTING 600x200mm (WxD) w/3-15M CONT. +

DIMPLE SHEET DRAINAGE LAYER

15M DOWELS MATCH VERT. TYP. MIN.1220mm BELOW FIN. GRADE CONC.STRENGTH TO BE 25 MPa AT 28 DAYS w/AIR ENTERTAINMENT CLASS 'F-2'

R20 BATT CONTINOUS INSUL. VAPOR BARRIER


DIMPLE SHEET DRAINAGE LAYER 2-PLY SPRAYED WATERPROOFING MEMBRANE 10"(250mm) THK. POURED CONC. FOUNDATION WALL AT WALKOUT

RETAINING WALL



REINF. 15M @ 400c/c VERT. & HORT. @ EACH FACE, POURED CONC. FOOTING 600x200mm (WxD) w/3-15M CONT. + 15M DOWELS MATCH VERT. TYP. MIN.1220mm BELOW FIN. GRADE

CONC. STRENGTH TO BE 25 MPa AT 28 DAYS w/AIR ENTERTAINMENT CLASS 'F-2'




EXTERIOR WALL PARTITION BRICK OR STONE VENEER METAL TIES MAX. 600mm HORIZ. & MAX. 400mm VERT. O.C. 25mm AIR SPACE 25mm R5 CONTINUOUS RIGID INSULATION (SEALED JOINTS) TYVEK VAPOUR BARRIER 13mm PLYWOOD SHEATHING 38X140 STUDS @ 400mm O.C. R24 BATT INSULATION 6 MIL VAPOUR BARRIER 13mm GYPSUM BOARD



INTERIOR WALL PARTITION 13mm DRYWALL 38X89 WOOD STUDS AT 406mm O.C 13mm DRYWALL

KEY PLAN



REVISIONS

ISSUED FOR CONSTRUCTION ISSUED FOR BID

ISSUED FOR BUILDING PERMIT ISSUED FOR SITE PLAN APPROVAL

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



ARCHITECTS 3590 RUTHERFORD RD. UNIT 7

FAUSTO CORTESE

VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA


DESIGN DRAWINGS PROPOSED 60 NAPIER CITY OF VAUGHAN


FLOOR PLAN

PLOTTED:

A 2-6 REVIEWED BY:

01 FLOOR PLAN A2-6 SCALE: 1:50





	REVISIONS	
No.	DESCRIPTION	DATE
1	ISSUED FOR SPA/MV	2022-09-0:
2	ISSUED FOR SPA SUBMISSION #2	2022-12-20
3	ISSUED FOR HERITAGE PERMIT	2023-10-1

ISSUED FOR CONSTRUCTION
ISSUED FOR BID

ISSUED FOR BUILDING PERMIT

ISSUED FOR SITE PLAN APPROVAL
SUBMITTALS

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE ARCHITECTS

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED 60 NAPIER CITY OF VAUGHAN

DRAWING:

ROOF PLAN


PLOTTED: N/A


DATE: PROJECT No:

05/10/2023 202

| DRAWING No: | | AS NOTED | | A 2-7 |

22-12





	REVISIONS	
No.	DESCRIPTION	DATE
1	ISSUED FOR SPA/MV	2022-09-02
2	ISSUED FOR SPA SUBMISSION #2	2022-12-20
3	ISSUED FOR HERITAGE PERMIT	2023-10-11

ISSUED FOR CONSTRUCTION

ISSUED FOR BID

ISSUED FOR BUILDING PERMIT
ISSUED FOR SITE PLAN APPROVAL
SUBMITTALS

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE ARCHITECTS

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED 60 NAPIER CITY OF VAUGHAN

DRAWING:

ELEVATION -


PLOTTED: N/A
DATE:

05/10/2023 2022

NLE: DRAWING No:

AS NOTED AS NOTED AS NOTED AS SEVIEWED BY:

01 FRONT ELEVATION
A3-4 SCALE: 1:50





	REVISIONS	
No.	DESCRIPTION	DATE
1	ISSUED FOR SPA/MV	2022-09-0
2	ISSUED FOR SPA SUBMISSION #2	2022-12-20
3	ISSUED FOR HERITAGE PERMIT	2023-10-11

ISSUED FOR CONSTRUCTION ISSUED FOR BID

ISSUED FOR BUILDING PERMIT

ISSUED FOR SITE PLAN APPROVAL

SUBMITTALS

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE ARCHITECTS

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED


60 NAPIER CITY OF VAUGHAN

ELEVATION

PLOTTED: N/A

A 3-5

01 SIDE ELEVATION- WEST A3-5 SCALE: 1:50





	REVISIONS	
No.	DESCRIPTION	DATE
1	ISSUED FOR SPA/MV	2022-09-C
2	ISSUED FOR SPA SUBMISSION #2	2022-12-2
3	ISSUED FOR HERITAGE PERMIT	2023-10-1

ISSUED FOR CONSTRUCTION ISSUED FOR BID

ISSUED FOR BUILDING PERMIT

ISSUED FOR SITE PLAN APPROVAL SUBMITTALS

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE A R C H I T E C T S

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED

60 NAPIER CITY OF VAUGHAN


ELEVATION


PLOTTED: N/A

SCALE:

A 3-6 REVIEWED BY:

01 SIDE ELEVATION- EAST A3-6 SCALE: 1:50





3 ISSUED FOR HERITAGE PERMIT 2023-10-11
2 ISSUED FOR SPA SUBMISSION #2 2022-12-20
1 ISSUED FOR SPA/MV 2022-09-02
No. DESCRIPTION DATE

REVISIONS

ISSUED FOR CONSTRUCTION

ISSUED FOR BID

ISSUED FOR BUILDING PERMIT

ISSUED FOR SITE PLAN APPROVAL
SUBMITTALS

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



FAUSTO CORTESE ARCHITECTS

3590 RUTHERFORD RD. UNIT 7 VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED

60 NÄPIER CITY OF VAUGHAN

DRAWING:

ELEVATION -

PLOTTED: N/A

DATE: PROJECT No

05/10/2023 202


DRAWING No:

AS NOTED

REVIEWED BY:

AS 3-7


01 REAR ELEVATION
A3-7 SCALE: 1:50



3750mm M/O ROOE ASPHALT ROOF SHINGLES— -2"X10" SPF NO.1@24"c/ 2700 mm U/S CEILING WOOD SILL PLATE FASTENED
TO FOUNDATION WALL W/
MIN.13mm Ø ANCHOR BOLTS
EMBEDDED MIN. 100mm
IN CONC. @ 2300mm O.C. MAX.
PROVIDE CAULKING OR
CASKET BETWEEN PLATE AND CONC. PEDESTAL TO _ BE MIN. 6" ABOVE GRADE GASKET BETWEEN PLATE AND FOUNDATION WALL 0.00 mm -SONO TUBE FOUNDATION WALL 3048 mm TOP OF BASEMENT SLAB

CABANA BUILDING SECTION A4-2 SCALE: 1:25


03 WALL SECTION @ FLAT ROOF A4-2 SCALE: 1:25



CABANA BUILDING SECTION

A4-2 | SCALE: 1:25

KEY PLAN



DATE DESCRIPTION REVISIONS

ISSUED FOR CONSTRUCTION ISSUED FOR BID

ISSUED FOR BUILDING PERMIT

ISSUED FOR SITE PLAN APPROVAL

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSES UNTIL SEALED AND SIGNED BY THE DESIGNER.

DO NOT SCALE DRAWINGS.



3590 RUTHERFORD RD. UNIT 7

VAUGHAN, ONTARIO, L4H 3T8 416-806-7000 FCORTESE@FCARCHITECTS.CA

DESIGN DRAWINGS PROPOSED 60 NAPIER CITY OF VAUGHAN

SECTION

SCALE:

A 4-2