

	<b>COMMITTEE OF ADJUSTMENT REPORT SUMMARY MINOR VARIANCE APPLICATION FILE NUMBER A252/21</b>
---	--

<b>AGENDA ITEM NUMBER: 4</b>	<b>CITY WARD #: 3</b>
<b>APPLICANT:</b>	Luciana Campoli
<b>AGENT:</b>	Gregory Sant
<b>PROPERTY:</b>	206 Via Teodoro, Woodbridge
<b>ZONING DESIGNATION:</b>	The subject lands are zoned RD2 9(1279) and subject to the provisions of Exception under By-law 1-88 as amended
<b>VAUGHAN OFFICIAL PLAN (2010) DESIGNATION:</b>	Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"
<b>RELATED DEVELOPMENT APPLICATIONS:</b>	None
<b>PURPOSE OF APPLICATION:</b>	Relief from the Zoning By-law is being requested to permit the construction of a proposed covered concrete deck and walkout stairs (to basement) to be located in the rear yard.

**THIS REPORT CONTAINS COMMENTS FROM THE FOLLOWING  
DEPARTMENTS & AGENCIES:**

\*Please see **Schedule B** of this report for a copy of Development Planning and Agency correspondence.

Additional comments from departments and agencies may be received after the publication of the Staff Report. These comments will be processed as an addendum and posted on the City’s Website.

DEPARTMENTS	Circulated	Comments Received	Conditions	Nature of Comments
Committee of Adjustment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Building Standards (Zoning Review)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Building Inspection (Septic)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Development Planning	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Recommend Approval/No Conditions
Development Engineering	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Recommend Approval/No Conditions
Parks, Forestry and Horticulture Operations	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No Comments or Concerns
By-law & Compliance, Licensing & Permits	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No Comments or Concerns
Development Finance	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No Comments or Concerns
Real Estate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Fire Department	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
AGENCIES	Circulated	Comments Received	Conditions	Nature of Comments
TRCA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Ministry of Transportation (MTO)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Region of York	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Alectra	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Bell Canada	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
YRDSB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
YCDSB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CN Rail	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CP Rail	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TransCanada Pipeline	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Metrolinx	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Propane Operator	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

PUBLIC & APPLICANT CORRESPONDENCE				
*Please see <b>Schedule C</b> of this report for a copy of the public & applicant correspondence listed below.				
The deadline to submit public comments is <b>noon on the last business day prior to the scheduled hearing date.</b>				
Comments and written public submissions received after the publication of this Staff Report will be processed as an addendum and posted on the City’s Website.				
All personal information collected because of this public meeting (including both written and oral submissions) is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.				
Correspondence Type	Name	Address	Date Received (mm/dd/yyyy)	Summary
Public	Alexander Moskowski	200 Via Teodoro	02/09/2022	Letter of Support
Public	Giacinto Ciofani	196 Via Teodoro	02/10/2022	Letter of Support
Public	Michael Calderone	217 Via Teodoro	02/09/2022	Letter of Support

PREVIOUS COA DECISIONS ON THE SUBJECT LAND		
*Please see <b>Schedule D</b> for a copy of the Decisions listed below		
File Number	Date of Decision MM/DD/YYYY	Decision Outcome
None		

ADJOURNMENT HISTORY
* Previous hearing dates where this application was adjourned by the Committee and public notice issued.
None



## COMMITTEE OF ADJUSTMENT REPORT MINOR VARIANCE APPLICATION A252/21

**FILE MANAGER:** Adriana MacPherson, Administrative Coordinator - Committee of Adjustment

<b>AGENDA ITEM NUMBER: 4</b>	<b>CITY WARD #: 3</b>
<b>APPLICANT:</b>	Luciana Campoli
<b>AGENT:</b>	Gregory Sant
<b>PROPERTY:</b>	206 Via Teodoro, Woodbridge
<b>ZONING DESIGNATION:</b>	The subject lands are zoned RD2 9(1279) and subject to the provisions of Exception under By-law 1-88 as amended
<b>VAUGHAN OFFICIAL PLAN (2010) DESIGNATION:</b>	Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"
<b>RELATED DEVELOPMENT APPLICATIONS:</b>	None
<b>PURPOSE OF APPLICATION:</b>	Relief from the Zoning By-law is being requested to permit the construction of a proposed covered concrete deck and walkout stairs (to basement) to be located in the rear yard.

The following variances have been requested from the City's Zoning By-law:

The subject lands are zoned R2A(EN) – Second Density Residential Zone (Established Neighbourhood) and subject to the provisions of Exception 14.919 under Zoning By-law 01-2021.

#	Zoning By-law 01-2021	Variance requested
1	A maximum encroachment of 2.0m into the rear yard is permitted for the proposed porch and stairs. (Table 4-1).	To permit a maximum rear yard encroachment of 4.2m for the proposed porch and stairs.

The subject lands are zoned RD2 – Residential Detached Zone 2 and subject to the provisions of Exception 9(1297) under Zoning By-law 1-88, as amended.

	Zoning By-law 1-88	Variance requested
2	A minimum rear yard setback of 7.5m is required. (Schedule A3)	To permit a minimum rear yard setback of 4.71 to the proposed covered porch.

### HEARING INFORMATION

**DATE & TIME OF HEARING:** Thursday, March 3, 2022 at 6:00 p.m.

As a result of COVID-19, Vaughan City Hall and all other City facilities are closed to the public at this time.

### PUBLIC PARTICIPATION

You can watch a live stream of the hearing at [Vaughan.ca/LiveCouncil](https://vaughan.ca/LiveCouncil)

If you wish to speak to the Committee of Adjustment on an application please complete and submit a [Public Deputation Form](#) to [cofa@vaughan.ca](mailto:cofa@vaughan.ca) by **noon** on the last business day prior to the hearing.

Any person who supports or opposes this application, but is unable to attend the hearing, may make a written submission, together with reasons for support or opposition. Written submissions on an Application must be submitted by **noon** on the last business day **prior** to the day of the scheduled hearing. Written submissions can be emailed to [cofa@vaughan.ca](mailto:cofa@vaughan.ca)

[For more information, please visit the City of Vaughan website.](#)

### INTRODUCTION

Staff and Agencies act as advisory bodies to the Committee of Adjustment. The comments contained in this report are presented as recommendations to the Committee.

Section 45(1) of the Planning Act sets the criteria for authorizing minor variances to the City of Vaughan's Zoning By-law. Accordingly, review of the application may consider the following:

INTRODUCTION	
That the general intent and purpose of the by-law will be maintained. That the general intent and purpose of the official plan will be maintained. That the requested variance(s) is/are acceptable for the appropriate development of the subject lands. That the requested variance(s) is/are minor in nature.  Public written and oral submissions relating to this application are taken into consideration by the Committee of Adjustment as part of its deliberations and final decision on this matter.	

COMMITTEE OF ADJUSTMENT COMMENTS		
Date Public Notice Mailed:	February 15, 2022	
Date Applicant Confirmed Posting of Sign:	February 14, 2022	
Applicant Justification for Variances: *As provided by Applicant in Application Form	If the proposed structure were to adhere to the by-law, the amount of space for the proposed concrete deck would be too small to serve the purpose of having a covered deck and walkout.	
Adjournment Requests (from staff): *Adjournment requests provided to applicant prior to issuance of public notice	None	
Was a Zoning Review Waiver (ZRW) Form submitted by Applicant:	No	
*ZRW Form may be used by applicant in instances where a revised submission is made, and zoning staff do not have an opportunity to review and confirm variances prior to the issuance of public notice.		
*A revised submission may be required to address staff / agency comments received as part of the application review process.		
*Where a zoning review has not been completed on a revised submission, an opportunity is provided to the applicant to adjourn the proposal prior to the issuance of public notice.		
Adjournment Fees: In accordance with Procedural By-law 069-2019, an Adjournment Fee is applicable to reschedule an application after the issuance of public notice where a request for adjournment has been provided to the applicant prior to the issuance of public notice.		
An Adjournment Fee can only be waived in instances where adjournment of an application is requested by the Committee or staff <b>after</b> the issuance of public notice.		
Committee of Adjustment Comments:	None	
Committee of Adjustment Recommended Conditions of Approval:	None	

BUILDING STANDARDS (ZONING) COMMENTS	
Stop work orders and orders to comply: There are no outstanding Orders on file.  Building Permit(s) Issued: Building Permit No. 21-119549 for Single Detached Dwelling - Alteration, Issue Date: (Not Yet Issued)  The applicant shall be advised that additional variances may be required upon review of detailed drawing for building permit/site plan approval.  The subject lands may be subject to Ontario Regulation 166/06 (TRCA - Toronto and Region Conservation Authority).  The subject lands may be subject to the Oak Ridges Moraine Conservation Act, RSO 2001. Please note as of January 1, 2015 Accessible Parking Spaces are subject to the provisions of Ontario Regulation - O.Reg.413/12, Subsections 80.32 through 80.39, which supersede the current by-law requirements in By-law 1-88 as amended.  Please note Section 4.1.1(b) that states the maximum height of an accessory building or structure measured from the average finished ground level to the highest point of the said building or structure shall be 4.5 metres. The nearest part of the roof shall not be more than three(3) metres above finished grade. An A/C unit and/or pool equipment shall be setback a minimum of 1.2 metres from the interior side lot line; and may encroach a maximum of 1.5 metres into the required rear yard or exterior side yard.	
Building Standards Recommended Conditions of Approval:	None

DEVELOPMENT PLANNING COMMENTS
**See Schedule C for Development Planning Comments.

DEVELOPMENT PLANNING COMMENTS	
Development Planning Recommended Conditions of Approval:	None

DEVELOPMENT ENGINEERING COMMENTS	
The Development Engineering (DE) Department does not object to variance application A252/21.	
Development Engineering Recommended Conditions of Approval:	None

PARKS, FORESTRY & HORTICULTURE (PFH) COMMENTS	
No comment no concerns	
PFH Recommended Conditions of Approval:	None

DEVELOPMENT FINANCE COMMENTS	
No comment no concerns	
Development Finance Recommended Conditions of Approval:	None

BY-LAW AND COMPLIANCE, LICENSING AND PERMIT SERVICES COMMENTS	
No comment no concerns	
BCLPS Recommended Conditions of Approval:	None

BUILDING INSPECTION (SEPTIC) COMMENTS	
No response	
Building Inspection Recommended Conditions of Approval:	None

FIRE DEPARTMENT COMMENTS	
No comment no concerns	
Fire Department Recommended Conditions of Approval:	None

SCHEDULES TO STAFF REPORT	
*See Schedule for list of correspondence	
Schedule A	Drawings & Plans Submitted with the Application
Schedule B	Development Planning & Agency Comments
Schedule C (if required)	Correspondence (Received from Public & Applicant)
Schedule D (if required)	Previous COA Decisions on the Subject Land

Should the Committee find it appropriate to approve this application in accordance with request and the sketch submitted with the application, as required by Ontario Regulation 200/96, the following conditions have been recommended: None

IMPORTANT INFORMATION – PLEASE READ	
<b>CONDITIONS:</b> It is the responsibility of the owner/applicant and/or authorized agent to obtain and provide a clearance letter from respective department and/or agency ( <b>see condition chart above for contact</b> ). This letter must be provided to the Secretary-Treasurer to be finalized. All conditions must be cleared prior to the issuance of a Building Permit.	

IMPORTANT INFORMATION – PLEASE READ
<p><b>APPROVALS:</b> Making any changes to your proposal after a decision has been made may impact the validity of the Committee’s decision.</p> <p>An approval obtained from the Committee of Adjustment, where applicable, is tied to the building envelope shown on the plans and drawings submitted with the application and subject to the variance approval.</p> <p>A building envelope is defined by the setbacks of the buildings and/or structures shown on the plans and drawings submitted with the application, as required by Ontario Regulation 200/96. Future development outside of an approved building envelope, where a minor variance was obtained, must comply with the provisions of the City’s Zoning By-law.</p> <p>Elevation drawings are provided to reflect the style of roof (i.e. flat, mansard, gable etc.) to which a building height variance has been applied. Where a height variance is approved, building height is applied to the style of roof (as defined in the City’s Zoning By-law) shown on the elevation plans submitted with the application.</p> <p>Architectural design features that are not regulated by the City’s Zoning By-law are not to be considered part of an approval unless specified in the Committee’s decision.</p>
<p><b>DEVELOPMENT CHARGES:</b> That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.</p> <p>That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City's Development Charges By-law in effect at the time of payment.</p> <p>That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment</p> <p>That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City's Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.</p>
<p><b>NOTICE OF DECISION:</b> If you wish to be notified of the decision in respect to this application or a related Ontario Land Tribunal (OLT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee’s decision you will <b>not</b> receive notice.</p>

SCHEDULE A: DRAWINGS & PLANS






# A252/21 - Notification Map

206 Via Teodoro, Woodbridge

Major Mackenzie Drive





PROPOSAL:  
Zoning By-law 01-2021

1. To permit a maximum rear yard encroachment of 4.2m for the proposed porch and stairs.

Zoning By-law 1-88


2. To permit a minimum rear yard setback of 4.71 to the proposed covered porch.

VAUGHAN ON Canada

CAMPOLI RESIDENCE  
206 VIA TEODORO ,  
VAUGHAN, ON

DRAWN BY  
OWNER

file 206 VIA TEODORO sheet  
date APRIL/21/2021




REAR YARD LANDSCAPE CALCULATIONS

VIA GUARDIA  
(BY Registered Plan 65M-4136)

VIA TEODORO  
(BY Registered Plan 65M-4136)

SITE PLAN





EAST ELEVATION

CAMPOLI RESIDENCE  
206 VIA TEDDORD,  
VAUGHAN ON

DRAWN BY  
OWNER

file	206 VIA TEDDORD	sheet
date	APRIL/21/2021	

SCHEDULE B: DEVELOPMENT PLANNING & AGENCY COMMENTS

AGENCIES	Circulated	Comments Received	Conditions	Nature of Comments
TRCA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Ministry of Transportation (MTO)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Region of York	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Alectra	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General Comments
Bell Canada	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
YRDSB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
YCDSB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CN Rail	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CP Rail	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TransCanada Pipeline	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Metrolinx	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No Comments Recieved to Date
Propane Operator	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Development Planning	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Recommend Approval/No Conditions

**COMMENTS:**

- ☐ We have reviewed the proposed Variance Application and have no comments or objections to its approval.
- ☒ We have reviewed the proposed Variance Application and have no objections to its approval, subject to the following comments (attached below).
- ☐ We have reviewed the proposed Variance Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Variance Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

**References:**

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream (Construction Standard 03-1, 03-4), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:

Mr. Stephen Cranley, C.E.T  
Supervisor, Distribution Design, ICI & Layouts (North)  
**Phone:** 1-877-963-6900 ext. 31297

**E-mail:** [stephen.cranley@alectrautilities.com](mailto:stephen.cranley@alectrautilities.com)

Mr. Tony D'Onofrio  
Supervisor, Subdivisions (Alectra East)  
**Phone:** 1-877-963-6900 ext. 24419

**Email:** [tony.donofrio@alectrautilities.com](mailto:tony.donofrio@alectrautilities.com)

## Adriana MacPherson

---

**Subject:** A252/21 - Request for Comments (206 Via Teodoro, Vaughan)

---

**From:** Hurst, Gabrielle <Gabrielle.Hurst@york.ca>

**Sent:** January-13-22 12:15 PM

**To:** Adriana MacPherson <Adriana.MacPherson@vaughan.ca>

**Cc:** Committee of Adjustment <CofA@vaughan.ca>

**Subject:** [External] RE: A252/21 - Request for Comments (206 Via Teodoro, Vaughan)

Good afternoon Adriana,

The Regional Municipality of York has completed its review of the above minor variance and has no comment.

*Gabrielle*

**Gabrielle Hurst mcip rpp** | Community Planning and Development Services | The Regional Municipality of York | 1-877 464 9675 ext 71538 | [gabrielle.hurst@york.ca](mailto:gabrielle.hurst@york.ca) | [www.york.ca](http://www.york.ca)



## Adriana MacPherson

---

**Subject:** A252/21 - Request for Comments (206 Via Teodoro, Vaughan)

---

**From:** York Plan <yorkplan@trca.ca>  
**Sent:** January-07-22 3:41 PM  
**To:** Adriana MacPherson <Adriana.MacPherson@vaughan.ca>  
**Cc:** Hamedeh Razavi <Hamedeh.Razavi@trca.ca>  
**Subject:** [External] RE: A252/21 - Request for Comments (206 Via Teodoro, Vaughan)

Good Afternoon, Michelle.

TRCA wishes to confirm that it has no interests or concerns with the above noted application.

Based on a review of our available mapping, the subject property is not within TRCA's Regulated Area. As such, a permit from TRCA pursuant to Ontario Regulation 166/06 would not be required for any development or site alteration on the property. Furthermore, the site is not within the Well Head Protection Area for Quantity control (WHPA-Q2) per the Source Protection Plan, so no water balance would be required.

Should further clarification be required, please contact me at your convenience.

Have a great day,  
Mark

**Mark Howard, BES, MLA, MCIP, RPP**  
Senior Planner – Vaughan Review Area  
Development Planning and Permits | Development and Engineering Services  
Toronto and Region Conservation Authority (TRCA)

T: (416) 661-6600 ext 5269  
E: [mark.howard@trca.ca](mailto:mark.howard@trca.ca)  
A: [101 Exchange Avenue, Vaughan, ON, L4K 5R6](https://www.trca.ca) | [trca.ca](https://www.trca.ca)



---

**From:** [Adriana.macpherson@vaughan.ca](mailto:Adriana.macpherson@vaughan.ca) <[Adriana.macpherson@vaughan.ca](mailto:Adriana.macpherson@vaughan.ca)>  
**Sent:** January 7, 2022 2:37 PM  
**To:** [rowcentre@bell.ca](mailto:rowcentre@bell.ca); [carrie.gordon@bell.ca](mailto:carrie.gordon@bell.ca); [developmentservices@york.ca](mailto:developmentservices@york.ca); York Plan <[yorkplan@trca.ca](mailto:yorkplan@trca.ca)>; Hamedeh Razavi <[Hamedeh.Razavi@trca.ca](mailto:Hamedeh.Razavi@trca.ca)>; [engineeringadmin@powerstream.ca](mailto:engineeringadmin@powerstream.ca)  
**Cc:** [adriana.macpherson@vaughan.ca](mailto:adriana.macpherson@vaughan.ca); [christine.vigneault@vaughan.ca](mailto:christine.vigneault@vaughan.ca)  
**Subject:** A252/21 - Request for Comments (206 Via Teodoro, Vaughan)

Hello,

Please email comments and recommendations on the above noted application to [cofa@vaughan.ca](mailto:cofa@vaughan.ca). If you wish to be notified of the decision, please advise.

The deadline to submit comments on this application is January 31, 2022.

**To:** Christine Vigneault, Committee of Adjustment Secretary Treasurer

**From:** Nancy Tuckett, Director of Development Planning

**Date:** March 03, 2022

**Name of Owner:** Luciana Campoli

**Location:** 206 Via Teodoro

**File No.(s):** A252/21

---

**Proposed Variance(s) (By-law 001-2021):**

1. To permit a maximum rear yard encroachment of 3.61 m for the proposed porch and stairs.

**By-Law Requirement(s) (By-law 001-2021):**

1. A maximum encroachment of 2 m into the rear yard is permitted for the proposed porch and stairs. (Table 4-1)

**Proposed Variance(s) (By-law 1-88):**

2. To permit a minimum rear yard setback of 5.3 m to the proposed covered porch.

**By-Law Requirement(s) (By-law 1-88):**

2. A minimum rear yard setback of 7.5 m is required. (Schedule A3)

**Official Plan:**

City of Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"

**Comments:**

The Owner is proposing to construct a covered deck and stairs in the rear yard with the above-noted variances.

Following discussions with Development Planning staff, the Owner has revised their application, decreasing the maximum rear yard encroachment of the proposed porch and stairs from 4.2 m to 3.61 m, and increasing the minimum rear yard setback to the covered porch from 4.71 m to 5.3 m.

The Development Planning Department has no objection to Variances 1 and 2. The proposed covered porch is 5.63 m in height and covers approximately half the width of the dwelling. The revised variances for the maximum encroachment of the porch and stairs and the rear yard setback to the porch will not negatively impact the adjacent properties and is consistent with previous approvals for rear yard covered porches in the neighbourhood. The Owner is also proposing to plant cedar hedges along the rear property line which will visually screen the structure from the abutting rear neighbour.

Accordingly, the Development Planning Department is of the opinion that the proposal is minor in nature, maintains the general intent and purpose of the Official Plan and Zoning By-law, and is desirable for the appropriate development of the land.

**Recommendation:**

The Development Planning Department recommends approval of the application.

**Conditions of Approval:**

If the Committee finds merit in the application, the following conditions of approval are recommended:

None

**Comments Prepared by:**


Michael Torres, Planner 1

Chris Cosentino, Senior Planner

SCHEDULE C: PUBLIC & APPLICANT CORRESPONDENCE

Correspondence Type	Name	Address	Date Received (mm/dd/yyyy)	Summary
Public	Alexander Moskowski	200 Via Teodoro	02/09/2022	Letter of Support
Public	Giacinto Ciofani	196 Via Teodoro	02/10/2022	Letter of Support
Public	Michael Calderone	217 Via Teodoro	02/09/2022	Letter of Support

**MINOR VARIANCE LETTER OF SUPPORT**  
**CITY FILE:A252/21**  
**206 VIA TEODORO**



ADDRESS	NAME & PHONE #	SIGNATURE & DATE
200 Via Teodoro Vaughan, Ontario	Alexander Moskowsky [REDACTED]	[Signature] FEB 9/22
196 Via Teodoro Vaughan, Ontario	Giacinto Ciofani [REDACTED]	[Signature] FEB 10/22
217 Via Teodoro Vaughan, Ontario	Michael Calderone [REDACTED]	[Signature] FEB 9/22