

| | |
|-------------------|--|
| ITEM: 6.10 | COMMITTEE OF ADJUSTMENT REPORT SUMMARY MINOR VARIANCE APPLICATION FILE NUMBER A154/23 34 OXBOW COURT WOODBRIDGE |
|-------------------|--|

**THIS REPORT CONTAINS COMMENTS FROM THE FOLLOWING
DEPARTMENTS & AGENCIES:**

*Please see **Schedule B** of this report for a copy of Development Planning and Agency correspondence.

Additional comments from departments and agencies may be received after the publication of the Staff Report. These comments will be processed as an addendum and posted on the City's Website.

| DEPARTMENTS | Circulated | Comments Received | Conditions | Nature of Comments |
|---|-------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|
| Committee of Adjustment | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Building Standards (Zoning Review) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Building Inspection (Septic) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| Development Planning | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Recommend Approval w/Conditions |
| Development Engineering | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Recommend Approval/No Conditions |
| Parks, Forestry and Horticulture Operations | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| By-law & Compliance, Licensing & Permits | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | No Comments or Concerns |
| Development Finance | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Real Estate | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Fire Department | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| AGENCIES | Circulated | Comments Received | Conditions | Nature of Comments |
| TRCA | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Recommend Approval w/Conditions |
| Ministry of Transportation (MTO) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Region of York | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Alectra | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Bell Canada | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| YRDSB | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| YCDSB | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| CN Rail | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| CP Rail | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| TransCanada Pipeline | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| Metrolinx | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Propane Operator | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

PUBLIC & APPLICANT CORRESPONDENCE

*Please see **Schedule C** of this report for a copy of the public & applicant correspondence listed below.

The deadline to submit public comments is **noon on the last business day prior to the scheduled hearing date.**

Comments and written public submissions received after the publication of this Staff Report will be processed as an addendum and posted on the City's Website.

All personal information collected because of this public meeting (including both written and oral submissions) is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.

| Correspondence Type | Name | Address | Date Received (mm/dd/yyyy) | Summary |
|---------------------|------------|----------------|-------------------------------|---------------------|
| Public | Dongho Kim | 26 Oxbow Court | 11/06/2023 | Letter of objection |

PREVIOUS COA DECISIONS ON THE SUBJECT LAND

*Please see **Schedule D** for a copy of the Decisions listed below

| File Number | Date of Decision MM/DD/YYYY | Decision Outcome |
|--------------------|---------------------------------------|-------------------------|
| None | | |

ADJOURNMENT HISTORY

* Previous hearing dates where this application was adjourned by the Committee and public notice issued.

| | |
|------|--|
| None | |
|------|--|



**COMMITTEE OF ADJUSTMENT REPORT
MINOR VARIANCE APPLICATION
A154/23
34 OXBOW COURT WOODBRIDGE**

| | |
|--|---|
| ITEM NUMBER: | CITY WARD #: 3 |
| APPLICANT: | Caroline Hanna |
| AGENT: | Permit Works |
| PROPERTY: | 34 Oxbow Court, Woodbridge |
| ZONING DESIGNATION: | See below. |
| VAUGHAN OFFICIAL PLAN (2010) DESIGNATION: | Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential" |
| RELATED DEVELOPMENT APPLICATIONS: | None |
| PURPOSE OF APPLICATION: | Relief from the Zoning By-law is being requested to permit a proposed balcony at the rear of the existing dwelling. |

The following variances have been requested from the City's Zoning By-law:

The subject lands are zoned R4A (EN) – Fourth Density Residential Zone (Established Neighbourhood) and subject to the provisions of Exception 14.690 under Zoning By-law 001-2021.

| # | Zoning By-law 001-2021 | Variance requested |
|---|---|---|
| 1 | A maximum permitted encroachment of 1.5 m into the minimum required rear yard (minimum 4.5 m rear yard setback) is permitted for a balcony. [Section 4.13, Section 7.2.4 table 7-5] | To permit a maximum encroachment of 2.95 m (3.05 m rear yard setback) into the minimum required rear yard of 6.0 m for a balcony. |
| 2 | In no case shall a balcony project greater than 3.0 metres beyond a main wall. [Section 4.13, Table 4-1] | To permit a balcony to project 3.35 m beyond a main wall. |

HEARING INFORMATION

| |
|--|
| <p>DATE OF MEETING: Thursday, November 16, 2023 TIME: 6:00 p.m. MEETING LOCATION: Vaughan City Hall, Woodbridge Room (2nd Floor), 2141 Major Mackenzie Drive LIVE STREAM LINK: Vaughan.ca/LiveCouncil</p> <p style="text-align: center;">PUBLIC PARTICIPATION</p> <p>If you would like to speak to the Committee of Adjustment at the meeting, either remotely or in person, please complete the Request to Speak Form and submit to cofa@vaughan.ca</p> <p>If you would like to submit written comments, please quote file number above and submit by mail or email to:</p> <p>Email: cofa@vaughan.ca</p> <p>Mail: City of Vaughan, Office of the City Clerk, Committee of Adjustment, 2141 Major Mackenzie Drive, Vaughan, ON, L6A 1T1</p> <p>To speak electronically, pre-registration is required by completing the Request to Speak Form on-line and submitting it to cofa@vaughan.ca no later than NOON on the last business day before the meeting.</p> <p>THE DEADLINE TO REGISTER TO SPEAK ELECTRONICALLY OR SUBMIT WRITTEN COMMENTS ON THE ABOVE NOTED FILE(S) IS NOON ON THE LAST BUSINESS DAY BEFORE THE MEETING.</p> |
|--|

INTRODUCTION

Staff and Agencies act as advisory bodies to the Committee of Adjustment. The comments contained in this report are presented as recommendations to the Committee.

Section 45(1) of the Planning Act sets the criteria for authorizing minor variances to the City of Vaughan's Zoning By-law. Accordingly, review of the application may consider the following:

- That the general intent and purpose of the by-law will be maintained.
- That the general intent and purpose of the official plan will be maintained.
- That the requested variance(s) is/are acceptable for the appropriate development of the subject lands.
- That the requested variance(s) is/are minor in nature.

Public written and oral submissions relating to this application are taken into consideration by the Committee of Adjustment as part of its deliberations and final decision on this matter.

COMMITTEE OF ADJUSTMENT COMMENTS

| | | |
|--|--|--|
| Date Public Notice Mailed: | November 2, 2023 | |
| Date Applicant Confirmed Posting of Sign: | October 30, 2023 | |
| Applicant Justification for Variances: <small>*As provided by Applicant in Application Form</small> | Balcony rear yard encroachment & Balcony projection beyond a main wall | |
| Adjournment Requests (from staff): <small>*Adjournment requests provided to applicant prior to issuance of public notice</small> | None | |
| Was a Zoning Review Waiver (ZRW) Form submitted by Applicant: <small>*ZRW Form may be used by applicant in instances where a revised submission is made, and zoning staff do not have an opportunity to review and confirm variances prior to the issuance of public notice. *A revised submission may be required to address staff / agency comments received as part of the application review process. *Where a zoning review has not been completed on a revised submission, an opportunity is provided to the applicant to adjourn the proposal prior to the issuance of public notice.</small> | No | |
| Adjournment Fees: In accordance with Procedural By-law 069-2019, an Adjournment Fee is applicable to reschedule an application after the issuance of public notice where a request for adjournment has been provided to the applicant prior to the issuance of public notice. An Adjournment Fee can only be waived in instances where adjournment of an application is requested by the Committee or staff after the issuance of public notice. | | |
| Committee of Adjustment Comments: | None | |
| Committee of Adjustment Recommended Conditions of Approval: | None | |

BUILDING STANDARDS (ZONING) COMMENTS

| | |
|--|------|
| <small>**See Schedule B for Building Standards (Zoning) Comments</small> | |
| Building Standards Recommended Conditions of Approval: | None |

DEVELOPMENT PLANNING COMMENTS

| | |
|--|---|
| <small>**See Schedule B for Development Planning Comments.</small> | |
| Development Planning Recommended Conditions of Approval: | That the final Arborist Report be approved to the satisfaction of the Development Planning Department |

DEVELOPMENT ENGINEERING COMMENTS

| | |
|---|------|
| Link to Grading Permit Link to Pool Permit Link to Curb Curt Permit Link Culvert Installation | |
| Development Engineering (DE) does not object to Minor Variance Application A154/23. | |
| Development Engineering Recommended Conditions of Approval: | None |

PARKS, FORESTRY & HORTICULTURE (PFH) COMMENTS

Forestry has no comment at this time.

| | |
|--|------|
| PFH Recommended Conditions of Approval: | None |
|--|------|

DEVELOPMENT FINANCE COMMENTS

No comment no concerns.

| | |
|--|------|
| Development Finance Recommended Conditions of Approval: | None |
|--|------|

BY-LAW AND COMPLIANCE, LICENSING AND PERMIT SERVICES COMMENTS

No objection or comments

| | |
|--|------|
| BCLPS Recommended Conditions of Approval: | None |
|--|------|

BUILDING INSPECTION (SEPTIC) COMMENTS

No comments received to date

| | |
|--|------|
| Building Inspection Recommended Conditions of Approval: | None |
|--|------|

FIRE DEPARTMENT COMMENTS

No comments received to date

| | |
|--|------|
| Fire Department Recommended Conditions of Approval: | None |
|--|------|

SCHEDULES TO STAFF REPORT

*See Schedule for list of correspondence

| | |
|---------------------------------|---|
| Schedule A | Drawings & Plans Submitted with the Application |
| Schedule B | Staff & Agency Comments |
| Schedule C (if required) | Correspondence (Received from Public & Applicant) |
| Schedule D (if required) | Previous COA Decisions on the Subject Land |

Should the Committee find it appropriate to approve this application in accordance with request and the sketch submitted with the application, as required by Ontario Regulation 200/96, the following conditions have been recommended:

SUMMARY OF RECOMMENDED CONDITIONS OF APPROVAL

All conditions of approval, unless otherwise stated, are considered to be incorporated into the approval “**if required**”. If a condition is no longer required after an approval is final and binding, the condition may be waived by the respective department or agency requesting conditional approval. A condition cannot be waived without written consent from the respective department or agency.

| # | DEPARTMENT / AGENCY | CONDITION(S) DESCRIPTION |
|---|--|---|
| 1 | TRCA Kristen.Regier@trca.ca | That the applicant provides the required fee amount of \$660.00 payable to the Toronto and Region Conservation Authority. |
| 2 | Development Planning Joshua.cipolletta@vaughan.ca | That the final Arborist Report be approved to the satisfaction of the Development Planning Department |

IMPORTANT INFORMATION – PLEASE READ

CONDITIONS: It is the responsibility of the owner/applicant and/or authorized agent to obtain and provide a clearance letter from respective department and/or agency (**see condition chart above for contact**). This letter must be provided to the Secretary-Treasurer to be finalized. All conditions must be cleared prior to the issuance of a Building Permit.

APPROVALS: Making any changes to your proposal after a decision has been made may impact the validity of the Committee's decision.

An approval obtained from the Committee of Adjustment, where applicable, is tied to the building envelope shown on the plans and drawings submitted with the application and subject to the variance approval.

A building envelope is defined by the setbacks of the buildings and/or structures shown on the plans and drawings submitted with the application, as required by Ontario Regulation 200/96. Future development outside of an approved building envelope, where a minor variance was obtained, must comply with the provisions of the City's Zoning By-law.

Elevation drawings are provided to reflect the style of roof (i.e. flat, mansard, gable etc.) to which a building height variance has been applied. Where a height variance is approved, building height is applied to the style of roof (as defined in the City's Zoning By-law) shown on the elevation plans submitted with the application.

Architectural design features that are not regulated by the City's Zoning By-law are not to be considered part of an approval unless specified in the Committee's decision.

DEVELOPMENT CHARGES: That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.


That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City's Development Charges By-law in effect at the time of payment.

That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment

That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City's Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.

NOTICE OF DECISION: If you wish to be notified of the decision in respect to this application or a related Ontario Land Tribunal (OLT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee's decision you will **not** receive notice.


SCHEDULE A: DRAWINGS & PLANS



RECEIVED

By RECEIVED at 9:41 am, Nov 02, 2023

PLANS PREPARED BY APPLICANT



A154/23

PROPOSED REAR YARD DECK
34 OXBOW CT
VAUGHAN, ON

KCCL
Architect

348 Hemlock Drive, Witchurch
Stouffville ON L4A 5A7
email: info@kcclarchitect.ca
mobile: 416-602-9616

CONTRACTOR SHALL VERIFY SITE DIMENSIONS

| NO. | DESCRIPTION | DATE | BY |
|-----|-----------------------------|------------|----|
| 1 | Building Permit Application | 2020-10-07 | KL |

Drawn by **KL**
 Date **2023-10-25**
 Scale **1 : 150**
 Project Number **23135**

DRAWING NAME
SITE PLAN

SHEET NUMBER
A1.1



1 SITE PLAN
1 : 150

Copyright of KCCL Architect Inc. Duplication or reproduction by any means without the express written consent of KCCL Architect Inc. is a violation of Federal and International Law. The information contained in this document are the intellectual property of KCCL Architect Inc. All rights reserved.

| SCHEDULE B: STAFF & AGENCY COMMENTS | | | | |
|--|-------------------------------------|-------------------------------------|-------------------------------------|---------------------------------|
| DEPT/AGENCY | Circulated | Comments Received | Conditions | Nature of Comments |
| TRCA | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Recommend Approval w/Conditions |
| Ministry of Transportation (MTO) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Region of York | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Alectra | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | General Comments |
| Bell Canada | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| YRDSB | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| YCDSB | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| CN Rail | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| CP Rail | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| TransCanada Pipeline | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No Comments Received to Date |
| Metrolinx | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Propane Operator | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Development Planning | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Recommend Approval w/Conditions |
| Building Standards (Zoning) | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | General Comments |

Date: October 26th 2023

Attention: **Christine Vigneault**

RE: Request for Comments

File No.: **A154-23**

Related Files:

Applicant Caroline Hanna

Location 34 Oxbow Court



Discover the possibilities

COMMENTS:

- We have reviewed the proposed Variance Application and have no comments or objections to its approval.
- We have reviewed the proposed Variance Application and have no objections to its approval, subject to the following comments (attached below).
- We have reviewed the proposed Variance Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Variance Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

References:

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream (Construction Standard 03-1, 03-4), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:


Mr. Stephen Cranley, C.E.T
Supervisor, Distribution Design, ICI & Layouts (North)
Phone: 1-877-963-6900 ext. 31297

E-mail: stephen.cranley@alectrautilities.com

Mitchell Penner
Supervisor, Distribution Design-Subdivisions
Phone: 416-302-6215

Email: Mitchell.Penner@alectrautilities.com

| LOCATION OF WIRES, CABLES OR CONDUCTORS | SYSTEM VOLTAGE | | | |
|---|------------------------------------|------------------------|--------------------------------------|-------|
| | SPAN GUYS AND COMMUNICATIONS WIRES | UP TO 600V AND NEUTRAL | 4.16/2.4kV TO 27.6/16kV (SEE NOTE 1) | 44kV |
| MINIMUM VERTICAL CLEARANCES (SEE NOTE 2) | | | | |
| OVER OR ALONGSIDE ROADS, DRIVEWAYS OR LANDS ACCESSIBLE TO <u>VEHICLES</u> | 442cm | 442cm | 480cm | 520cm |
| OVER GROUND ACCESSIBLE TO <u>PEDESTRIANS AND BICYCLES ONLY</u> | 250cm | 310cm | 340cm | 370cm |
| ABOVE TOP OF RAIL AT <u>RAILWAY CROSSINGS</u> | 730cm | 730cm | 760cm | 810cm |



MINIMUM ATTACHMENT HEIGHT = MAXIMUM SAG
 + MINIMUM VERTICAL CLEARANCE (FROM ABOVE TABLE)
 ± GRADE DIFFERENCE
 + 0.3m (VEHICLE OR RAILWAY LOCATION)
 + SNOW DEPTH (PEDESTRIAN LOCATION, SEE NOTE 3)

NOTES:

1. THE MULTIGROUNDED SYSTEM NEUTRAL HAS THE SAME CLEARANCE AS THE 600V SYSTEM.
2. THE VERTICAL CLEARANCES IN THE ABOVE TABLE ARE UNDER MAXIMUM SAG CONDITIONS.
3. REFER TO CSA STANDARD C22.3 No.1, ANNEX D FOR LOCAL SNOW DEPTH VALUES.
4. ALL CLEARANCES ARE IN ACCORDANCE TO CSA STANDARD C22.3.

CONVERSION TABLE

| METRIC | IMPERIAL (APPROX) |
|--------|-------------------|
| 810cm | 27'-0" |
| 760cm | 25'-4" |
| 730cm | 24'-4" |
| 520cm | 17'-4" |
| 480cm | 16'-0" |
| 442cm | 15'-5" |
| 370cm | 12'-4" |
| 340cm | 11'-4" |
| 310cm | 10'-4" |
| 250cm | 8'-4" |


REFERENCES

SAGS AND TENSIONS | SECTION 02

MINIMUM VERTICAL CLEARANCES OF WIRES, CABLES AND CONDUCTORS ABOVE GROUND OR RAILS

ORIGINAL ISSUE DATE: 2010-DEC-24 REVISION NO: R1 REVISION DATE: 2012-JAN-09

| Certificate of Approval | |
|---|-------------|
| This construction Standard meets the safety requirements of Section 4 of Regulation 22/04 | |
| Joe Crozier, P.Eng. | 2012-JAN-09 |
| Name | Date |
| P.Eng. Approval By: | Joe Crozier |



| VOLTAGE | MINIMUM HORIZONTAL CLEARANCE UNDER MAXIMUM SWING CONDITIONS DIMENSION "X" (SEE NOTES 1, 3 & 4) | MINIMUM VERTICAL CLEARANCE UNDER MAXIMUM DESIGN SAG CONDITIONS DIMENSION "Y" (SEE NOTES 1, 2, 4 & 5) |
|--------------------|--|--|
| 0-600V AND NEUTRAL | 100cm | 250cm |
| 4.16/2.4 TO 44kV | 300cm | 480cm |

NOTES

1. UNDER NO CIRCUMSTANCES SHALL A CONDUCTOR BE PERMITTED TO PENETRATE THE ENVELOPE SHOWN BY THE DOTTED LINE.
2. THE VERTICAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM DESIGN SAG.
3. THE HORIZONTAL CLEARANCES ARE UNDER CONDITIONS OF MAXIMUM SWING. WHERE THE CONDUCTOR SWING IS NOT KNOWN A HORIZONTAL CLEARANCE OF 480CM SHALL BE USED.
4. BUILDINGS THAT EXCEED 3 STOREYS OR 15M IN HEIGHT, THE MINIMUM HORIZONTAL CLEARANCE OF THE SECONDARY CONDUCTORS SHOULD BE INCREASED TO 300cm WHERE IT IS NECESSARY TO ALLOW FOR THE RAISING OF LADDERS BY LOCAL FIRE DEPARTMENTS.
5. IN SITUATIONS SUCH AS MULTI-LEVEL GARAGES, WHERE ROOFS ARE NORMALLY USED BY PERSONS AND VEHICLES, THE VERTICAL CLEARANCES OF POWERSTREAM STANDARD 03-1 SHALL APPLY.
6. DISTRIBUTION LINES CONSTRUCTED NEAR BUILDINGS SHALL BE BUILT TO AVOID OVERHANG WHEREVER POSSIBLE. WHERE LINES MUST BE CONSTRUCTED OVER OR ADJACENT TO BUILDINGS THE APPLICABLE HORIZONTAL AND VERTICAL CLEARANCES SHALL BE AT CONDITIONS OF MAXIMUM CONDUCTOR SWING AND MAXIMUM SAG. THE ABOVE CLEARANCES ARE DESIGNED TO PREVENT PERSONS ON OR IN BUILDINGS AS WELL AS EXTERNAL MACHINERY USED IN CONJUNCTION WITH A BUILDING TO COME IN CONTACT WITH CONDUCTORS. EFFORTS SHOULD BE MADE TO INCREASE THESE CLEARANCES WHERE POSSIBLE.
7. ALL CLEARANCES ARE IN ACCORDANCE TO CSA C22.3 NO.1-06 (TABLE-9).

| METRIC | IMPERIAL (APPROX) |
|--------|-------------------|
| 480cm | 16'-0" |
| 300cm | 10'-0" |
| 250cm | 8'-4" |
| 100cm | 3'-4" |

MINIMUM VERTICAL & HORIZONTAL CLEARANCES OF CONDUCTORS FROM BUILDINGS OR OTHER PERMANENT STRUCTURES (CONDUCTORS NOT ATTACHED TO BUILDINGS)

Certificate of Approval
This construction Standard meets the safety requirements of Section 4 of Regulation 22/04
Debbie Dadwani, P.Eng. 2010-MAY-05
Name Date
P. Eng. Approval By: *D. Dadwani*

ORIGINAL ISSUE DATE: 2010-MAY-05 REVISION NO: REVISION DATE:
PS:\System Planning and Standards\Standard Design\PowerStream Standards\PowerStream Standards working files\Section 3-1-02\WG 03-4 R0 May 5, 2010.dwg, 5/5/2010 10:22:02 AM, Adobe PDF

To: Committee of Adjustment
From: Catherine Saluri, Building Standards Department
Date: October 27, 2023
Applicant: Caroline Hanna
Location: 34 Oxbow Court
File No.(s): A154/23

Zoning Classification:

The subject lands are zoned R4A (EN) – Fourth Density Residential Zone (Established Neighbourhood) and subject to the provisions of Exception 14.690 under Zoning By-law 001-2021.

| # | Zoning By-law 001-2021 | Variance requested |
|---|---|---|
| 1 | A maximum permitted encroachment of 1.5 m into the minimum required rear yard (minimum 4.5 m rear yard setback) is permitted for a balcony. [Section 4.13, Section 7.2.4 table 7-5] | To permit a maximum encroachment of 2.95 m (3.05 m rear yard setback) into the minimum required rear yard of 6.0 m for a balcony. |
| 2 | In no case shall a balcony project greater than 3.0 metres beyond a main wall. [Section 4.13, Table 4-1] | To permit a balcony to project 3.35 m beyond a main wall. |

Staff Comments:

Other Comments:

| General Comments | |
|------------------|---|
| 1 | The applicant shall be advised that additional variances may be required upon review of detailed drawing for building permit. |
| 2 | The subject lands are subject to Ontario Regulation 166/06 (TRCA - Toronto and Region Conservation Authority). |

Conditions of Approval:

If the committee finds merit in the application, the following conditions of approval are recommended.

None

* Comments are based on the review of documentation supplied with this application.

Pravina Attwala

Subject: FW: [External] RE: A154/23 (34 Oxbow Court) - REQUEST FOR COMMENTS, CITY OF VAUGHAN

From: Mulrenin, Colin (MTO) <Colin.Mulrenin@ontario.ca>

Sent: November-03-23 8:45 AM

To: Christine Vigneault <Christine.Vigneault@vaughan.ca>; Committee of Adjustment <CofA@vaughan.ca>

Subject: [External] RE: A154/23 (34 Oxbow Court) - REQUEST FOR COMMENTS, CITY OF VAUGHAN

Good morning,

As the property is outside MTO permit control, MTO has no comments.

Colin Mulrenin | Corridor Management Officer (East)

Highway Corridor Management Section | Central Operations | Ministry of Transportation

159 Sir William Hearst Avenue, 7th Floor, Toronto, ON. M3M 0B7

Telephone: 437-533-9427 | Email: colin.mulrenin@ontario.ca

To: Christine Vigneault, Committee of Adjustment Secretary Treasurer
From: Nancy Tuckett, Director of Development Planning
Date: November 8, 2023
Name of Owner: Caroline Hanna
Location: 34 Oxbow Court
File No.(s): A154/23

Proposed Variance(s) (By-law 001-2021):

1. To permit a maximum encroachment of 2.95 m (3.05 m rear yard setback) into the minimum required rear yard of 6.0 m for a balcony.
2. To permit a balcony to project 3.35 m beyond a main wall.

By-Law Requirement(s) (By-law 001-2021):

1. A maximum permitted encroachment of 1.5 m into the minimum required rear yard (minimum 4.5 m rear yard setback) is permitted for a balcony.
2. In no case shall a balcony project greater than 3.0 m beyond a main wall.

Official Plan:

City of Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential"

Comments:

The Owner is requesting relief to permit the proposed rear yard balcony, with the above-noted variances.

The Development Planning Department has no objection to the proposed variances for the balcony. The proposed balcony is of minimal length (4.85 m), spanning less than half of the dwelling's rear wall. The proposed 0.35 m increase to the permitted projection for the balcony is minor in nature and is not anticipated to be perceptible. The Subject Lands are a pie shaped lot with a slightly curved rear lot line. The dwelling is at an angle to the rear lot line. As a result, the dwelling's northeastern corner is closest to the rear lot line, with the spatial separation between the two features increasing the further south the dwelling's rear wall travels. The balcony is proposed at the northeastern corner of the dwelling in-line with the dwelling's north side wall. The proposed balcony encroachment will only utilize the full extent of the requested relief at its northernmost point. For the east side of the balcony facing the rear lot line, the rear yard setback expands from 3.05 m to 4.01 m. The rear yard also abuts an Open Space Zone. The proposed balcony will maintain an appropriate spatial separation from the rear lot line to prevent any adverse impacts to the Open Space Zone. The balcony's placement is not anticipated to have adverse massing or privacy impacts to the neighbouring residential properties.

Accordingly, the Development Planning Department can support the requested variances and is of the opinion that the proposal is minor in nature, maintains the general intent and purpose of the Official Plan and Zoning By-law, and is desirable for the appropriate development of the land.

Recommendation:

The Development Planning Department recommends approval of the application, subject to the following condition:

Condition of Approval:

If the Committee finds merit in the application, the following condition of approval is recommended:

1. That the final Arborist Report be approved to the satisfaction of the Development Planning Department.

Comments Prepared by:

Joshua Cipolletta, Planner

David Harding, Senior Planner

October 25, 2023

CFN 68446.37
X-Ref: 69303

SENT BY E-MAIL: Christine.Vigneault@vaughan.ca

Christine Vigneault
Secretary Treasurer
Committee of Adjustment
City of Vaughan
2141 Major Mackenzie Drive
Vaughan, Ontario L6A 1T1

Dear Christine:

**Re: Minor Variance Application A154/23
34 Oxbow Court
Concession 5, Lot 19
City of Vaughan, Region of York
Applicant: Caroline Hanna**

This letter acknowledges receipt of the above-noted applications circulated by the City of Vaughan. The materials were received by Toronto and Region Conservation Authority (TRCA) on October 24, 2023. TRCA staff have reviewed the applications and offer the following comments for the consideration of the Committee of Adjustment.

Purpose of the Application

It is our understanding that the purpose of the above noted applications is to request the following variances under By-Law 01-2021:

By-Law 01-2021:

- To permit a maximum encroachment of 2.95 metres (3.05 metre rear yard setback) into the minimum required rear yard of 6.0 metre for a balcony, whereas a maximum permitted encroachment of 1.5 metre into the minimum required rear yard (minimum 4.5 metre rear yard setback) is permitted for a balcony.
- To permit a balcony to project 3.35 metres beyond a main wall, whereas in no case shall a balcony project greater than 3.0 metres beyond a main wall.

The noted variances are being requested to facilitate the construction of a 16.2 sq.m. deck at the rear of an existing dwelling.

Ontario Regulation 166/06

The subject property is located within TRCA's Regulated Area due to a valley corridor and Regional Storm flood plain associated with a tributary of the Don River. In accordance with Ontario Regulation 166/06 (Regulation of Development, Interference with Wetlands and Alterations to Shorelines and

Watercourses), development, interference or alteration may be permitted in the Regulated Area where it can be demonstrated to TRCA's satisfaction that the control of flooding, erosion, dynamic beaches, pollution, or the conservation of land will not be affected.

Application-Specific Comments

TRCA staff have reviewed and issued a permit, pursuant to Ontario Regulation 166/06 for the proposed deck structure (TRCA Permit No. C-231042, issued September 6, 2023). The plans submitted with this application are consistent with the plans that were approved as part of TRCA's permit.

Based on the above, TRCA staff have no concerns with the proposed variances.

Fees

By copy of this letter, the applicant is advised that the TRCA has implemented a fee schedule for our planning application review services. This application is subject to a \$660.00 (Minor Variance – Residential - Minor) review fee. The applicant is responsible for fee payment and should forward the application fee to this office as soon as possible.

Recommendations

Based on the comments noted above, TRCA provides conditional approval to the approval of Minor Variance Applications A154.23 subject to the following conditions:

1. That the applicant provides the required fee amount of \$660.00 payable to the Toronto and Region Conservation Authority.

We trust these comments are of assistance. Should you have any questions, please contact me at 437-880-2129 or at Kristen.regier@trca.ca

Sincerely,

Kristen Regier

Kristen Regier
Planner I
Development Planning and Permits

KR/sb

Pravina Attwala

Subject: FW: [External] RE: A154/23 (34 Oxbow Court) - REQUEST FOR COMMENTS, CITY OF VAUGHAN

From: Development Services <developmentsservices@york.ca>
Sent: November-01-23 5:39 PM
To: Christine Vigneault <Christine.Vigneault@vaughan.ca>
Cc: Committee of Adjustment <CofA@vaughan.ca>
Subject: [External] RE: A154/23 (34 Oxbow Court) - REQUEST FOR COMMENTS, CITY OF VAUGHAN

Hi Christine,

The Regional Municipality of York has completed its review of the minor variance application – A154/23 (34 Oxbow Court) and has no comment.

Please provide us with a copy of the notice of decision for our records.

Many thanks,

Our working hours may be different. Please do not feel obligated to reply outside of your scheduled working hours. Let's work together to help foster healthy work-life boundaries.

Niranjan Rajevan, M.Pl. | Associate Planner, Development Services, Planning and Economic Development, Corporate Services

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
1-877-464-9675 ext. 71521 | niranjan.rajevan@york.ca | www.york.ca
Our Values: Integrity, Commitment, Accountability, Respect, Excellence



Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Please consider the environment before printing this email.

SCHEDULE C: PUBLIC & APPLICANT CORRESPONDENCE

| Correspondence Type | Name | Address | Date Received (mm/dd/yyyy) | Summary |
|----------------------------|-------------|----------------|---------------------------------------|---------------------|
| Public | Dongho Kim | 26 Oxbow Court | 11/06/2023 | Letter of objection |

Pravina Attwala

Subject: FW: [External] Notice of Hearing -Minor variance application A154/23

From: DONGHO KIM

Sent: November-05-23 7:49 PM

To: Committee of Adjustment <CofA@vaughan.ca>

Subject: [External] Notice of Hearing -Minor variance application A154/23

Dear Cofa,

Notice of Hearing -Minor variance application A154/23

Regarding Minor variance application file# A154/23,

I, as a residence of 26 Oxbow Ct, would like to want to **stick to Zoning By-Law 001-2021 without any revision or variance**

Kindest Regards,

Dongho Kim, 26 OXBOW COURT VAUGHAN ON

SCHEDULE D: PREVIOUS COA DECISIONS ON THE SUBJECT LAND

None