

## **ATTACHMENT 5**

### **CONDITIONS OF APPROVAL**

**DRAFT PLAN OF SUBDIVISION FILE 19T-22V011 ('THE PLAN')  
CORNICE DEVELOPMENTS LTD., FERTILE INVESTMENTS INC., FAWN GROVE  
HOLDINGS INC. AND 1360737 ONTARIO LIMITED ('THE OWNER')  
11075 AND 11091 WESTON ROAD, (THE 'LANDS')  
CITY OF VAUGHAN (THE 'CITY')**

**THE CONDITIONS OF THE COUNCIL OF THE CITY THAT SHALL BE SATISFIED  
PRIOR TO THE RELEASE FOR REGISTRATION OF PLAN OF SUBDIVISION FILE  
19T-22V011, ARE AS FOLLOWS:**

The Owner shall satisfy the following Conditions of Approval:

1. The Conditions of Approval of the City of Vaughan as set out on Attachment No. 5a).
2. The Conditions of Approval of the Regional Municipality of York (the 'Region') as set out on Attachment No. 5b) and dated November 22, 2024.
3. The Conditions of Approval of Toronto and Region Conservation Authority ('TRCA') as set out on Attachment No. 5c) and dated May 21, 2024.
4. The Conditions of Approval of Ministry of Transportation ('MTO') as set out on Attachment No. 5d) and dated March 20, 2024.
5. The Conditions of Approval of Alectra Utilities as set out on Attachment No. 5e) and dated December 13, 2022, 2024.
6. The Conditions of Approval of Bell Canada as set out on Attachment No. 5f) and dated January 25, 2024.
7. The Conditions of Approval of Rogers Communications Canada Inc. as set out on Attachment No. 5g) and dated December 14, 2022.
8. The Conditions of Approval of Enbridge Gas Inc. as set out in Attachment No. 5h) and dated January 3, 2023.
9. The Conditions of Approval of Canada Post Corporation as set out in Attachment No. 5i) and dated January 10, 2023.
10. The Conditions of Approval of TransCanada PipeLines Limited as set out on Attachment No. 5j) and dated January 9, 2023.

## Clearances

1. The City shall advise that the Conditions on Attachment No. 5a) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
2. The Region shall advise that the Conditions on Attachment No. 5b) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
3. The TRCA shall advise that the Conditions on Attachment No. 5c) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met
4. The MTO shall advise that the Conditions on Attachment No. 5d) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met
5. Alectra Utilities shall advise that the Conditions on Attachment No. 5e) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
6. Bell Canada shall advise that the Conditions on Attachment No. 5f) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
7. Rogers Communications Canada Inc. shall advise that the Conditions on Attachment No. 5g) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met
8. Enbridge Gas Inc. shall advise that the Conditions on Attachment No. 5h) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
9. Canada Post Corporation shall advise that the Conditions on Attachment No. 5i) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.
10. TransCanada PipeLines Limited shall advise that the Conditions on Attachment No. 5j) have been satisfied and the clearance letter shall include a brief statement detailing how each condition has been met.

## **ATTACHMENT 5a)**

### **CITY OF VAUGHAN CONDITIONS**

#### **Development and Parks Planning Department Conditions**

1. The Plan shall relate to the Draft Plan of Subdivision, prepared by Humphries Planning Group Inc., titled Draft Plan of Subdivision, last revised October 29, 2024, and submitted to the City November 22, 2024 (the 'Plan').
2. If approval of a final plan of subdivision is not given within 3 years after the date upon which approval of Draft Plan of Subdivision File No. 19T-22V011 was given, then the draft plan approval shall lapse unless extended by the City upon application by the Owner.
3. The lands within the Plan shall be appropriately zoned by a Zoning By-law which has come into effect in accordance with the provisions of the *Planning Act*.
4. The Plan shall be updated to include the approved street names to the satisfaction of the Development and Parks Planning Department.
5. The Owner shall pay any and all outstanding application fees to the Development and Parks Planning and Development Engineering Departments, in accordance with the in-effect Tariff of Fees By-law.
6. The Owner shall enter into a Subdivision Agreement, or other agreement satisfactory to the City, with the City to satisfy all conditions, financial or otherwise of the City, with regard to such matters as the City may consider necessary, including payments of development charges, the provisions of roads and municipal services, landscaping, and fencing. The said agreement shall be registered against the lands to which it applies.
7. The Owner shall pay any and all outstanding street numbering, and street naming fees in accordance with the in-effect Tariff of Fees By-law.
8. The Owner acknowledges and agrees that the draft plan of subdivision and associated conditions of draft approval may require revisions, to the satisfaction of the City, to implement or integrate any recommendations resulting from studies or submissions required as a condition of draft approval.
9. The Deputy City Manager of Planning and Growth Management be delegated the authority to approve any minor revisions to the draft plan or draft conditions as a result of errors, omissions, or other revisions as required through detailed Engineering design.
10. The Owner shall provide the final georeferenced AutoCAD drawings of the plan of subdivision and the associated Excel translation files and individually layered pdfs for all drawings to the satisfaction of the GIS section of the Development and Parks Planning Department. If the files meet requirements, an email from

gisplanning@vaughan.ca confirming the final submission has been approved will be provided.

11. To meet dedication requirements under the Planning Act, the Vaughan Official Plan ('VOP') 2010 (Section 7.3) and in-effect parkland dedication by-law and amendments, payment-in-lieu of parkland may be applicable at the time of building permit, discounting any public parkland dedicated to the City. Real Estate Services staff shall review and provide comments as required.
12. Ensure the block plan respecting park design, location, typology, and size conforms to and be consistent with the VOP 2010 Section 7.3.2 Parks and Open Space Design and to the Active Together Master Plan ('ATMP').
13. Prior to final approval of the Plan, a parkland dedication chart shall be provided showing sufficient information to demonstrate parkland dedication calculations to the City's satisfaction. The parkland dedication chart shall be used for valuating, determining, and identifying the total amount of final parkland conveyance or payment representing the cash-in-lieu of parkland dedication to the City based on developable lands of the individual applicant lands or the development group.
14. All parkland conveyed to the City shall be conveyed in a physical condition satisfactory to the City and in accordance with the policies, practices and guidelines of the City.
15. It is the intent of the City that development of the public park block(s) shall be coordinated with residential development in order to provide park facilities to the local residents in a timely manner, to the satisfaction of the City. Prior to the execution of the subdivision agreement, the Owner shall agree to develop the base requirements for the public parkland block in accordance with items listed under Base Park Conditions and Requirements. Unless otherwise agreed upon with City staff, development of the public parkland block shall be completed by no later than, within two growing seasons of the first building permit for the phase which contains the park, and/or twenty five percent (25%) occupancy of the homes within the subdivision or surrounding subdivisions served by the park.
16. Proposed public park block(s) grading must not negatively impact adjacent properties with overland flow routes. The public park block(s) cannot be encumbered by overland flow routes from adjacent properties.
17. The public park block(s) shall not be encumbered by any easements for utility services, transformer boxes, temporary or permanent building structural elements, building overhangs, Canada Post mailboxes and/or access, buffers, railway and pipeline safety buffers and zones, Natural Heritage Network core features and associated buffers, with the exception of cross easements for servicing, utilities, maintenance and access, unless otherwise agreed to between the parties.

18. A storm water management brief and grading plan for all required storm water services is required to ensure that proposed grading works have been designed to accommodate storm water flows in accordance with the Engineering Department Design Manual at interim and final phases of the public park block(s) development to the satisfaction of the City.
19. A Facility Fit Plan to the City's standard level of service shall be prepared and include the following information:
- a) Boundaries of proposed parkland dedication and the total size of individual blocks;
  - b) Demonstrates private development the treatment of the interface between the public park and the private development to ensure an integrated design approach is adopted towards built form, pedestrian connections, and ground floor programming to the City's satisfaction;
  - c) Layout plan which illustrates proposed park program requirements, phasing plan based on adjacent construction activities, pedestrian circulation, and required setbacks as determined by the City;
  - d) Provide an existing conditions plan illustrating topographic information, grading and drainage, and vegetation (identifying species, age, size and condition of existing trees).
  - e) Provides information on parkland development phasing to deliver the Park and associated facilities to residents consistent with the development phasing and to the City's satisfaction;
  - f) Grading plan illustrating proposed storm water run-off, surface drainage patterns and sub-surface storm water servicing requirements to the satisfaction of Parks and Open Space Planning;
  - g) Provide below grade plans illustrating information such as potential tiebacks from the development into the park parcel;
  - h) Required restoration works and Edge Management Plan for park block abutting open space and associated buffer, if applicable;
  - i) Provides a preliminary construction cost estimates for various phases; and
  - j) The plans are to be completed by a registered Landscape Architect and are required to provide sufficient information to confirm facility and program requirements to the satisfaction of Parks and Open Space Planning.
20. Archaeological Assessment, Stage I and II, is required to determine limits of public park block(s). Proposed public park lands are to be clear of all historically significant heritage features.

21. A geotechnical investigation and Phase 2 Environmental Site Assessment shall be conducted by a qualified Professional Engineer in accordance with O.Reg. 153/04 (as amended) assessing all public park block(s) in the Plan for conformity with the applicable MOECC Site Condition Standards for parkland use to the satisfaction of the City. A minimum of number of boreholes, to be determined at draft plan of subdivision or development agreement stage, are required within the parks blocks. Boreholes are to be taken at regular intervals along the full length of the proposed public park block(s). Borehole reports will indicate soil type, water content, and density (general compaction). All samples are to be tested in a laboratory to determine their physical properties, including levels of various chemical elements and contaminants. Should additional fill be placed to meet required grading levels, the results of the Phase Two Investigation shall be supplemented with a letter report addressed to the City by the Owner's environmental consultant that includes: confirmation of the area where fill has been placed and details regarding dates, sources, volumes, and certification that the placed fill material meets the applicable MOECC Site Condition Standards referenced above and compacted to the standard referenced below.
22. A complete inventory and analysis report of existing vegetation completed by a Certified Arborist for all existing trees within park block(s). Drawings shall indicate the location of all existing trees, including limit of drip line, trees to be removed and trees to be maintained within the park block. No grading work is permitted within the drip line of existing trees that are to be preserved. All dead, damaged and hazardous trees are to be removed and disposed of off-site.
23. Adequately sized servicing connections are required along the main public park frontage and shall include a water chamber manhole, complete with a curb stop, sanitary manhole and a storm water manhole. All structures are to be located a minimum of 5 meters from adjacent property lines.
24. The approved electrical distribution plan will include a 120/240 volt, single phase, three wire power supply to the public park block(s). The power supply drop will consist of a 3 conductor #3/0 aluminum underground cable drop located one metre from the street line and one metre from the property line inside the block(s). The cable feed will originate from the closest (within 75 metre cable length) single phase pad mounted transformer and will be left coiled and attached to a 2"x4" wood stake, visible above grade.
25. Public park block(s) grading shall be completed using clean engineered fill compacted to 95% Standard Proctor Dry Density ('SPDD') inclusive of any civil work required such as retaining structures, rip rap, swales, and the like to meet grading levels as determined by the City approved grading plan. The park block shall generally be graded to meet and match surrounding levels and allow for a minimum 2% and no greater than 5% gradient over 75% of the total block area.

26. No fill shall be placed on existing topsoil and the stockpiling of topsoil is prohibited on the public park block(s). Topsoil for fine grading shall be fertile and friable, natural loam soil with two percent (2%) minimum organic matter for sandy loams and four percent (4%) minimum organic matter for clay loams. Acidity of topsoil shall range from 6.0pH to 7.5pH and shall be capable of sustaining vigorous plant growth. The owner shall complete all necessary chemical analysis and topsoil fertility tests by a qualified testing laboratory to the satisfaction of the City, and results of testing provided to the City for review and approval. Topsoil shall be placed to a minimum depth of 300mm over the entire public park block(s). Prior to placement of topsoil, the owner shall add all amendments as required to amend the existing soils to meet the recommendations of the fertility testing and demonstrate that these standards have been met.
27. All temporary sediment control management measures are to be removed prior to rough grading.
28. The public park block(s) shall be sodded, as approved by the City.
29. The Owner shall install City approved temporary fencing along the perimeter of the public park block(s). "No Dumping", "No Trespassing", and "Encroachment by-law" signage shall be attached to the temporary fencing.
30. The Owner shall be responsible to maintain the public park block(s) until such time as the public park is conveyed to the City. Maintenance shall entail maintaining sufficient grades to prevent standing water, cutting the grass/vegetation a minimum of twice summer, erosion repairs, cleaning of catch basins, repair of perimeter fencing and removal of any debris that is dumped on the site, to the satisfaction of the City.
31. Prior to the execution of the subdivision agreement, the Owner shall provide the City with Letter of Credit ('LC') totaling the complete cost to construct the public parkland to base conditions as per Base Park Conditions and Requirements, based on the approved plans and cost estimate. The LC shall be held for the estimated construction costs for the proposed site works, which shall include but is not limited to all required grading, landscape restoration, additional fill to meet approved grades, risk of contamination, removal of existing infrastructure/structures, temporary drainage structures, servicing, and fencing. The Owner is responsible for the total cost of the construction of parkland base as per Base Park Conditions and Requirements, including but not limited to any works of a temporary nature.
32. Development of the park blocks are to be coordinated with residential development in order to provide park facilities to the local residents in a timely manner. The developer is to advise the City whether or not they intend to undertake full development of and/all of the park blocks so that the City can plan and budget accordingly. In the event that the Owner and the City agree that the Owner will

develop the Park Block(s), the Owner shall agree that the design, securities and construction for the Park will be addressed through an amending agreement in accordance with the City "Developer Build Parks Policy, No. 07.2.05".

33. Warning Clauses – adjacent parks and trails: The following warning clauses are to be included in all Agreements of Purchase and Sale or Lease for the proposed development and specifically those blocks/units adjacent/abutting a municipal park and/or multi-use pathway where appropriate:

“Purchasers and/or tenants are advised that the lot abuts a municipal park and/or multi-use municipal pathway and that lighting and noise should be expected from the use of the park and/or pathway for recreation purposes.”

"Purchasers and/or tenants are advised that the lot abuts a valley/open space buffer within which the City may construct a trail in the future together with satisfactory security and safety arrangements, and that noise should be expected from the active use of the trail.”

“Purchasers and/or tenants are advised that any encroachments and/or dumping from the lot to the municipal park and multi-use municipal pathway, are prohibited.”

“Purchasers and/or tenants are advised that the neighbourhood parks may not be fully developed at the time of occupancy. The timing of development, phasing and programming of parkland is at the discretion of the City.”

34. Warning Clauses – adjacent stormwater management ('SWM') lands: The following warning clauses are to be included in all Agreements of Purchase and Sale or Lease for the proposed development and specifically those blocks/units adjacent/abutting the stormwater management lands/pond where appropriate:

"Purchasers and/or tenants are advised that the lot abuts a stormwater management pond or open space valley and associated buffer and are designed for naturalization and therefore shall receive minimal maintenance."

35. Prior to final approval of the Plan:

- a) The Owner shall provide a detailed tree preservation study to the satisfaction of the City. The study shall include an inventory of all existing trees, assessment of significant trees to be preserved and proposed methods of tree preservation based on the arborist report recommendations.
  - i) In addition, the study shall quantify the value of the tree replacements using the Urban Design Tree Replacement Valuation outlined in the City's Tree Protection Protocol.
  - ii) The Owner shall not remove trees without written approval by the City.



- iii) The Owner shall enter into a tree protection agreement in accordance with City Council enacted Tree By-Law 052-2018, which will form a condition of the draft plan approval.
36. Prior to the landscape plan review by Urban Design staff, a fee shall be provided by the owner to the Development and Parks Planning Department in accordance with recent council approved fee by-laws (commencing January 1, 2024); i.e. Tariff of Fees for Vaughan Planning Applications – Landscape Plan Review.
- a) This fee will include staff's review and approval of proposed streetscaping/landscaping within the development (including but not limited to urban design guidelines, landscape master plan, architectural design guidelines, perfect submission landscape architectural drawings, stormwater management pond planting plans, natural feature edge restoration/management plans), and tree inventory/preservation/removals plans.
  - b) In addition, a fee will be applied for each subsequent inspection for the start of the guaranteed maintenance period and assumption of the development by the City.
37. Prior to final approval, the Owner shall agree in the subdivision agreement to the following:
- a) Urban design guidelines shall have been prepared in accordance with Council Policy and approved by Vaughan Council.
  - b) All development shall proceed in accordance with the Vaughan Council approved urban design guidelines; and
  - c) A planning consultant shall be retained at the cost of the owner with concurrence of the City to ensure compliance with the urban design guidelines.
38. Prior to final approval, the Owner shall agree in the subdivision agreement to the following:
- a) Architectural guidelines shall have been prepared in accordance with Council Policy and approved by Vaughan Council.
  - b) All development shall proceed in accordance with the Vaughan Council approved architectural design guidelines.
  - c) A control architect shall be retained at the cost of the owner with concurrence of the City to ensure compliance with the architectural design guidelines.
  - d) Prior to the submission of individual building permit applications, the control architect shall have stamped and signed drawings certifying compliance with the approved architectural guidelines; and

- e) The City may undertake periodic reviews to ensure compliance with the architectural design guidelines. Should inadequate enforcement be evident, the City may cease to accept drawings stamped by the control architect and retain another control architect, at the expense of the Owner.
39. Prior to final approval, the Owner shall prepare a landscape master plan. All development shall proceed in accordance with the approved landscape master plan; the plan shall address but not be limited to the following issues:
- a) Co-ordination of the urban design/streetscape elements including built form, fencing treatments, street tree planting, park land, and open space lands.
  - b) Sustainability design practices/guidelines.
  - c) The appropriate community edge treatment along Weston Road with low-maintenance plant material.
  - d) The appropriate landscaping within the stormwater management pond.
  - e) Environmental report for the open space lands, including the appropriate edge restoration within the buffer block.
  - f) The pedestrian urban connections between streets, built forms, park block, and open space block; and
  - g) Trail system and network within the open space block.
40. Prior to final approval, the Owner shall agree in the subdivision agreement that all development shall proceed in accordance with the City of Vaughan Sustainability Metrics program.
- a) The program shall present a set of metrics to quantify the sustainability performance of new development projects.
41. Prior to final approval, the Owner shall provide a buffer block abutting the existing open space lands in accordance with TRCA policies.
42. Prior to final approval, the Owner shall prepare a detailed edge management plan study for the perimeter of the open space lands. The study shall include an inventory of all existing trees within an 8 metre zone inside the staked edges, and areas where the open space land edges are to be disturbed, assessment of significant trees to be preserved and proposed methods of edge management and/or remedial planting shall be included. The Owner shall not remove any vegetation without written approval by the City.
- a) The Owner shall provide a report for a 20 metre zone within all staked open space land edges to the satisfaction of the City, which identifies liability and issues of public safety and recommends woodlot/forestry management

practices and removal of hazardous and all other trees as identified to be removed prior to assumption of the subdivision.

43. The warning clause council approved September 29th, 1997 with respect to "Tree Fees" shall be included in the subdivision agreement
- a) "Purchasers are advised that the planting of trees on City boulevards in front of residential units is a requirement of the subdivision agreement. A drawing depicting the conceptual location for boulevard trees is included as a schedule in this subdivision agreement. This is a conceptual plan only and while every attempt will be made to plant trees as shown, the City reserves the right to relocate or delete any boulevard tree without further notice.
  - b) The City has not imposed an amount of a 'Tree Fee' or any other fee which may be charged as a condition of purchase for the planting of trees. Any 'Tree Fee' paid by the purchasers for boulevard trees does not guarantee that a tree will be planted on the boulevard in front or on the side of a residential dwelling."
44. The Owner shall agree in the subdivision agreement to erect a permanent 1.5 metre high black vinyl chain-link fence or approved equal along the limits of the residential lots and block that abut the open space Block #68 and associated buffer block.
45. The Owner shall agree in the subdivision agreement to erect a permanent 1.5 metre high black vinyl chain-link fence or approved equal along the limits of the residential lots and blocks that abut the storm water management block #67.
46. The Owner shall agree in the subdivision agreement to erect a permanent 1.5 metre high black vinyl chain-link fence or approved equal along the limits of the residential lots and blocks that abut the park block #66.
47. The Owner shall agree in the subdivision agreement to erect permanent wood fence treatments for flanking residential lots and blocks; to be co-ordinated with the environmental noise report and architectural design guidelines.
48. The Owner shall convey open space lands and associated buffer blocks to the TRCA or the City free of all cost and encumbrances.
49. The Owner shall agree in the subdivision agreement to provide a soils report for all tree pits and planting beds throughout the subdivision to the satisfaction of the City.

#### Cultural Heritage Conditions

50. Should previously undocumented archaeological resources be found on the property during construction activities, the Owner must immediately cease all construction activities and notify the Ministry of Citizenship and Multiculturalism (the Ministry that administers the Ontario Heritage Act), and the Development

Planning Department, Urban Design and Cultural Heritage Division at the City or its successor.

51. If human remains are encountered during construction activities, the Owner must immediately cease all construction activities. The Owner shall contact the York Regional Police Department, the Regional Coroner, the Registrar of the Cemeteries at the Bereavement Authority of Ontario ('BAO') and the City of Vaughan Development Planning Department, Urban Design and Cultural Heritage Division or its successor.

#### Environmental Planning Conditions

52. Prior to final approval of the Plan, in accordance with Section 3.2.3.10 of the Vaughan Official Plan (2010), the natural heritage system (i.e. natural features, along with any associated Vegetation Protection Zone/buffer blocks and compensation areas) owned by the Owner shall be conveyed to the City.
53. Prior to final approval of the Plan, the Owner shall update/provide the Compensation plan, final values, and a planting plan/restoration/naturalization/edge management plan demonstrating no loss to ecological function of Natural Heritage Features (i.e. Wetlands), to the satisfaction of Environmental Planning Staff.
54. That this draft plan of subdivision be subject to red-line revisions, if required, in order to meet Environmental Planning conditions of draft plan, to the satisfaction of the City.
55. The Owner acknowledges that there will be no unauthorized tree/vegetation removals taking place within the natural heritage system/Greenbelt Plan Area.
56. Prior to final approval of the Plan or any phase of the Plan, the Sustainability Metrics Performance ('SMP') package is required. Applications initiated prior to January 2023, are subject to the 2018 Sustainability Metrics Program and associated council approved threshold scores.
57. The Owner is advised that the subject lands are regulated by the TRCA under Ontario Regulation 41/24. Any proposed development, interference, or alteration within the regulated area will be required to be appropriately setback from the floodplain and will require a permit/approval from the TRCA. Staff also defer to the TRCA with regards to the proposed alteration/relocation of Headwater Drainage Features ('HDFs') and for any technical studies as required.
58. The Owner is advised that the City has Species at Risk ('SAR') within its jurisdiction that are protected under the Endangered Species Act, 2007, S.O.2007 (the "Act"). Environmental Planning staff note that the onus is on the proponent to ensure the provisions of the Act are not contravened. As such, it is the responsibility of the

applicant to comply with any Ministry of Environment, Conservation and Parks ('MECP') regulations and guidelines to protect SAR and their habitat.

59. The Owner acknowledges that Vaughan contains Migratory Birds within its jurisdiction that are protected under the Migratory Bird Convention Act, 1994. The Owner shall not remove any trees within the breeding bird window in Vaughan from March 31 to August 31. If tree removals are necessary than bird nest sweeps and/or surveys shall be conducted by a qualified professional within 48 hours prior to the removal of trees.
60. The Owner acknowledges that should there be expected impacts proposed to fish habitat, it is the responsibility of the applicant to engage and comply with Fisheries and Oceans Canada ('DFO') regulations and guidelines.
61. The Owner acknowledges that should there be expected impacts proposed to significant wildlife habitat ('SWH'), it is the responsibility of the applicant to engage and comply with any Ministry of Natural Resources ('MNR') regulations and guidelines.

#### Real Estate Conditions

62. Prior to the issuance of a building permit, the Owner shall dedicate land and/or pay to the City by way of certified cheque, cash-in-lieu of the dedication of parkland equivalent to 5% of the value of the Lands, in accordance with the Planning Act and the City of Vaughan Parkland Dedication By-law. The Owner shall submit an appraisal of the Lands, in accordance with the Planning Act and the City's Parkland Dedication By-law, prepared by an accredited appraiser for approval by the Vaughan Real Estate Department, and the approved appraisal shall form the basis of the calculation of the cash-in-lieu payment, as applicable.

#### Development Engineering Conditions

63. The Owner shall enter into a subdivision agreement with the City to satisfy all conditions, financial or otherwise of the City, with regard to such matters as the City may consider necessary, including payments of development levies, the provisions of roads and municipal services, landscaping and fencing. The said agreement shall be registered against the lands to which it applies.
64. Any dead ends or open sides of road allowances created by this draft plan of subdivision shall be terminated in 0.3 metre reserves, to be conveyed to the City without monetary consideration and free of all encumbrances, to be held by the City until required for future road allowances or development of adjacent lands.
65. The Owner shall agree in the subdivision agreement that construction access shall be provided only in a location approved by the City and the Region.
66. Prior to final approval of the Plan, the Owner shall provide easements and land dedication as may be required for access, utility servicing, drainage, construction

purposes, or other municipal requirements shall be granted to the appropriate authority(ies), to their satisfaction free of all charge and encumbrance.

67. Prior to final approval, a geotechnical report prepared at the Owner's expense shall be submitted to the City for review and approval. The Owner shall agree in the subdivision agreement to carry out, or cause to carry out, the recommendations including pavement design structure for ideal and non-ideal conditions to the satisfaction of the City.

68. Prior to final approval, a soils report prepared at the Owner's expense shall be submitted to the City for review and approval. The Owner shall agree in the subdivision agreement, if required, to carry out, or cause to carry out, the recommendations including pavement design structure for ideal and non-ideal conditions to the satisfaction of the City.

69. The Owner shall agree in the subdivision agreement to ensure that the grading at the boundaries of the Plan match with the grading for the surrounding lands and working easements to be obtained.

70. Prior to the initiation of grading, and prior to the registration of this draft plan of subdivision or any phase thereof, the owner shall submit to the City for review and approval the following:

A detailed engineering report that describes the storm drainage system for the proposed development within this draft plan, which report shall include:

- a) plans illustrating how this drainage system will tie into surrounding drainage systems, and indicating whether it is part of an overall drainage scheme, how external flows will be accommodated, and the design capacity of the receiving system;
- b) the location and description of all outlets and other facilities;
- c) storm water management techniques which may be required to control minor and major flows; and
- d) proposed methods of controlling or minimizing erosion and siltation onsite and in downstream areas during and after construction.

71. Prior to final approval of the Plan or any phase thereof, the Owner may be required to revise or update the technical reports related to the development where such reports may not reflect existing conditions or where they no longer meet City Standards. Such reports may include Stormwater Management, Traffic Impact Study, Hydrogeological Study and Noise Study.

The Owner shall agree in the subdivision agreement to carry out, or cause to carry out, the recommendations set out in any and all of the aforementioned reports to the satisfaction of the City.

72. The Owner shall agree in the subdivision agreement that no building permits will be applied for or issued until the City is satisfied that adequate road access, municipal water supply, sanitary sewers, and storm drainage facilities are available to service the proposed development.
73. Prior to final approval of the Plan, the Owner shall design and construct, at no cost to the City, any external municipal services, temporary and/or permanent built or proposed, that have been designed and oversized to accommodate the development of the Plan.
74. Prior to final approval of the Plan, the Owner shall make the necessary arrangements at the expense of the Owner for the relocation of any utilities required by the development of the Plan to the satisfaction of the City.
75. The Owner shall agree in the subdivision agreement to design, purchase material and install a streetlighting system in the Plan in accordance with City Standards and specifications. This Plan shall be provided with decorative streetlighting to the satisfaction of the City.
76. The Owner shall agree that all lots or blocks to be left vacant shall be graded, seeded, maintained and signed to prohibit dumping and trespassing.
77. The Owner shall agree in the subdivision agreement to maintain adequate chlorine residuals in the watermains within the Plan after successful testing and connection to the potable municipal water system and continue until such time as determined by the City or until assumption of the Plan. In order to maintain adequate chlorine residuals, the Owner will be required to retain a licensed water operator to flush the water system and sample for chlorine residuals on a regular basis determined by the City. The Owner shall be responsible for the costs associated with these activities including the metered consumption of water used in the program.
78. The Owner shall cause the following warning clauses to be included in a schedule to all offers of purchase and sale, or lease for all lots/blocks within the entire Plan:
  - a) "Purchasers and/or tenants are advised that proper grading of all lots in conformity with the Subdivision Grading Plans is a requirement of this subdivision agreement.

The City has taken a Letter of Credit from the Owner (Subdivision Developer) for the security to ensure all municipal services including, but not limited to lot grading, are constructed to the satisfaction of the City. Direct cash deposit from the Purchasers to the City and/or Owner, for lot grading purposes, is NOT a requirement of this subdivision agreement. The City of Vaughan does not control the return of such deposits and purchasers/tenants must direct inquiries regarding this return to their vendor/landlord."

- b) "Purchasers and/or tenants are hereby put on notice that the Telecommunications Act and the CRTC authorize telephone and telecommunication facilities and services to be provided by telecommunication carriers other than traditional carriers for such services and that purchasers and tenants are advised to satisfy themselves that such carriers servicing the lands provide sufficient service and facilities to meet their needs."
- c) "Purchasers and/or tenants are advised that driveway widths are governed by City of Vaughan's Comprehensive Zoning By-Law 001-2021, as amended, as follows:
  - a) The maximum width of a driveway shall be 6 metres measured at the street curb, provided circular driveways shall have a maximum combined width of 9 metres measured at the street curb.
- d) "Purchasers and/or tenants are advised that mail delivery will be from a designated community mailbox as per requirements dictated by Canada Post. The location of the mailbox shall be shown on the community plan provided by the Owner in its Sales Office."
- e) "Purchasers and/or tenants are advised that despite the inclusion of noise control features within both the development area and the individual building units, noise levels, including from construction activities, may be of concern and occasionally interfere with some activities of the building occupants."
- f) "Purchasers and/or tenants are advised that fencing and/or noise attenuation features along the lot lines of lots and blocks abutting public lands, including public highway, laneway, walkway or other similar public space, is a requirement of this subdivision agreement and that all required fencing and barriers shall be constructed with all fencing materials, including foundations, completely on private lands and totally clear of any 0.3m reserve, as shown on the Construction Drawings.
- g) "The City has taken a Letter of Credit from the Owner for security to ensure all fencing including, but not limited to privacy fencing, chain link fencing and acoustic fencing, are constructed to the satisfaction of the City. Direct cash deposit from the Purchasers to the City and/or Owner, for fencing, is not a requirement of this subdivision agreement."
- h) "Purchasers and/or tenants are advised that fencing along the lot lines of Lots and Blocks abutting public lands is a requirement of this subdivision agreement and that all required fencing, noise attenuation feature and barriers shall be constructed with all fencing materials, including foundations, completely on private lands and totally clear of any 0.3 metre reserve, as shown on the Construction Drawings.



The City has taken a Letter of Credit from the Owner (Subdivision Developer) for the security to ensure all fencing including, but not limited to privacy fencing, chain link fencing and acoustic fencing, are constructed to the satisfaction of the City. Direct cash deposit from the Purchasers to the City and/or Owner, for fencing, is NOT a requirement of this subdivision agreement.

The maintenance of the noise attenuation feature or fencing shall not be the responsibility of the City, or the Region of York and shall be maintained by the Owner until assumption of the services of the Plan. Thereafter the maintenance of the noise attenuation feature or fencing shall be the sole responsibility of the lot owner. Landscaping provided on Regional Road right-of-ways by the Owner or the City for aesthetic purposes shall be approved by the Region and maintained by the City with the exception of the usual grass maintenance.”

- i) “Purchasers and/or tenants are advised that this plan of subdivision is designed to include catchbasins. The catchbasin is designed to receive and carry only clean stormwater. It is the tenant’s responsibility to maintain the rear lot catchbasin in proper working condition by ensuring that the grate is kept clear of ice, leaves and other debris that would prevent stormwater from entering the catchbasin. The catchbasins are shown on the Construction Drawings and the location is subject to change without notice.”
- j) “Purchasers and/or tenants are advised that the Owner (Subdivision Developer) has made a contribution towards recycling containers for each unit as a requirement of this subdivision agreement. The City has taken this contribution from the Owner to off-set the cost for the recycling containers, therefore, direct cash deposit from the Purchasers to the Owner for recycling containers purposes is not a requirement of the City of Vaughan. The intent of this initiative is to encourage the home Purchasers to participate in the City’s waste diversion programs and obtain their recycling containers from the Joint Operation Centre (JOC), 2800 Rutherford Road, Vaughan, Ontario, L4K 2N9, (905) 832-8562; the JOC is located on the north side of Rutherford Road just west of Melville Avenue.”

Any additional warning clause as noted in the subdivision agreement shall be included in all Offers of Purchase and Sale or Lease for all Lots and/or Blocks within the Plan to the satisfaction of the City.

**SITE-SPECIFIC DRAFT PLAN CONDITIONS:**

- 79. The Owner shall front-end finance, construct and/or contribute its proportionate share of the cost(s) associated with implementing the recommended ultimate wastewater servicing infrastructure improvements identified in the City’s final Integrated Urban Water Master Plan Class Environmental Assessment including decommissioning any implemented interim servicing measures or recommend an

alternate wastewater system servicing strategy for review and approval, to the satisfaction of the City.

80. The Owner shall front-end finance, construct and/or contribute its proportionate share of the cost(s) associated with implementing the recommended ultimate Pressure District 7 water distribution system infrastructure improvements identified in the City's final Integrated Urban Water Master Plan Class Environmental Assessment (Project No. W005-2013), to the satisfaction of the City.
81. The Owner shall, at its own expense, front-end finance, contribute to, and/or participate in an ongoing Flow Monitoring Program to the satisfaction of the City. This Flow Monitoring Program will be in effect until the development is redirected to the ultimate servicing outlet.
82. The Owner shall, at its own expense, front-end finance, contribute to and/or participate in an ongoing Flow Monitoring Program to ensure Inflow-Infiltration during on-site construction is monitored and managed to the satisfaction of the City. This Flow Monitoring Program will be in effect until completion of construction (Guaranteed Maintenance / Assumption etc.).
83. The Owner shall implement the Region's Servicing Incentive Program SIP/SDIP design and construction standards including watertight sanitary sewer construction to the satisfaction of the Region and the City.
84. The Owner, at its own expense, shall complete a CCTV inspection of the local downstream sanitary system, on a yearly basis, to confirm the condition of the pipe and existing conveyance capacity to the satisfaction of the City.
85. If based on flow monitoring the sanitary flow from this development exceed the theoretical flows determined through the Final Approved Block 34W MESP then the Owner, at its own expense, shall front-end finance and construct or contribute to the construction of flow attenuation. Flow attenuation will be in effect until the development is redirected to the ultimate servicing outlet and decommissioned to the satisfaction of the City as may be required.
86. If based on flow monitoring the sanitary flow from this development exceed the theoretical flows determined through the Final Approved Block 34W MESP then the Owner, at its own expense, shall front-end finance and construct or contribute to downstream pipe replacement if it is determined the above noted Risk Management Measures do not eliminate the risks of surcharging, to the satisfaction of the City if required.
87. Prior to final approval of the Plan, if applicable, the Owner shall provide the City with a Letter of Credit in the amount of \$1,100,698 ( $7.06\text{ha} \times \$141,733/\text{ha} = \$1,000,635 + 10\% \text{ Engineering Fee of } \$100,063 = \$1,100,698$ ) as security for its contribution towards the costs of future construction works (including decommissioning of interim works) for the Ultimate Sanitary Sewer connection to

the Region's Northeast Vaughan Sanitary Trunk Sewer along Jane Street which is anticipated to be commissioned by Q4-2028.

88. The Owner shall submit a final MESP, FSR and any required plans or reports to the satisfaction of the City.
89. The Owner shall provide an updated Transportation Impact Study ('TIS') to the satisfaction of Development Engineering addressing all outstanding comments. Any improvements identified in the updated TIS that are required to support the subject development will be the responsibility of the applicant.
90. The Owner shall submit updated functional design plans of the road and active transportation network addressing any outstanding comments to the satisfaction of Development Engineering prior to the submission of detailed engineering drawings.
91. The Owner shall provide detailed engineering drawings following the approval of the functional design plans for the road and active transportation network to the satisfaction of Development Engineering.
92. The Owner address any comments and conditions provided by the Region prior approval by the City.
93. The Owner will be required to obtain approval from the Region and the City for the emergency access proposed between Weston Road and Street B and dedicate the lands or provide the necessary easements over the lands required to facilitate emergency access. The Owner will be required to submit a design of the emergency access and intersections with Weston Road and Street B to the satisfaction of the Region and the City. The emergency access will be required to be available and operational with the sole purpose of facilitating emergency access until such time that Street B is continued north and connects with the access provided to Weston Road via 19T-22V012.
94. The road allowances included within this draft plan of subdivision shall be named to the satisfaction of the City and the Regional Planning Department.
95. The road allowances included within this draft plan of subdivision shall be dedicated as public highways without monetary consideration and free of all encumbrances.
96. Prior to final approval of the Plan, the Owner shall address and satisfy all comments supplied by the Development Engineering Department, to the satisfaction of the City.
97. Prior to final approval of the Plan, the Owner shall enter into a Developers' Group Agreement with the other participating landowners within Block 34 West to the satisfaction of the City. The agreement shall be regarding but not limited to all cost sharing for the provision of parks, cash-in-lieu of parkland, roads, bridge structures

and municipal services to support development within Block 34 West. This agreement shall also include a provision for additional developers to participate with the Developers' Group Agreement when they wish to develop their lands.

98. Prior to final approval of the Plan, the Trustee for the Block 34 West Landowners Group shall provide the City with a letter confirming the Owner has fulfilled all cost sharing and other obligations of the Block 34 West Cost Sharing Agreement.
99. The Owner acknowledges that the final engineering design(s) may result in minor variations to the Plan (e.g. in the configuration of road allowances and lotting, number of lots etc.), which may be reflected in the final plan to the satisfaction of the City.
100. Prior to final approval of the Plan, the Owner shall address and satisfy all comments supplied by the Development Engineering Department, to the satisfaction of the City.
101. Prior to final approval of the Plan, the Owner shall provide confirmation satisfactory to the City that arrangements have been made with a suitable telecommunication provider to provide its services underground at the approved locations and to the satisfaction of the City. The Owner shall permit any telephone or telecommunications service provider to locate its plant in a common trench, provided the service provider has executed a municipal access agreement with the City. The Owner shall ensure that any such service provider will be permitted to install its plant to permit connections to individual employment blocks within the Plan when each employment block is constructed. The Owner shall provide a copy of the fully executed subdivision agreement to the appropriate telecommunication provider.
102. Prior to final approval of the Plan, and/or conveyance of land, and/or commencement of grading or construction, the Owner shall implement the following to the satisfaction of the City:
  - (a) Submit a Phase One Environmental Site Assessment ('ESA') report and, if required and as applicable, a Phase Two ESA, Remedial Action Plan ('RAP'), Risk Evaluation, Risk Assessment report(s) in accordance with Ontario Regulation ('O. Reg.')
 153/04 (as amended) or its intent, for the lands within the Plan. Reliance on the report(s) from the Owner's environmental consultant shall be provided to the City.
- (b) Should a change to a more sensitive land use as defined under O. Reg. 153/04 (as amended) or remediation of any portions of lands within the Plan be required to meet the applicable Standards set out in the Ministry of the Environment, Conservation, and Parks ('MECP') document "Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act" (as amended), submit a complete copy of the Record(s) of Site

Condition ('RSC's) filed on the Environmental Site Registry including the acknowledgement letter from the MECP, covering all the lands within the Plan.

- (c) Submit a sworn statutory declaration by the Owner confirming the environmental condition of the lands to be conveyed to the City.
- (d) Reimburse the City for the cost of the peer review of the ESA reports and associated documentation, as may be applicable.

103. Prior to the conveyance of land and/or release of applicable portion of the Municipal Services Letter of Credit, the Owner shall implement the following to the satisfaction of the City:

- (a) For all parks, open spaces, landscape buffers, and storm water management pond block(s) in the Plan that are being conveyed to the City, submit a limited Phase Two ESA report in accordance or generally meeting the intent of O. Reg. 153/04 (as amended) assessing the fill in the conveyance block(s) for applicable contaminants of concern. The sampling and analysis plan prepared as part of the Phase Two ESA shall be developed in consultation with the City. The implementation of the sampling and analysis plan shall be completed to the satisfaction of the City and shall only be undertaken following certification of rough grading but prior to placement of topsoil placement. Reliance on the ESA report(s) from the Owner's environmental consultant shall be provided to the City.
- (b) If remediation of any portions of the conveyance block(s) is required in order to meet the applicable Standards set out in the MECP document "Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act" (as amended), submit a complete copy of the RSC(s) filed on the Environmental Site Registry including the acknowledgement letter from the MECP, covering the entire conveyance block(s) where remediation was required.
- (c) Submit a sworn statutory declaration by the Owner confirming the environmental condition of the conveyance block(s).
- (d) Reimburse the City for the cost of the peer review of the ESA reports and associated documentation, as may be applicable.

104. The Owner shall agree in the subdivision agreement to inspect, evaluate and monitor all wells within the zone of influence prior to, during and after construction has been completed. Progress reports should be submitted to the City as follows:

- a) A base line well condition and monitoring report shall be submitted to the City prior to the pre-servicing or registration of the plan (whichever occurs first) and shall include as a minimum requirement the following tests:

- i) Bacteriological Analysis – total coliform and E-coli counts
  - ii) Chemical Analysis – Nitrate Test
  - iii) Water level measurement below existing grade
- b) In the event that the test results are not within the Ontario Drinking Water Standards, the Owner shall notify in writing, the Purchaser, the Regional Health Department and the City within twenty-four (24) hours of the test results.
- c) Well monitoring shall continue during construction and an interim report shall be submitted to the City for records purposes.
- d) Well monitoring shall continue for one year after the completion of construction and a summary report shall be submitted to the City prior to Completion Approval.
- e) If the private well systems in the zone of influence deteriorate due to the servicing of the plan of subdivision, the Owner will provide temporary water supply to the affected residents upon notice by the City. If the quantity and quality of water in the existing wells is not restored to its original condition within a month after first identification of the problem, the Owner will engage the services of a recognized hydro geologist to evaluate the wells and recommend solutions including deepening the wells or providing a permanent water service connection from the municipal watermain system.
105. Prior to final approval of the Plan, the City and the Region shall confirm that adequate water supply and sewage treatment capacity are available and have been allocated to accommodate the proposed development.
106. Prior to final approval of the Plan, the Owner shall agree that any additional lands required for public highway purposes, where daylight triangles do not conform to the City Standard Design Criteria, will be conveyed to the City, free of all costs and encumbrances.
107. Prior to final approval of the Plan, a Water Supply Analysis Report shall be submitted to the satisfaction of the City which shall include a comprehensive water network analysis of the water distribution system and shall demonstrate that adequate water supply for the fire flow demands is available for the Plan and each phase thereof.
108. Prior to final approval of the Plan and/or commencement of construction within the Plan, the Owner shall submit a detailed hydrogeological impact study that identifies, if any, local wells that may be influenced by construction and, if necessary, outline a monitoring program to be undertaken before, during and after construction of the subdivision.

109. The Owner shall agree in the subdivision agreement to obtain all necessary permissions to enter from adjacent private properties to facilitate and construct the required facilities necessary to service the Plan, free of all costs and encumbrances, and to the satisfaction of the City.
110. The Owner shall agree in the subdivision agreement to decommission any existing wells and driveways on the Plan in accordance with all applicable provincial legislation and guidelines and to the satisfaction the City.
111. Prior to the initiation of the grading or stripping of topsoil and final approval of the Plan, the Owner shall submit a topsoil storage plan detailing the location, size, slopes stabilization methods and time period, for the review and approval by the City. Topsoil storage shall be limited to the amount required for final grading, with the excess removed from the site, and shall not occur on the open space and/or buffer blocks.
112. Prior to initiation of grading or stripping of topsoil and prior to final approval of the Plan, the Owner shall prepare and implement a detailed erosion and sedimentation control plan(s) addressing all phases of the construction of the municipal services and house building program including stabilization methods, topsoil storage locations and control measures to the satisfaction of the City. The Owner shall prepare the erosion and sediment control plan(s) for each stage of construction (pre-stripping/earthworks, pre-servicing, post-servicing) in accordance with the TRCA Erosion and Sediment Control Guidelines for Urban Construction, dated December 2006 and implement a monitoring and reporting program to the satisfaction of the City.

## **ATTACHMENT 5b) - REGIONAL MUNICIPALITY OF YORK CONDITIONS**

SUBP.22.V.0059 (19T-22V011)  
(Cornice Developments Ltd. et al.)

Page 4 of 10

**Schedule of Clauses/Conditions  
SUBP.22.V.0059 (19T-22V011)  
Part of Lot 28, Concession 5  
(Cornice Developments Ltd. et al.)  
City of Vaughan**

Re: Humphries Planning Group Inc., Drawing No. A1, last revised on May 21, 2024

### **Clauses to be Included in the Subdivision Agreement**

1. The Owner shall save harmless the City of Vaughan and York Region from any claim or action as a result of water or sanitary sewer service not being available when anticipated.
2. The Owner shall agree to advise all potential purchasers of the existing and future introduction of transit services. The Owner/consultant is to contact YRT Contact Centre (tel. 1-866-668-3978) for route maps and the future plan maps.
3. The Owner shall provide proposed development access via local streets, shared driveways and interconnected properties to maximize the efficiency of the Regional street system (as per the Regional Official Plan Policy 7.2.53), where appropriate.
4. The Owner shall implement all recommendations in the revised Traffic Impact Study, including TDM measures, to the satisfaction of the Region.
5. The Owner shall agree in wording satisfactory to Development Engineering, that site plan application approval from the Region is required to be in place prior the commencement of any site alteration or construction works for Blocks 56 abutting Weston Road.
6. The Owner shall agree where enhanced landscape features beyond street tree planting, sod and concrete walkways are proposed in the York Region right-of-way by the Owner or the area municipality, these features must be approved by Development Engineering and shall be maintained by the area municipality. Failure to maintain these landscape features to York Region's satisfaction will result in the area municipality incurring the cost of maintenance and/or removal undertaken by the Region.
7. The Owner shall implement the noise attenuation features as recommended by the noise study and to the satisfaction of Development Engineering.
8. The Owner shall agree that where berm, noise wall, window and/or oversized forced air mechanical systems are required, these features shall be certified by a professional engineer to have been installed as specified by the approved Noise Study and in conformance with the Ministry of Environment guidelines and the York Region Noise Policy.
9. The following warning clause shall be included with respect to the lots or blocks affected:



"Purchasers are advised that despite the inclusion of noise attenuation features within the development area and within the individual building units, noise levels will continue to increase, occasionally interfering with some activities of the building's occupants".

10. Where noise attenuation features will abut a York Region right-of-way, the Owner shall agree in wording satisfactory to York Region's Development Engineering, as follows:
  - a) That no part of any noise attenuation feature shall be constructed on or within the York Region right-of-way,
  - b) That noise fences adjacent to York Region roads may be constructed on the private side of the 0.3 metre reserve and may be a maximum 2.5 metres in height, subject to the area municipality's concurrence, and
  - c) That maintenance of the noise barriers and fences bordering on York Region right-of-way shall not be the responsibility of York Region.
11. The Owner shall agree that prior to the development approval of Block 56, that access to Block 56 shall be via the internal road network and direct access to Weston Road will not be permitted.
12. The Owner shall agree to be responsible for determining the location of all utility plants within York Region right-of-way and for the cost of relocating, replacing, repairing and restoring any appurtenances damaged during construction of the proposed site works. The Owner must review, or ensure that any consultants retained by the Owner, review, at an early stage, the applicable authority's minimum vertical clearances for aerial cable systems and their minimum spacing and cover requirements. The Owner shall be entirely responsible for making any adjustments or relocations, if necessary, prior to the commencement of any construction.

**Conditions to be Satisfied Prior to Final Approval**

13. The Owner shall provide to the Region the following documentation to confirm that water and wastewater services are available to the subject development and have been allocated by the City of Vaughan:
  - a) A copy of the Council resolution confirming that the City of Vaughan has allocated servicing capacity, specifying the specific source of the capacity, to the development proposed within this draft plan of subdivision.
  - b) A copy of an email confirmation by City of Vaughan staff stating that the allocation to the subject development remains valid at the time of the request for regional clearance of this condition.

14. Should the proposed major development include bulk fuel ( $\geq 2500L$ ) or bulk chemicals ( $\geq 500L$ ) within the HVA, a Contaminant Management Plan (CMP) will be required prior to final registration, for Water Resources review and approval. If a CMP is not required, a letter prepared by a qualified professional will be required in its place stating that the above noted activities will not be occurring.
15. The Owner shall provide a drawing to show the layout of active transportation facilities and connections internal to the site and to the boundary roads.
16. The Owner shall provide functional design and cost estimates for transportation improvements on Weston Road to the satisfaction of the Region.
17. The Owner shall provide direct shared pedestrian/cycling facilities and connections from the proposed development to boundary roadways to support active transportation and public transit, where appropriate.
18. The Owner shall provide a revised Transportation Impact Study (TIS) to the satisfaction of the Region to address the following:
  - a) Please clarify how the full build out of Phase 1 of the development in Block 34W will be achieved by 2026. As per the assumptions of the TIS, all of Block 34W will be developed in Phase 1, except for the 46,365 m<sup>2</sup> of Shopping Centre.
  - b) The Study also assumes 2100 residential units and commercial developments for Block 41. Please clarify if this information has been received from the Block 41 landowners' group.
  - c) Internal Trip is defined as a vehicular or personal trip that has both its origin and destination within the development site without impacting Transportation Capital Improvements. The majority of internal road network for Block 34W is disconnected internally and only connects to Weston Road. Therefore, an internal trip rate of almost 50% is unreasonable and resulted in underestimating the trips generated by the developments in Block 34W. The trip generation shall be revised accordingly, and the Study shall be updated.
  - d) A right turn lane shall be provided at all new intersections/access onto Weston Road as per the Region's standards.
19. Concurrent with the submission of the subdivision servicing application (MOE) to the area municipality, the Owner shall provide a set of engineering drawings, for any works to be constructed on or adjacent to the York Region's road, to Development Engineering, Attention: Manager, Development Engineering, that includes the following drawings:
  - a) Plan and Profile for the York Region's road and intersections;
  - b) Grading and Servicing;
  - c) Intersection/Road Improvements, including the recommendations of the Traffic Report;
  - d) Construction Access Design;

- e) Utility and underground services Location Plans;
- f) Signalization and Illumination Designs;
- g) Line Painting;
- h) Traffic Control/Management Plans;
- i) Erosion and Siltation Control Plans;
- j) Landscaping Plans, including tree preservation, relocation and removals;
- k) Sidewalk locations, concrete pedestrian access to existing and future transit services and transit stop locations as required by York Region Transit/Viva
- l) Functional Servicing Report (water, sanitary and storm services)
- m) Water supply and distribution report;
- n) Engineering drawings showing plan and profile views of proposed works related to connections to or crossing of Regional watermain or sewer, including the following, as applicable:
  - Disinfection Plan
  - MECP Form 1- Record of Watermains Authorized as a Future Alteration
- o) Engineering drawings showing plan and profile views of proposed sewers and watermains and appurtenances, including manholes, watermains, valves, hydrants, etc. proposed within the subdivision.

20. The Owner shall have prepared, by a qualified professional Landscape Architect, landscape design plans detailing landscape works and street tree planting in the York Region right-of-way as required by any and/or all of the following, York Region's Streetscaping Policy, York Region's Street Tree Preservation and Planting Design Guidelines, any prevailing Streetscape Masterplan or Secondary Plan or as required by Urban and Architectural Design Guidelines.

21. The Region requires the Owner submit a Phase One Environmental Site Assessment ("ESA") in general accordance with the requirements of the *Environmental Protection Act* and O. Reg. 153/04 Records of Site Condition, as amended ("O. Reg. 153/04"). The Phase One ESA must be for the Owner's property that is the subject of the application and include the lands to be conveyed to the Region (the "Conveyance Lands"). The Phase One ESA cannot be more than two (2) years old at: (a) the date of submission to the Region; and (b) the date title to the Conveyance Lands is transferred to the Region. If the originally submitted Phase One ESA is or would be more than two (2) years old at the actual date title of the Conveyance Lands is transferred to the Region, the Phase One ESA will need to be either updated or a new Phase One ESA submitted by the Owner. Any update or new Phase One ESA must be prepared to the satisfaction of the Region and in general accordance with the requirements of O. Reg. 153/04. The Region, at its discretion, may require further study, investigation, assessment, delineation and preparation of reports to determine whether any action is required regardless of the findings or conclusions of the submitted Phase One ESA. The further study, investigation, assessment, delineation and subsequent reports or documentation must be prepared to the satisfaction of the Region and in general accordance with the requirements of O. Reg. 153/04. Reliance on the Phase One ESA and any subsequent reports or documentation must be provided to the Region in the Region's

standard format and/or contain terms and conditions satisfactory to the Region.

The Region requires a certified written statement from the Owner that, as of the date title to the Conveyance Lands is transferred to the Region: (i) there are no contaminants of concern, within the meaning of O. Reg. 153/04, which are present at, in, on, or under the property, or emanating or migrating from the property to the Conveyance Lands at levels that exceed the MECP full depth site condition standards applicable to the property; (ii) no pollutant, waste of any nature, hazardous substance, toxic substance, dangerous goods, or other substance or material defined or regulated under applicable environmental laws is present at, in, on or under the Conveyance Lands; and (iii) there are no underground or aboveground tanks, related piping, equipment and appurtenances located at, in, on or under the Conveyance Lands.

The Owner shall be responsible for all costs associated with the preparation and delivery of the Phase One ESA, any subsequent environmental work, reports or other documentation, reliance and the Owner's certified written statement.

22. Upon registration of the plan, the Owner shall convey the following lands to York Region for public highway purposes, free of all costs and encumbrances, to the satisfaction of the Regional Solicitor:

- a) A widening across the full frontage of the site where it abuts Weston Road of sufficient width to provide a minimum of 20.5 metres from the centreline of construction of Weston Road,
- b) A 10 metre by 10 metre daylight triangle at the northeast and southeast corners of Weston Road and Street "A-S,"
- c) A 0.3 metre reserve across the full frontage of the site, except at the approved access location, adjacent to the above noted widening, where it abuts Weston Road and adjacent to the above noted widening(s), and
- d) An additional 2 metre widening, 40 metres in length, together with a 60 metre taper for the purpose of a northbound right turn lane at the intersection of Weston Road and Street "A-S".

23. The Owner shall provide a solicitor's certificate of title in a form satisfactory to York Region Solicitor, at no cost to York Region with respect to the conveyance of the above noted lands to York Region.

24. The Owner shall submit a detailed Development Charge Credit Application to York Region, if applicable, to claim any works proposed within the York Region right-of-way. Only those works located in their ultimate location based on the next planning upgrade for this right-of-

way will be considered eligible for credit, and any work done prior to submission without prior approval will not be eligible for credit.

25. The location and design of the construction access for the subdivision work shall be completed to the satisfaction of Development Engineering and illustrated on the Engineering Drawings.
26. The Owner shall demonstrate, to the satisfaction of Development Engineering, that all existing driveway(s) along the Regional road frontage of this subdivision will be removed as part of the subdivision work, at no cost to York Region.
27. The Owner shall demonstrate, to the satisfaction of Development Engineering that elevations along the streetline shall be 0.2 metres above the centreline elevations of the York Region roadway, unless otherwise specified by Development Engineering.
28. The Owner shall have prepared, by a qualified Tree Professional, a Tree Inventory and Preservation/Removals Plan and Arborist Report identifying all existing woody vegetation within the York Region right-of-way to be removed, preserved or relocated. The report/plan, submitted to Development Engineering for review and approval, shall adhere to the requirements outlined in the York Region Street Tree and Forest Preservation Guidelines and shall be to the satisfaction of York Region Natural Heritage and Forestry Staff.
29. The Owner shall engage the services of a consultant to prepare and submit for review and approval, a noise study to the satisfaction of Development Engineering recommending noise attenuation features.
30. The Owner shall demonstrate, to the satisfaction of Development Engineering that Street "A-S" shall be designed to intersect Weston Road at a right angle, or on a common tangent.
31. The Owner shall demonstrate, to the satisfaction of Development Engineering, that the throat width of Street "A-S" shall be designed to accommodate the recommendations of the transportation report approved by York Region.
32. The intersection of Weston Road and Street "A-S" shall be designed to the satisfaction of Development Engineering with any interim or permanent intersection works including turning lanes, profile adjustments, illumination and/or signalization as deemed necessary by Development Engineering.
33. The Owner shall demonstrate, to the satisfaction of Development Engineering, that all local underground services will be installed within the area of the development lands and not within York Region's road allowance. If a buffer or easement is needed to accommodate the local services adjacent to York Region's right-of-way, then the Owner shall provide a satisfactory buffer or easement to the Area Municipality, at no cost to the Region.

34. The Owner shall provide a copy of the Subdivision Agreement to the Regional Corporate Services Department, outlining all requirements of the Corporate Services Department.
35. For any applications (Site Plan or Zoning By-law Amendment) deemed complete after January 1, 2020, the Owner shall enter into a Development Charge Rate Freezing Agreement with York Region to freeze/lock in the Development Charge rate at the time the site plan application or Zoning By-law Amendment is deemed complete submission, satisfy all conditions, financial and otherwise, and confirm the date at which Regional development charge rates are frozen; Regional Development Charges are payable in accordance with Regional Development Charges By-law in effect at the time that Regional development charges, or any part thereof, are payable. Please contact Fabrizio Filippazzo, Manager, Development Financing Administration to initiate a Development Charge Agreement with York Region.
36. The Regional Corporate Services Department shall advise that Conditions 1 to 35 inclusive, have been satisfied.

## ATTACHMENT 5c) - TRCA CONDITIONS

### Appendix 'B': TRCA's Conditions of Draft Plan Approvals

#### TRCA's Conditions of Draft Plan Approval - 19T-22V011

TRCA staff have no objection to the approval of Drawing A-1, Draft Plan of Subdivision (19T-22V011), prepared by Humphries Planning Group Inc., revised dated July 25, 2023, subject to the following conditions:

#### *Red-line Revisions*

1. That this draft plan of subdivision be subject to red-line revision(s) in order to meet the requirements of TRCA's conditions of draft plan approval, if necessary, to the satisfaction of TRCA.
2. Prior to the registration of the Plan of Subdivision, the Owner shall provide an M-Plan showing the lot/block lines and any required revisions to the satisfaction of the City of Vaughan and TRCA.

#### *Prior to Works Commencing*

3. That prior to topsoil stripping and prior to the registration of this plan or any phase thereof, the Owner shall submit a detailed engineering report and plans to the satisfaction of TRCA for any proposed topsoil stripping in the TRCA's Regulated Area. This submission shall include:
  - Detailed plans illustrating the topsoil stripping proposal, including but not limited to the locations, staging and methodology.
  - An erosion and sediment control report and plans for the subject lands that includes proposed measures for controlling or minimizing erosion and siltation on-site and/or in downstream areas during and after topsoil stripping.
4. That prior to any development or site alteration and prior to the registration of this plan or any phase thereof, the Owner shall submit a Functional Servicing Report (FSR) and detailed engineering reports (e.g., Stormwater Management) that describes in detail the applicable stormwater management criteria, how the proposed storm drainage system will be designed to meet stormwater management criteria, and how it will comply to TRCA requirements. These reports shall include, but not limited to:
  - i. A description of the storm drainage system and appropriate stormwater management techniques including minor and major flow controls for the proposed development of the subject land and how it will comply with all related TRCA requirements for quantity, water balance and erosion control.
  - ii. Plans illustrating how this drainage system will tie into surrounding drainage systems, i.e., identifying if it is part of an overall drainage scheme, how external flows will be accommodated, the design capacity of the receiving system.
  - iii. Appropriate Stormwater Management Practices (SWMPs) to be used to treat stormwater, to mitigate the impacts of development on the quantity of ground and surface water resources as it relates to the natural heritage system, both aquatic and terrestrial.

- iv. Detailed plans indicating location, orientation, size and description of all stormwater management features, including outlet structures, and all other proposed servicing facilities (e.g., infiltration trenches, etc.), grading, site alterations, development, and infrastructure, which are required to service or facilitate the development of the subject lands, which may require a permit pursuant to Section 28.1 of the Conservation Authorities Act.
  - v. Design of flow dispersal measures and treatments associated with stormwater management outlets to reduce potential erosion, impacts to the regulated natural system, and maximization of potential infiltration, to the satisfaction of the TRCA.
  - vi. Detailed plans and calculations for the proposed lot-level, conveyance and end-of-pipe controls to be implemented on the site.
  - vii. The integration of Low Impact Development (LID) measures and the employment of source and conveyance controls to: mimic pre-development site hydrology, overall site water balance, and feature-based water balance to the satisfaction of the TRCA.
  - viii. A subsurface investigation (including assessment of groundwater levels) for the final design of foundations, site grading and stormwater management infrastructure. The recommendations of the subsurface assessment will be used to inform the final design and construction plans. All underground construction and infrastructure should be designed to not require permanent dewatering, and any potential impacts to the groundwater system that may result from the development must be assessed and mitigated.
  - ix. An evaluation that addresses the need for groundwater dewatering during construction, including but not limited to details for its disposal, potential impacts to regulated natural features due to groundwater withdrawal, mitigation measures, and any permitting requirements.
  - x. Grading plans for the subject lands.
  - xi. Cross-sections and details where grading and filling is proposed in or adjacent to the and Open Space Block (Block 68). The cross-sections and details shall include, but shall not be limited to, existing and proposed grades; limits of the regulated natural features, hazards and buffers; transition to the adjacent tableland areas; interim and permanent stabilization of the slopes/disturbed areas; soil remediation; mitigation; sediment and erosion controls; and supporting geotechnical/soils analyses to the satisfaction of TRCA.
  - xii. An erosion and sediment control report and plans for the subject lands that includes proposed measures for controlling or minimizing erosion and siltation on-site and/or in downstream areas during and after construction.
  - xiii. Updated HEC-RAS model and a digital version of the flood plain map sheet to TRCA standards.
5. That prior to the registration of this plan or any phase thereof, the Owner obtain all necessary permits from TRCA pursuant to Section 28.1 of the Conservation Authorities Act, to the satisfaction of TRCA.



6. That prior to the registration of this plan or any phase thereof, the Owner prepare trail plans and details to the satisfaction of TRCA for any portion of the alignments that are within TRCA's Regulated. The exact location of the trails within TRCA's Regulated Area shall be to the satisfaction of TRCA.
7. That the implementing zoning by-law recognize the Open Space Block (Block 68) in an open space, or other suitable environmental zoning category, which has the effect of prohibiting development, to the satisfaction of TRCA.
8. That the Owner provide a copy of the approved implementing zoning by-law to TRCA, when available, to facilitate the clearance of conditions of draft plan approval.

*Administrative*

9. That the Owner agrees in the subdivision agreement, in wording acceptable to TRCA which is standard, normal and consistent with applications and approvals for development of this kind:
  - i. To carry out, or cause to be carried out, to the satisfaction of TRCA, the recommendations of the reports/strategies and details of the plans referenced in TRCA's conditions of draft plan approval.
  - ii. To install and maintain all stormwater management and erosion and sedimentation control structures operating and in good repair during the construction period, in a manner satisfactory to TRCA.
  - iii. To obtain all necessary permits from TRCA pursuant to Section 28.1 of the Conservation Authorities Act, as may be amended, to the satisfaction of TRCA.
  - iv. To comply with the permits approved under Section 28.1 of the Conservation Authorities Act, as may be amended, including the approved plans, reports, and conditions to the satisfaction of TRCA.
10. That the Owner provide a copy of the fully executed subdivision agreement and pay TRCA the required draft plan of subdivision planning review fees, clearances fees and permit fees (topsoil stripping, grading, servicing, etc.)

## ATTACHMENT 5d) - MTO CONDITIONS

**From:** [Harry Zhao](#)  
**To:** [Kolet, Arieh \(MTO\)](#); [Brown, Francesca \(MTO\)](#)  
**Cc:** [David Harding](#)  
**Subject:** FW: [External] RE: Follow Up: Request for Comments - 2nd Submission for Block 34 West Residential Lands - OP.22.017, Z.22.037, & 19T-22V011; OP.22.018, Z.22.038, & 19T-22V012; Z.22.039 & 19T-22V013 (11031, 11091, 11075, & 11211 Weston Road)  
**Date:** Thursday, March 21, 2024 8:42:28 AM  
**Attachments:** [image004.png](#)  
[image006.png](#)  
[image007.png](#)

---

Good morning Arieh,

Thank you for the comments. I have copied David Harding, Senior Planner on file, for his records.

Have a great day,

**Harry Zhao, MScPI**  
**Planning Technician, Development Planning**

905-832-8585, ext. 8507 | [Harry.Zhao@vaughan.ca](mailto:Harry.Zhao@vaughan.ca)

**City of Vaughan | Development Planning Department**  
2141 Major Mackenzie Dr., Vaughan, ON L6A 1T1



---

**From:** Kolet, Arieh (MTO) <Arieh.Kolet@ontario.ca>  
**Sent:** Wednesday, March 20, 2024 5:08 PM  
**To:** Harry Zhao <Harry.Zhao@vaughan.ca>  
**Cc:** Brown, Francesca (MTO) <Francesca.Brown@ontario.ca>  
**Subject:** [External] RE: Follow Up: Request for Comments - 2nd Submission for Block 34 West Residential Lands - OP.22.017, Z.22.037, & 19T-22V011; OP.22.018, Z.22.038, & 19T-22V012; Z.22.039 & 19T-22V013 (11031, 11091, 11075, & 11211 Weston Road)

**CAUTION!** This is an external email. Verify the sender's email address and carefully examine any links or attachments before clicking. If you believe this may be a phishing email, please use the Phish Alert Button.

Good Afternoon Harry,

**Re: Block 34 West Residential Lands - OP.22.017, Z.22.037, & 19T-22V011; OP.22.018, Z.22.038, & 19T-22V012; Z.22.039 & 19T-22V013 (11031, 11091, 11075, & 11211 Weston Road)**

This email is to advise you that MTO has reviewed the above OPA / ZBA / Draft Plan of Subdivision applications for the proposed development at 11031, 11091, 11075 & 11211 Weston Rd. in Vaughan and we offer the following comments:

- The MTO has no objection to the proposed OPA, ZBA and Draft Plan of Subdivision.
- As part of the review and approval process the applicant will be required to submit copies of a detailed Site Plan, Master SWMR, Site Servicing and Grading Plans prepared by a Licensed Professional Engineer.
- MTO requires Master Traffic Impact Study that complies with the Guidelines set forth in MTO's Guidelines for Traffic Impact Statements.

- The Ministry will require a drainage report and traffic impact study signed and stamped by a Professional Engineer of Ontario.
- Once the above documents are received and reviewed, the MTO will comment if further submissions are required.

Regards,

**Arieh Kolet**

Senior Project Manager, York Region | Corridor Management / Operations Division

Ministry of Transportation | Ontario Public Service

(437) 833 9487 | [arieh.kolet@ontario.ca](mailto:arieh.kolet@ontario.ca)



*Taking pride in strengthening Ontario, its places and its people*

---



Revised: May 11, 2020

**Date:** December 13<sup>th</sup> 2022

**Attention:** **Christina Ciccone**

**RE:** Request for Comments

**File No.:** **OP.22.017, Z.22.037, & 19T-22V011, OP.22.018, Z.22.038,  
& 19T-22V012, Z.22.039 & 19T-22V013**

**Applicant:** Cornice Developments Ltd., et. Al., Weston Real Estate Holdings Inc. & Edenbrook (Weston) Inc.

**Location** 11031, 11091, 11075, & 11211 Weston Road (Block 34 West)

Revised: May 11, 2020

**COMMENTS:**

- We have reviewed the Proposal and have no comments or objections to its approval.
- We have reviewed the proposal and have no objections to its approval, subject to the following comments (attached below).
- We are unable to respond within the allotted time for the following reasons (attached) you can expect our comments by \_\_\_\_\_.
- We have reviewed the proposal and have the following concerns (attached below)
- We have reviewed the proposal and our previous comments to the Town/City, dated \_\_\_\_\_, are still valid.

Alectra Utilities has received and reviewed the submitted plan proposal. This review, however, does not imply any approval of the project or plan.

The owner(s), or his/her/their agent, for this plan is/are required to contact Alectra Utilities to obtain a subdivision application form (SAF) and to discuss all aspects of the above project. The information on the SAF must be accurate to reduce unnecessary customer costs, and to provide a realistic in-service date. The information from the SAF is also used to allocate/order materials, to assign a technician to the project, and to place the project in the appropriate queue. A subdivision application form is enclosed with this request for comments.

Alectra Utilities will prepare the electrical distribution system (EDS) design for the subdivision. The subdivision project will be assigned to an Alectra Utilities design staff upon receipt of a completed SAF. The design of the subdivision can only commence upon receiving a design prepayment and the required information outlined on the SAF.

Alectra Utilities will obtain the developer(s) approval of the EDS design, and obtain the required approvals from local government agencies for EDS installed outside of the subdivision limit. Alectra Utilities will provide the developer(s) with an Offer to Connect (OTC) agreement which will specify the responsibilities of each party and an Economic Evaluation Model outlining the cost sharing arrangement of the EDS installation between both parties. The OTC agreement must be executed by both parties and all payments, letter of credits and easements received in full before Alectra Utilities can issue the design for construction.

Town Home/Semi Detached municipal and/or private developments require a minimum set back of 3.40M from the street line to any structure such as foundations, outdoor stairs, porches, columns etc..... to accommodate standard secondary service connections.

Revised: May 11, 2020

All proposed buildings, billboards, signs, and other structures associated with the development must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the Ontario Electrical Safety Code and the Occupational Health and Safety Act.

All communication, street light or other pedestal(s) or equipment(s) must not be installed near Alectra Utilities transformers and/or switchgears. Enclosed with this request for comments are Alectra Utilities clearance standards.

Existing Alectra Utilities plant in conflict due to driveway locations or clearances to the existing overhead or underground distribution system will have to be relocated by Alectra at the Developer's cost.

We trust this information is adequate for your files.

Regards,

Mitchell Penner

Supervisor, Distribution Design-Subdivisions

**Phone:** 416-302-6215

**E-mail:** [Mitchell.Penner@alectrautilities.com](mailto:Mitchell.Penner@alectrautilities.com)

**Subdivision Application Information Form is available by emailing** [Mitchell.Penner@alectrautilities.com](mailto:Mitchell.Penner@alectrautilities.com)

DEVELOPER'S INFORMATION			
Company name:			
Contact Name/Title:			
Telephone:			
Email:			
Address:			
CIVIL CONSULTANT INFORMATION			
Company Name:			
Contact Name/Title:			
Telephone:			
Email:			
STREET LIGHT CONSULTANT INFORMATION			
Company Name:			
Contact Name/Title:			
Telephone:			
Email:			
LAWYER'S INFORMATION			
Company Name:			
Contact Name/Title:			
Telephone:			
Email:			
Legal Description of Land:			
SUBDIVISION INFORMATION			
<b>Choose Subdivision Type:</b>	Residential	Condo Tower <i>Alectra's ICI dept. will look after the service connection.</i>	Commercial/Industrial <i>Alectra's ICI dept. will look after the service connection.</i>
Anticipated Start Dates:	City Services:	Hydro*:	
Name of Subdivision & Municipality			
Municipal Subdivision File No. or Address:			
Subdivision Ownership:	Municipal	Private	Mixture

\* Anticipated start date for hydro plant installation must be at least **6 months** from date of application.

**NOTE: CITY DRAWINGS DATED WITH LAST REVISION TO BE SUBMITTED PRIOR TO COMMENCEMENT OF HYDRO DESIGN.**

**UNIT INFORMATION**

Type of Units	Total Number:	Avg. Square Feet per unit	Special Conditions	YES	NO
Single Family:			MicroFIT Homes:		
Semi-Detached:			3 <sup>Rd</sup> Party Metering:		
Townhouse:			Electric Vehicle Chargers:		
Condo Towers:		N/A	Meter Closets - TH/Condo Sub Only:		
Condo Tower Units:			Gang Metering - TH/Condo Sub Only		
Metered SL connection(s):		N/A			
Flat Rate SL connection(s):		N/A			

**QTY.**

Number of Blocks Requiring 3 Phase Power Supply in a Residential Subdivision:

Requirement for Single Phase Supply Point for Municipal Park or other service:

Indicate main **breaker service size** for number of residential dwellings. Not applicable to commercial/industrial and condo tower subdivisions.

60A	100A	200A	400A	Other

**Additional Information** (please include additional info. in the below space)



### REQUIRED INFORMATION

**Alectra Utilities requires that the following information be provided together with this form in order to prepare the Offer to Connect Agreement:**

1. Legal Description of the lands, copies of draft subdivision or reference plans, showing all easements.
2. One complete set of engineering and architectural drawings (must indicate location of meter bases and if applicable exterior stairs) and, together with the general plan in AutoCAD format.
3. All approved right-of-way cross sections from the municipality or region.
4. Title documents pertaining to the subject lands, including a current parcel register, transfer/deed of land, copies of any encumbrances and a current Certificate of Incorporation of the registered owner.
5. The servicing schedule.
6. Confirmation of site access date for hydro installation.

### ALECTRA UTILITIES CONTACT INFORMATION

Municipality:	Alliston, Aurora, Barrie, Beeton, Bradford West Gwillimbury, Markham, Mississauga, Penetanguishene, Richmond Hill, Thornton, Tottenham, Vaughan	Brampton, Guelph, Hamilton, Rockwood, St. Catharines
Contact Name:	Mitchell Penner	Henry Gamboa
Title:	Supervisor	Supervisor
Office Address:	161 Cityview Boulevard, Vaughan, ON, L4H 0A9	55 John St. N, Hamilton, ON, L8R 3M8
Phone:	416.302.6215	416.819.4975
Email:	Mitchell.Penner@AlectraUtilities.com	Henry.Gamboa@AlectraUtilities.com

### APPROVAL AND SIGNATURE OF DEVELOPER

Signature:

---

Name of Authorized Signatory/Agent:

---

Title:

---

Company Name:

---

Date:

---

# ATTACHMENT 5f) - BELL CANADA CONDITIONS

**From:** [PrimeCities](#)  
**To:** [David Harding](#)  
**Subject:** [External] OPA (OP.22.017 and OP.22.018), ZBLA (Z.22.037, Z.22.038 and Z.22.039) and Draft Plan of Subdivision (19T-22V011, 19T-22V012 and 19T-22V013), 11031, 11091, 11075, & 11211 Weston Rd., Vaughan  
**Date:** Thursday, March 21, 2024 2:44:18 PM

**CAUTION!** This is an external email. Verify the sender's email address and carefully examine any links or attachments before clicking. If you believe this may be a phishing email, please use the Phish Alert Button.



**1/25/2024**

**Christina Ciccone**

**Vaughan**

**Vaughan (City)**

**Attention: Christina Ciccone**

**Re: OPA (OP.22.017 and OP.22.018), ZBLA (Z.22.037, Z.22.038 and Z.22.039) and Draft Plan of Subdivision (19T-22V011, 19T-22V012 and 19T-22V013), 11031, 11091, 11075, & 11211 Weston Rd., Vaughan; Your File No. OP.22.017,OP.22.018,Z.22.037,Z.22.038,Z.22.039,19T-22V011,19T-22V012,19T-22V013**

**Our File No. DTS: 36169 / Circ: 40233**

Dear Sir/Madam,

We have reviewed the circulation regarding the above noted application. The following paragraphs are to be included as a condition of approval:

**Bell Canada Condition(s) of Approval**

1) The Owner acknowledges and agrees to convey any easement(s) as deemed necessary by Bell Canada to service this new development. The Owner further agrees and acknowledges to convey such easements at no cost to Bell Canada.

2) The Owner agrees that should any conflict arise with existing Bell Canada facilities where a current and valid easement exists within the subject area, the Owner shall be responsible for the relocation of any such facilities or easements at their own cost.

Upon receipt of this comment letter, the Owner is to provide Bell Canada with servicing plans/CUP at their earliest convenience to [planninganddevelopment@bell.ca](mailto:planninganddevelopment@bell.ca) to confirm the provision of communication/telecommunication infrastructure needed to service the development.

It shall be noted that it is the responsibility of the Owner to provide entrance/service duct(s) from Bell Canada's existing network infrastructure to service this development. In the event that no such network infrastructure exists, in accordance with the Bell Canada Act, the Owner may be required to pay for the extension of such network infrastructure.

If the Owner elects not to pay for the above noted connection, Bell Canada may decide not to provide service to this development.

**Concluding Remarks:**

To ensure that we are able to continue to actively participate in the planning process and provide detailed provisioning comments, we note that we would be pleased to receive circulations on all applications received by the Municipality and/or recirculations.

If you believe that these comments have been sent to you in error or have questions regarding Bell's protocols for responding to municipal circulations and enquiries, please contact [planninganddevelopment@bell.ca](mailto:planninganddevelopment@bell.ca) directly.

We note that WSP operates Bell Canada's development tracking system, which includes the intake and processing of municipal circulations. **However, all responses to circulations and requests for information, such as requests for clearance, will come directly from Bell Canada, and not from WSP.** WSP is not responsible for Bell's responses and for any of the content herein.

Should you have any questions, please contact the undersigned.

Yours Truly,

A rectangular box with a thin black border, containing a small blue square icon with a white question mark inside, indicating a redacted signature.

Juan Corvalan  
Senior Manager - Municipal Liaison  
Email: [planninganddevelopment@bell.ca](mailto:planninganddevelopment@bell.ca).



December 14, 2022

Christina Ciccone  
City of Vaughan  
Development Planning Department  
2141 Major Mackenzie Drive  
Vaughan, ON L6A 1T1

Dear Mr. Torres:

**Re: File:** OP.22.017, Z.22.037, & 19T-22V011 - Cornice Developments Ltd., et. Al.  
OP.22.018, Z.22.038, & 19T-22V012 - Weston Real Estate Holdings Inc.  
Z.22.039 & 19T-22V013 - Edenbrook (Weston) Inc.  
**Owner:** Cornice Developments Ltd., et. Al., Weston Real Estate Holdings Inc. &  
Edenbrook (Weston) Inc.  
**Location:** 11031, 11091, 11075, & 11211 Weston Road (Block 34 West)

---

Rogers Communications Canada Inc. ("**Rogers**") has reviewed the application for the above Subdivision and has determined that it intends to offer its communications services to residents of the Subdivision. Accordingly, we request that municipal approval for the Subdivision be granted subject to the following conditions:

- (1) The Owner shall agree in the Subdivision Agreement to (a) permit all CRTC-licensed telecommunications companies intending to serve the Subdivision (the "**Communications Service Providers**") to install their facilities within the Subdivision, and (b) provide joint trenches for such purpose.
- (2) The Owner shall agree in the Subdivision Agreement to grant, at its own cost, all easements required by the Communications Service Providers to serve the Subdivision, and will cause the registration of all such easements on title to the property.
- (3) The Owner shall agree in the Subdivision Agreement to coordinate construction activities with the Communications Service Providers and other utilities, and prepare an overall composite utility plan that shows the locations of all utility infrastructure for the Subdivision, as well as the timing and phasing of installation.

- (4) The Owner shall agree in the Subdivision Agreement that, if the Owner requires any existing Rogers facilities to be relocated, the Owner shall be responsible for the relocation of such facilities and provide where applicable, an easement to Rogers to accommodate the relocated facilities.

In addition, we kindly request to, where possible, receive copies of the following documents:

- (1) the comments received from any of the Communications Service Providers during circulation;
- (2) the proposed conditions of draft approval as prepared by municipal planners prior to their consideration by Council or any of its committees; and
- (3) the municipal planners' report recommending draft approval before it goes to Council or any of its committees.

Should you require further information or have any questions, please do not hesitate to contact York Outside Plant Engineering.

Sincerely,

York Outside Plant Engineering  
244 Newkirk Road  
Richmond Hill, ON  
L4C 3S5  
yorkcirculations@rci.rogers.com

ATTACHMENT ) h) - ENBRIDGE GAS 17 " CONDITIONS



Enbridge Gas Inc.  
500 Consumers Road  
North York, Ontario M2J 1P8  
Canada

January 3, 2023

Christina Ciccone  
Planner  
Development Planning Department  
City of Vaughan  
2141 Major Mackenzie Drive  
Vaughan, ON L6A 1T1

Dear Christina,

Re: Draft Plan of Subdivision, Official Plan Amendment, Zoning By-Law Amendment  
Cornice Developments Ltd., et. Al., Weston Real Estate Holdings Inc. &  
Edenbrook (Weston) Inc.  
11031, 11091, 11075, & 11211 Weston Road (Block 34 West)  
City of Vaughan  
File No.: 19T-22V013, 19T-22V012, 19T-22V011, OP-22-018, OP-22-017, Z-22-039, Z-22-038,  
Z-22-037

Enbridge Gas Inc. does not object to the proposed application(s) however, we reserve the right to amend or remove development conditions.

This response does not constitute a pipe locate, clearance for construction or availability of gas.

The applicant shall contact Enbridge Gas Inc.'s Customer Connections department by emailing [SalesArea30@Enbridge.com](mailto:SalesArea30@Enbridge.com) to determine gas availability, service and meter installation details and to ensure all gas piping is installed prior to the commencement of site landscaping (including, but not limited to: tree planting, silva cells, and/or soil trenches) and/or asphalt paving.

If the gas main needs to be relocated as a result of changes in the alignment or grade of the future road allowances or for temporary gas pipe installations pertaining to phased construction, all costs are the responsibility of the applicant.

In the event that easement(s) are required to service this development, and any future adjacent developments, the applicant will provide the easement(s) to Enbridge Gas Inc. at no cost.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jasleen Kaur', with a horizontal line above the first name.

**Jasleen Kaur**  
Municipal Planning Coordinator  
**Engineering**

**ENBRIDGE**  
TEL: 437-929-8083  
500 Consumers Rd, North York, ON M2J1P8  
[enbridge.com](http://enbridge.com)  
**Safety. Integrity. Respect. Inclusion.**

# ATTACHMENT ) i) - 75 B585 POST CORPORATION CONDITIONS

January 10, 2023

City of Vaughan – Planning Department

To: Christina Ciccone, Senior Planner, Development Planning

File: **OP.22.017, Z.22.037 & 19T-22V011 – Cornice Developments Ltd.**  
**OP.22.018, Z.22.038 & 19T-22V012 – Weston Real Estate Holdings Inc.**  
**Z.22.039 & 19T-22V013 – Edenbrook (Weston) Inc.**

Location: 11031, 11091, 11075 & 11211 Weston Road (Block 34 West)

Dear Ms. Ciccone,

It is difficult to provide specific comments for the above project/development – because specific details regarding the developments haven't been identified as yet; however the circulation does state that there will be low density residential, mid-rise residential, medium density residential and street townhouse residential dwellings.

**For mid-rise residential – (building), Canada Post would require the following:**

- ⇒ The owner/developer will provide the building with its own centralized mail receiving facility. This lock-box assembly can be front or rear-loaded, adjacent to the main entrance and maintained by the owner/developer in order for Canada Post to provide mail service to the tenants/residents of this project.
- ⇒ The owner/developer agrees to provide Canada Post with access to any locked doors between the street and the lock-boxes via the Canada Post Crown lock and key system. This encompasses, if applicable, the installation of a Canada Post lock in the building's lobby intercom and the purchase of a deadbolt for the mailroom door that is a model which can be retro-fitted with a Canada Post deadbolt cylinder.
- ⇒ **For any building where there are more than 100 units, a secure, rear-fed mailroom must be provided.** The owner/developer will provide the building with its own centralized mail receiving facility. This lock-box assembly must be **rear-loaded**, adjacent to the main entrance and maintained by the owner/developer in order for Canada Post to provide mail service to the tenants/residents of this project.
- ⇒ The owner/developer agrees to provide Canada Post with access to any locked doors between the street and the lock-boxes via the Canada Post Crown lock and key system. This encompasses, if applicable, the installation of a Canada Post lock in the building's lobby intercom and the purchase of a deadbolt for the mailroom door that is a model which can be retro-fitted with a Canada Post deadbolt cylinder.

As per our revised National Delivery Policy, **street level retail/commercial units will also receive mail delivery at centralized locations, not directly to their door.**

**For example:** If there is a common indoor entrance or connection extra mail compartments can be provided to accommodate the commercial unit(s) in the main mailbox panel. If these units are not part of the building then a separate centralized mail receiving facility/box can be set up by the developer or by centralized mail delivery provided through Canada Post Community Mail Boxes at an alternative location.

The specifications can be found in our Delivery Standards Manual, which can be downloaded from this link: [https://www.canadapost.ca/cpo/mc/assets/pdf/business/standardsmanual\\_en.pdf](https://www.canadapost.ca/cpo/mc/assets/pdf/business/standardsmanual_en.pdf)

**As the project nears completion, it is requested that the Developer contact me directly for Postal Code(s) as existing postal coding will not apply and new postal codes will be issued for this development.**

***Canada Post further requests the owner/developer be notified of the following***

There will be no more than one mail delivery point to each unique address assigned by the Municipality.

1. Any existing postal coding may not apply, the owner/developer should contact Canada Post to verify postal codes for the project.
2. The complete guide to Canada Post's Delivery Standards can be found at:

**Subdivisions, consisting of low and medium density residential and street townhouse residential dwellings, are serviced by community mailboxes and therefore Canada Post would require the following:**

- ⇒ The Owner/Developer will consult with Canada Post to determine suitable permanent locations for the placement of Community Mailboxes and to indicate these locations on appropriate servicing plans;
- ⇒ The Builder/Owner/Developer will confirm to Canada Post that the final secured permanent locations for the Community Mailboxes will not be in conflict with any other utility; including hydro transformers, bell pedestals, cable pedestals, flush to grade communication vaults, landscaping enhancements (tree planting) and bus pads;
- ⇒ The Owner/Developer will install concrete pads at each of the Community Mailbox locations as well as any required walkways across the boulevard and any required curb depressions for wheelchair access as per Canada Post's concrete pad specification drawings;
- ⇒ The Owner/Developer will agree to prepare and maintain an area of compacted gravel to Canada Post's specifications to serve as a temporary Community Mailbox location. This location will be in a safe area away from construction activity in order that Community Mailboxes may be installed to service addresses that have occupied prior to the pouring of the permanent mailbox pads. This area will be required to be prepared a minimum of 30 days prior to the date of first occupancy;
- ⇒ **The Owner/Developer will communicate to Canada Post the excavation date for the first foundation (or first phase) as well as the expected date of first occupancy;**

Canada Post further requests the owner/developer be notified of the following:

1. The owner/developer of any condominiums will be required to provide signature for a License to Occupy Land agreement and provide winter snow clearance at the Community Mailbox location.
2. Enhanced Community Mailbox Sites with roof structures will require additional documentation as per Canada Post Policy.
3. There will be no more than one mail delivery point to each unique address assigned by the Municipality.
4. Any existing postal coding may not apply, the owner/developer should contact Canada Post to verify postal codes for the project.
5. The complete guide to Canada Post's Delivery Standards can be found at:  
[https://www.canadapost.ca/cpo/mc/assets/pdf/business/standardsmanual\\_en.pdf](https://www.canadapost.ca/cpo/mc/assets/pdf/business/standardsmanual_en.pdf)

**As the project nears completion, it is requested that the Developer contact me directly during the design stage of the above project, to discuss a suitable mailbox location.**

Thank you,

*Lorraine Farquharson*

**Lorraine Farquharson**

Officer, Delivery Services

✉ **200 - 5210 Bradco Blvd Mississauga, ON L4W 2G7**

📧 [lorraine.farquharson@canadapost.ca](mailto:lorraine.farquharson@canadapost.ca)

📞 **416-262-2394**



# ATTACHMENT ) j) - TRANS75 B5 85 PIPELINES LIMITED CONDITIONS



January 9, 2023

Christina Ciccone  
Planner  
Development Planning Department

City of Vaughan  
2141 Major Mackenzie Drive  
Vaughan, ON  
L6A 1T1

Via email: [Christina.Ciccone@vaughan.ca](mailto:Christina.Ciccone@vaughan.ca)

Dear Christina Ciccone:

**RE: Draft Plan of Subdivision, Official Plan Amendment, and Zoning By-law Amendment**

11091 Weston Road, City of Vaughan  
Cornice Developments Ltd. et. Al  
Municipal File: OP.22.017, Z.22.037, & 19T-22V011  
Our File: PAR 50130

---

MacNaughton Hermsen Britton Clarkson (MHBC) are the planning consultants for TransCanada PipeLines Limited (TCPL). This letter is in response to a notification and request for comments for the above-noted applications to facilitate a residential subdivision on the lands identified as 11091 Weston Road in the City of Vaughan (the "Subject Lands"). The Subject Lands are within 750 metres of a TCPL compressor station, known as "Station 130".

TCPL's pipelines and related facilities are subject to the jurisdiction of the Canada Energy Regulator (CER) – formerly the National Energy Board (NEB). As such, certain activities must comply with the Canadian Energy Regulator Act ("Act") and associated Regulations. The Act and the Regulations noted can be accessed from the CER's website at [www.cer-rec.gc.ca](http://www.cer-rec.gc.ca).

Based upon our initial review of the Draft Plan of Subdivision and supporting technical reports, we are providing the following comments and are requesting that the noted development and regulatory requirements be included as conditions in the Draft Plan approval and Subdivision Agreement between the Municipality and the Owner. TCPL may submit additional requirements for additional requirements to be included in the Subdivision Agreement.

**Draft Conditions:**

1. In accordance with Section 8.4.3.4 of the City of Vaughan Official Plan:

*“That regard shall be given to noise levels where development is proposed in close proximity to the TransCanada compressor station. A noise and vibration study, to be carried out by the proponent, may be required for development proposals within 750 metres of the compressor station. The study will determine if provincial guidelines can be achieved, and if necessary recommend appropriate mitigation measures.*


Given the proximity to the compressor station, a Noise and Vibration Study shall be conducted and circulated to TCPL. The study shall illustrate that sound emissions from the compressor station will be below the limits recommended by the applicable regulatory authorities and that necessary mitigation measures are in place in accordance with the required guidelines.

### **Subdivision Agreement:**

1. As TCPL operates a compressor station near the Subject Lands, it is recommended that a Noise and Vibration Study be conducted and circulated to TCPL. The study shall illustrate that sound emissions from the compressor station will be below the limits recommended by the applicable regulatory authorities and that necessary mitigation measures are in place in accordance with the required guidelines.
2. Written consent must be obtained from TCPL prior to undertaking the following activities:
  - Constructing or installing a facility across, on, along or under a TCPL right-of-way. A facility may include, but is not limited to: driveways, roads, access ramps, trails, pathways, utilities, berms, fences/fence posts;
  - Conducting a ground disturbance (excavation or digging) on TCPL’s right-of-way or within 30 metres of the centreline of TCPL’s pipeline (the “Prescribed Area”);
  - Driving a vehicle, mobile equipment or machinery across a TCPL right-of-way outside the travelled portion of a highway or public road;
  - Using any explosives within 300 metres of TCPL’s right-of-way; and
  - Use of TCPL’s Prescribed Area for storage purposes.
3. All display plans in the lot/home sales office shall identify the TCPL pipeline right-of-way corridor.
4. The Owner shall include notice of the following in all offers of purchase and sale:
  - Notice of the location of the TCPL compressor station, known as “Station 130” within 750 metres of the Subject Lands.

Thank you for the opportunity to provide comments. Kindly forward a copy of the draft conditions for review prior to any decision to the undersigned by mail or by email to [TCEnergy@mhbcplan.com](mailto:TCEnergy@mhbcplan.com). If you have any questions, please do not hesitate to contact our office.

Sincerely,



Kaitlin Webber, MA  
Planner | MHBC Planning  
*on behalf of TransCanada PipeLines Limited*