



File: A135/20

Applicant: Margarita Rudnitsky & Irina Krapunsky

Address: 19 Quail Run Blvd Maple

Agent: Albert Yerushalmi

Please note that comments and written public submissions received after the preparation of this Staff Report (up until noon on the last business day prior to the day of the scheduled hearing date) will be provided as an addendum.

Commenting Department	<input checked="" type="checkbox"/> Positive Comment	Condition(s) <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
	<input checked="" type="checkbox"/> Negative Comment	
Committee of Adjustment	<input checked="" type="checkbox"/>	
Building Standards	<input checked="" type="checkbox"/>	
Building Inspection	<input checked="" type="checkbox"/>	
Development Planning	<input checked="" type="checkbox"/>	
Cultural Heritage (Urban Design)	<input checked="" type="checkbox"/>	
Development Engineering	<input checked="" type="checkbox"/>	
Parks, Forestry and Horticulture Operations	<input checked="" type="checkbox"/>	
By-law & Compliance		
Financial Planning & Development	<input checked="" type="checkbox"/>	
Fire Department	<input checked="" type="checkbox"/>	
TRCA		
Ministry of Transportation		
Region of York	<input checked="" type="checkbox"/>	
Alectra (Formerly PowerStream)	<input checked="" type="checkbox"/>	
Public Correspondence (see Schedule B)		

Adjournment History: N/A

Background History: N/A



Minor Variance
Application

Agenda Item: 9

A135/20

Ward: 1

Staff Report Prepared By: Pravina Attwala, Assistant Secretary Treasurer

Date & Time of Live Stream Hearing: Thursday, January 14, 2021 at 6:00 p.m.

As a result of COVID-19, Vaughan City Hall and all other City facilities are closed to the public at this time.

A live stream of the meeting is available at [Vaughan.ca/LiveCouncil](https://vaughan.ca/LiveCouncil)

Please submit written comments by mail or email to:

City of Vaughan
Office of the City Clerk – Committee of Adjustment
2141 Major Mackenzie Drive, Vaughan, ON L6A 1T1
cofa@vaughan.ca

To make an electronic deputation at the meeting please contact the Committee of Adjustment at cofa@vaughan.ca or 905-832-8504. Ext. 8332

Written comments or requests to make a deputation must be received by noon on the last business day before the meeting.

Applicant: Margarita Rudnitsky & Irina Krapunsky

Agent: Albert Yerushalmi

Property: 19 Quail Run Blvd Maple

Zoning: The subject lands are zoned RR Rural Residential, and subject to the provisions of Exception No. 9(415) under By-law 1-88 as amended.

OP Designation: Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential and within Oak Ridges Moraine Countryside area"

Related Files: None

Purpose: Relief from By-law 1-88, as amended, is being requested to permit the construction of a proposed mudroom in the northerly side yard and to permit the enclosure of two (2) existing second floor balconies.

The following variances are being requested from By-Law 1-88, as amended, to accommodate the above proposal:

By-law Requirement	Proposal
1. A minimum interior side yard setback of 4.5 metres is required.	1. To permit a northerly interior side yard setback of 3.9 metres to the dwelling.
2. A maximum lot coverage of 10.0% is permitted.	2. To permit a maximum lot coverage of 10.1%. (10% dwelling; 0.1% mudroom)

Background (previous applications approved by the Committee on the subject land): N/A

For information on the previous approvals listed above please visit www.vaughan.ca. To search for a file number, enter it using quotes around it. For example, "A001/17".

To search property address, enter street number and street name using quotes. For example, "2141 Major Mackenzie". Do not include street type (i.e. drive).

Adjournment History: N/A

Staff & Agency Comments

Please note that staff/agency comments received after the preparation of this Report will be provided as an addendum item to the Committee. Addendum items will shall only be received by the Secretary Treasurer until **noon** on the last business day **prior** to the day of the scheduled Meeting.

Committee of Adjustment:
Public notice was mailed on December 17, 2020

Applicant confirmed posting of signage on December 21, 2020

Property Information	
Existing Structures	Year Constructed
Dwelling	1980

Applicant has advised that they cannot comply with By-law for the following reason(s): The request to construct a mudroom and enclose two existing balconies requires relief for variances.

Adjournment Request: N/A

Building Standards (Zoning Review):
Stop Work Order(s) and Order(s) to Comply:Order No. 18-000290, Order to Comply for, Issue Date: Oct 15, 2018

Building Permit No. 20-109994 for Single Detached Dwelling - Addition (Not Yet Issued).

Please note than an A/C unit shall be setback a minimum of 0.6 metres from the interior side lot line; and may encroach a maximum of 1.5 metres into the required rear yard.

Building Inspections (Septic):
No comments or concerns

Development Planning:
Official Plan: Vaughan Official Plan 2010 ('VOP 2010'): "Low-Rise Residential and within Oak Ridges Moraine Countryside area"

The Development Planning Department is of the opinion that the proposal is minor in nature, maintains the general intent and purpose of the Official Plan and Zoning By-law, and is desirable for the appropriate development of the land.

The Development Planning Department recommends approval of the application.

Cultural Heritage (Urban Design):
There are no cultural heritage concerns for this application

Development Engineering:
The Development Engineering (DE) Department does not object to variance application A135/20

Parks Development - Forestry:
No comments or concerns

By-Law and Compliance, Licensing and Permit Services:
No comment.

Financial Planning and Development Finance:
No comment no concerns

Fire Department:
No comment no concerns

Schedule A – Plans & Sketches

Schedule B – Public Correspondence
None

Schedule C - Agency Comments
Alectra (Formerly PowerStream) – No concerns or objections
Region of York – No concerns or objections

Schedule D - Previous Approvals (Notice of Decision)
None

Staff Recommendations:
Staff and outside agencies (i.e. TRCA) act as advisory bodies to the Committee of Adjustment. Comments received are provided in the form of recommendations to assist the Committee.

The Planning Act sets the criteria for authorizing minor variances to the City of Vaughan’s Zoning By-law. Accordingly, review of the application considers the following:

- ✓ That the general intent and purpose of the by-law will be maintained.
- ✓ That the general intent and purpose of the official plan will be maintained.
- ✓ That the requested variance(s) is/are acceptable for the appropriate development of the subject lands.
- ✓ That the requested variance(s) is/are minor in nature.

Should the Committee find it appropriate to approve this application in accordance with request and the sketch submitted with the application as required by Ontario Regulation 200/96, the following conditions have been recommended: N/A

Conditions

It is the responsibility of the owner/applicant and/or authorized agent to obtain and provide a clearance letter from respective department and/or agency. This letter must be provided to the Secretary-Treasurer to be finalized. All conditions must be cleared prior to the issuance of a Building Permit.

Please Note:

Relief granted from the City's Zoning By-law is determined to be the building envelope considered and approved by the Committee of Adjustment.

Development outside of the approved building envelope (subject to this application) must comply with the provisions of the City's Zoning By-law or additional variances may be required.

Elevation drawings are provided to reflect the style of roof to which building height has been applied (i.e. flat, mansard, gable etc.) as per By-law 1-88 and the Committee of Adjustment approval. Please note, that architectural design features (i.e. window placement), that do not impact the style of roof approved by the Committee, are not regulated by this decision.

Notice to the Applicant – Development Charges

That the payment of the Regional Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Regional Development Charges By-law in effect at the time of payment.

That the payment of the City Development Charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the City's Development Charges By-law in effect at the time of payment.

That the payment of the Education Development Charge if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and the Boards of Education By-laws in effect at the time of payment

That the payment of Special Area Development charge, if required, is payable to the City of Vaughan before issuance of a building permit in accordance with the Development Charges Act and The City's Development Charge By-law in effect at the time of Building permit issuance to the satisfaction of the Reserves/Capital Department.

Notice to Public

PLEASE NOTE: As a result of COVID-19, Vaughan City Hall and all other City facilities are closed to the public at this time.

PUBLIC CONSULTATION DURING OFFICE CLOSURE: Any person who supports or opposes this application, but is unable to attend the hearing, may make a written submission, together with reasons for support or opposition. Written submissions on an Application shall only be received until **noon** on the last business day **prior** to the day of the scheduled hearing. Written submissions can be mailed and/or emailed to:

City of Vaughan
Office of the City Clerk – Committee of Adjustment
2141 Major Mackenzie Drive, Vaughan, ON L6A 1T1
cofa@vaughan.ca

ELECTRONIC PARTICIPATION: During the COVID-19 emergency, residents can view a live stream of the meeting [Vaughan.ca/LiveCouncil](https://vaughan.ca/LiveCouncil). To make an electronic deputation, residents must complete and submit a [Public Deputation Form](#) no later than **noon** on the last business prior to the scheduled hearing. To obtain a Public Deputation Form please contact our office or visit www.vaughan.ca

Presentations to the Committee are generally limited to 5 minutes in length. Please note that Committee of Adjustment meetings may be audio/video recorded. Your name, address comments and any other personal information will form part of the public record pertaining to this application.

Presentations to the Committee are generally limited to 5 minutes in length. Please note that Committee of Adjustment meetings may be audio/video recorded. Your name, address comments and any other personal information will form part of the public record pertaining to this application.

PUBLIC RECORD: Personal information is collected under the authority of the Municipal Act, the Municipal Freedom of Information and Protection of Privacy Act (MFIPPA), the Planning Act and all other relevant legislation, and will be used to assist in deciding on this matter. All personal information (as defined by MFIPPA), including (but not limited to) names, addresses, opinions and comments collected will become property of the City of Vaughan, will be made available for public disclosure (including being posted on the internet) and will be used to assist the Committee of Adjustment and staff to process this application.

NOTICE OF DECISION: If you wish to be notified of the decision in respect to this application or a related Local Planning Appeal Tribunal (LPAT) hearing you must complete a Request for Decision form and submit to the Secretary Treasurer (ask staff for details). In the absence of a written request to be notified of the Committee's decision you will **not** receive notice.

For further information please contact the City of Vaughan, Committee of Adjustment

T 905 832 8585 Extension 8002
E CofA@vaughan.ca

Schedule A: Plans & Sketches

Please note that the correspondence listed in Schedule A is not comprehensive. Plans & sketches received after the preparation of this staff report will be provided as an addendum.


Location Map
Plans & Sketches



LOCATION MAP - A135/20

19 QUAIL RUN BLVD. MAPLE

Kirby Road





TOPOGRAPHICAL PLAN OF SURVEY OF
LOT 4
REGISTERED PLAN 65M-2353
CITY OF VAUGHAN
(Regional Municipality of York)


SCALE = 1 : 400

© COPYRIGHT RUDOLF ZIVKO SURVEYING LTD.



LOT COVERAGE = 10.1%
(10% dwelling; 0.1% mudroom)

A135/20



Site Stats:



Lot area 4,661 m²

Existing coverage 9.92%

Proposed coverage 10.1%

Proposed mudroom area 8.38 m²


Proposed 2 enclosed balconies area 33.37 m²

Drawn By		Date	Revision	Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer consent. Drawings are not to be scaled		 Eden Engineering & Design Inc. <i>Consulting Engineers</i> 34 Pheasant Valley Ct. Markham, ON L3T2H1 Tel : 416-876-0957 Fax : 905-248-3595 E-mail : info@edenengineering.ca	19 Quail Run Blvd. Vaughan, ON.
Checked By							
Date	1.8.2020						



TOPOGRAPHICAL PLAN OF SURVEY OF
LOT 2
REGISTERED PLAN 65M-2353
CITY OF VAUGHAN

65M-2353



Quail Run Blvd

REGISTERED

Site Stats:

Lot area 4,661 m2

Existing coverage 9.92%

Proposed coverage 10.1%



Proposed mudroom area 8.38 m2

Proposed 2 enclosed balconies area 33.37 m2

RECEIVED

NOV 20 2020

VAUGHAN
OF ADJUTANT

Drawn By		Date	Revision	Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer consent. Drawings are not to be scaled		 Eden Engineering & Design Inc. Consulting Engineers 34 Pheasant Valley Ct. Markham, ON L3T2H1 Tel : 416-876-0957 Fax : 905-248-3595 E-mail : info@edenengineering.ca	19 Quail Run Blvd. Vaughan, ON. 100
Checked By							
Date	1.8.2020						

RECEIVED

NOV 20 2020

VAUGHAN COMMITTEE
OF ADJUSTMENT

Structural members:


J1: TJI 560 11 7/8 @ 12" OC
J2: TJI 560 11 7/8 @ 16" OC
J3: TJI 560 14" @ 12" OC
J4: TJI 560 14" @ 16" OC
J5: 2x8 dim. lum @ 12"
J6: 2x10 dim. lum @ 12"
J7: 2x12 dim. lum @ 12"
J8: 2x8 dim. lum @ 16"
J9: 2x10 dim. lum @ 16"
J10: 2x12 dim. lum @ 16"
J11: 2x6 dim. lum @ 16"
B1: 1-LVL 117/8-2.0E
B2: 2-LVL 117/8-2.0E
B3: 3-LVL 117/8-2.0E
B4: 4-LVL 117/8-2.0E
B5: 5-LVL 117/8-2.0E
C1: 3-2x6 (or 6x6)
C2: 4-2x6
C3: 5-2x6
C4: 4x4x3/8 HSS c/w 8x8x1/2 PL T&B
C5: 6x6x3/8 HSS c/w 8x8x1/2 PL T&B
L: 1-2x8
L1: 2-2x8
L2: 3-2x8
L3: 4-2x8
L4: 2-2x10
L5: 3-2x10
L6: 4-2x10
L7: 2-2x12
L8: 3-2x12
L9: 4-2x12

All members shall be so framed,
anchored, fastened, tied and braced
to provide the necessary strength
and rigidity.

The design conforms to
The OBC 2012 incl. amendments.
DL 20 PSF
LL 40 PSF

Basement to be used in conjunction
with single family dwelling above.
any changes in use will require
variances.

All floor sheathing shall be glued
and screwed (2" screws) @ 8" oc
LVL beam sizes specified on
drawings are based on a minimum
allowable flexural stress of 20.0
MPa (2925 psi).
For all laminated veneer lumber
(LVL) beams provide minimum 3
rows of 3.5 inch nails at 12" o/c.
All LVL beams are 2.0E type or
similar.



① First Floor
3/16" = 1'-0"

19 Quail Run Blvd.
Maple, ON.



Eden Engineering & Design Inc.
Consulting Engineers
34 Pleasant Valley Ct.
Markham, ON L3R 9H1
Tel: 416-596-0377
Fax: 905-886-5395
Email: info@edenengineering.ca

Drawn By

Checked By

Date

6

AY

1.8.2020

Contractor to check and verify all
dimensions and conditions on the job
and report discrepancies to the
designer before proceeding with the
works. This drawing is the property
of "Eden Engineering & Design"
and any use of it should have the
designer's consent.
Drawings are not to be scaled

All members shall be so framed, anchored, fastened, tied and braced to provide the necessary strength and rigidity.

The design conforms to the OBC 2012 Incl. amendments, DL 20 PSF LL 40 PSF Basement to be used in conjunction with single family dwelling above. any changes in use will require variances.


All floor sheathing shall be glued and screwed (2" screws) @ 6" oc LVL beam sizes specified on drawings are based on a minimum allowable flexural stress of 20.0 MPa (2925 psi).


For all laminated veneer lumber (LVL) beams provide minimum 3 rows of 3.5 inch nails at 12" o.c. All LVL beams are 2.0E type or similar.


C3: 5-2x6
C4: 4x4x3/8 HSS c/w 8x8x1/2 PL T&B
C5: 6x6x3/8 HSS c/w 8x8x1/2 PL T&B

L: 1-2x8
L1: 2-2x8
L2: 3-2x8
L3: 4-2x8
L4: 2-2x10
L5: 3-2x10
L6: 4-2x10
L7: 2-2x12
L8: 3-2x12
L9: 4-2x12


S1: 3 1/2" x 3 1/2" x 1/4" (max 4' span)
S2: 5" x 3 1/2" x 5/16" (7' max span)
S3: 6" x 4" x 3/8" (9' max span)
S4: 7" x 4" x 7/16" (12' max span)
S5: 8" x 4" x 1/2" (14' max span)
S6: 9" x 4" x 5/8" (16' max span)
S1: 3 1/2" x 3 1/2" x 1/4" (max 4' span)
S2: 5" x 3 1/2" x 5/16" (7' max span)
S3: 6" x 4" x 3/8" (9' max span)
S4: 7" x 4" x 7/16" (12' max span)
S5: 8" x 4" x 1/2" (14' max span)
S6: 9" x 4" x 5/8" (16' max span)
F1: 3x3x3 concrete pad 25 Mpa




Drawn By	AY	<p>Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer consent.</p> <p>Drawings are not to be scaled</p>		<p>Eden Engineering & Design Inc. <i>Consulting Engineers</i></p> <p>34 Pleasant Valley Ct. Markham, ON L3T2H1 Tel : 416-876-0957 Fax : 905-248-3595 E-mail : info@edenengineering.ca</p>	<p>Date</p>	<p>Revision</p>	<p>7</p>	<p>19 Quail Run Blvd. Maple, ON.</p>
Checked By	AY							
Date	1.8.2020							




Drawn By	AY	Date	Revision	8	19 Quail Run Blvd. Maple, ON.
	AY				
	1.8.2020				



Eden Engineering & Design Inc.
Consulting Engineers
34 Phasant Valley Ct.
Markham, ON L3T2H1
Tel : 416-876-0957
Fax : 905-248-3595
E-mail : info@edenenginc.com



Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer's consent. Drawings are not to be scaled






19 Quail Run Blvd. Maple, ON.		9	
Drawn By	AY	Revision	
Checked By	AY	Date	
Date	1.8.2020		

Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer consent.
Drawings are not to be scaled

Eden Engineering & Design Inc.
Consulting Engineers
34 Pleasant Valley Ct.
Markham, ON L3T2H1
Tel : 416-476-0957
Fax : 905-248-3355
E-mail : info@edenengineering.ca

AY
100070815
REGISTERED PROFESSIONAL ENGINEER
PROVINCIAL ENGINEERING
ON



Drawn By	AY	Contractor to check and verify all dimensions and conditions on the job and report discrepancies to the designer before proceeding with the works. This drawing is the property of "Eden Engineering & Design" and any use of it should have the designer consent. Drawings are not to be scaled		 <div>Eden Engineering & Design Inc. Consulting Engineers 34 Pleasant Valley Ct. Markham, ON L3T2H1 Tel : 416-876-0937 Fax : 905-246-3395 E-mail : info@edenengineering.ca</div>	Date	Revision	12	19 Quail Run Blvd. Maple, ON.
Checked By	AY							
Date	1.8.2020							

Schedule B: Public Correspondence Received

Please note that the correspondence listed in Schedule B is not comprehensive. Written submissions received after the preparation of this staff report will be provided as an addendum.

None

Schedule C: Agency Comments

Please note that the correspondence listed in Schedule C is not comprehensive. Comments received after the preparation of this staff report will be provided as an addendum.-

Alectra (Formerly PowerStream) – No concerns or objections
Region of York – No concerns or objections

COMMENTS:

- ☐ We have reviewed the proposed Variance Application and have no comments or objections to its approval.
- ☒ We have reviewed the proposed Variance Application and have no objections to its approval, subject to the following comments (attached below).
- ☐ We have reviewed the proposed Variance Application and have the following concerns (attached below).

Alectra Utilities (formerly PowerStream) has received and reviewed the proposed Variance Application. This review, however, does not imply any approval of the project or plan.

All proposed billboards, signs, and other structures associated with the project or plan must maintain minimum clearances to the existing overhead or underground electrical distribution system as specified by the applicable standards, codes and acts referenced.

In the event that construction commences, and the clearance between any component of the work/structure and the adjacent existing overhead and underground electrical distribution system violates the Occupational Health and Safety Act, the customer will be responsible for 100% of the costs associated with Alectra making the work area safe. All construction work will be required to stop until the safe limits of approach can be established.

In the event construction is completed, and the clearance between the constructed structure and the adjacent existing overhead and underground electrical distribution system violates the any of applicable standards, acts or codes referenced, the customer will be responsible for 100% of Alectra's cost for any relocation work.

References:

- Ontario Electrical Safety Code, latest edition (Clearance of Conductors from Buildings)
- Ontario Health and Safety Act, latest edition (Construction Protection)
- Ontario Building Code, latest edition (Clearance to Buildings)
- PowerStream (Construction Standard 03-1, 03-4), attached
- Canadian Standards Association, latest edition (Basic Clearances)

If more information is required, please contact either of the following:

Mr. Stephen Cranley, C.E.T
Supervisor, Distribution Design, ICI & Layouts (North)
Phone: 1-877-963-6900 ext. 31297

E-mail: stephen.cranley@alectrautilities.com

Mr. Tony D'Onofrio
Supervisor, Subdivisions (Alectra East)
Phone: 1-877-963-6900 ext. 24419

Email: tony.donofrio@alectrautilities.com

Attwala, Pravina

Subject: FW: [External] FW: A135/20 - REQUEST FOR COMMENTS
Attachments: A135-20 - Circulation.pdf

From: Hurst, Gabrielle <Gabrielle.Hurst@york.ca>
Sent: December-11-20 8:29 AM
To: Attwala, Pravina <Pravina.Attwala@vaughan.ca>; Providence, Lenore <Lenore.Providence@vaughan.ca>; MacPherson, Adriana <Adriana.MacPherson@vaughan.ca>
Subject: [External] FW: A135/20 - REQUEST FOR COMMENTS

Good morning Pravina,
The Regional Municipality of York has completed its review of the above minor variance and has no comment.
Regards,

Gabrielle

Gabrielle Hurst MCIP RPP | Community Planning and Development Services | The Regional Municipality of York | 1-877 464 9675 ext 71538 | Gabrielle.hurst@york.ca | www.york.ca